



CITY OF FORT LAUDERDALE

DRAFT
MEETING MINUTES
CITY OF FORT LAUDERDALE
MARINE ADVISORY BOARD
VIRTUAL MEETING
THURSDAY, MARCH 4, 2021 – 6:00 P.M.

		Cumulative Attendance	
		May 2020 – April 2021	
Grant Henderson, Chair	P	6	1
Ed Strobel, Vice Chair	P	7	0
Cliff Berry II	P	5	2
Deirdre Boling-Lewis	A	4	3
Robyn Chiarelli	P	4	3
Barry Flanigan	P	7	0
Richard Graves	A	4	3
James Harrison	P	7	0
Rose Ann Lovell	P	7	0
Kitty McGowan	P	6	1
Norbert McLaughlin	P	6	1
Ted Morley	A	5	2
Christopher Rotella	P	2	1
Bill Walker	P	6	1
Steve Witten	P	7	0

As of this date, there are 15 appointed members to the Board, which means 8 would constitute a quorum.

Staff

Andrew Cuba, Marine Facilities Manager
Jonathan Luscomb, Marine Facilities Supervisor
Sergeant Todd Mills, Fort Lauderdale Police Department
Brigitte Chiappetta, Recording Secretary, Prototype, Inc.

Communications to City Commission

Motion made by Ms. Chiarelli, seconded by Ms. McGowan, that the Marine Advisory Board urges the City Commission to address the rebuilding of the seawalls in Downtown Fort Lauderdale along the New River, to request a Master Plan and budget for implementation, and to support grants through FIND and other sources that might be available. In a voice vote, the **motion** passed unanimously.

I. Call to Order / Roll Call

Chair Henderson called the meeting to order at 6:00 p.m. and roll was called.

II. Approval of Minutes – February 7, 2021

Motion made by Mr. Witten, seconded by Mr. McLaughlin, to approve. In a voice vote, the **motion** passed unanimously.

III. Statement of Quorum

It was noted a quorum was present at the meeting.

IV. Waterway Crime & Boating Safety Report

Sergeant Todd Mills of the Fort Lauderdale Police Department's Marine Unit reported the following activity from the month of February 2021:

- 48 citations
- 78 warnings
- 14 safety inspections
- 3 accidents
- 2 burglaries

Sgt. Mills advised that the Air Show is scheduled for the weekend of May 8 and 9, 2021. Not all permits for the event have been approved at this time.

Mr. Walker asked if the Fort Lauderdale Police Department has been involved with either the Florida Fish and Wildlife Commission (FWC) or the U.S. Coast Guard with respect to action on illegal charters. Sgt. Mills replied that the Coast Guard has undertaken a high-visibility program to deal with this activity, and the Police Department has assisted by reporting suspected illegal vessels to them. Parties witnessing problematic activity are encouraged to call the Police Department first, followed by raising the Marine Unit directly on VHF or calling the City's non-emergency number.

V. Presentation – Riverwalk Seawall Discussion / Genia Ellis

Genia Ellis, representing Riverwalk Fort Lauderdale, explained that this organization oversees the Riverwalk and its surrounding district. Its footprint includes portions of both the New River and the Downtown core. She showed a PowerPoint presentation on the seawalls in the Downtown area, most of which were constructed beginning in the late 1980s. These seawalls are typically repaired only on an emergency basis, with no set plan for their maintenance. As a result, they have begun to deteriorate.

With sea level rise and the possibility of dredging the New River, attention to these seawalls is critical. In 2018, the City received a report assessing its existing seawalls, forecasting the necessary funds for these repairs. Riverwalk Fort Lauderdale also undertook a number of studies and forecasts for the repairs they believe are needed for the same specific areas. The City's study did not address the need for new seawalls on sections of the Riverwalk where these structures do not currently exist.

Representatives of Riverwalk Fort Lauderdale recently took a boat trip with the City Manager, Director of Public Works, Director of Parks and Recreation, and other members of City Staff so officials could see the seawalls' deterioration from the water. Ms. Ellis showed photographs of a number of structural concerns and failures, noting that sea level rise and king tides contribute to flooding on land. The undermining of seawalls also leads to the failure of the attached pedestrian walkway, creating unsafe conditions.

The City has recently completed its list of Commission priorities for 2021. It has identified seawalls along the New River and Downtown, including Riverwalk docking on the north and south sides of the river. At present, this is an unfunded need, although there are grant opportunities through the Florida Inland Navigational District (FIND) that would allow for the project to be realized in phases. The City does not, however, have plans or permitting in place to facilitate this project if grant funding is obtained. Riverwalk Fort Lauderdale is requesting the Marine Advisory Board's assistance in encouraging the City Commission to take these next steps and raise the priority level of seawall repair.

The Board members discussed the presentation, with Mr. Walker noting that the Riverwalk's south side between the 3rd and 4th Avenue Bridges also has issues related to its vacuum pumps for sewage systems. He felt this should be considered alongside seawall repairs, as it creates a water quality issue. Ms. Ellis noted that when the Riverwalk was built, the south side included a number of stairways down to the water; however, over time, flooding has pulled upland material into the river. The raising and repair of seawalls should be done at the same time to address this concern.

Mr. Flanigan recalled that at an earlier time, the Board had hoped to address seawalls on the north side of the river which are over 60 years old. In approximately 2010, the City attempted to address seawall concerns with concrete and pilings, but this approach was ultimately unsuccessful. He also noted that the City had requested funds through FIND for seawall improvements in the past, but matching funds were not allocated for this purpose.

Ms. Ellis noted that at present, the need the City lacks most is a set of design drawings and permits, as well as matching funds, for FIND grants. FIND requires a 50% match for its grant funds.

Motion made by Ms. Chiarelli to support [the request]. Chair Henderson and Mr. Cuba advised that the Board may make a communication to the City Commission in support of the proposed repairs.

There being no further questions from the Board at this time, Chair Henderson opened the public hearing. As there were no individuals wishing to speak on this Item, the Chair closed the public hearing and brought the discussion back to the Board.

Ms. McGowan asked if there is a current City plan or timeline for the maintenance of its marine infrastructure. Mr. Cuba replied that while there is a recognized need, and spot repairs have been made, he was not aware of a Master Plan to address seawalls. A plan of this nature would need to be developed by the City's Public Works and Engineering Departments. He suggested that the best course of action would be for the Board to make a communication to the City Commission expressing their concern for this infrastructure.

The Board discussed how marine infrastructure would be funded, either by a bonding effort or by asking newer development to pay into a supportive fund. Ms. Ellis advised that new development pays into a fund that can be accessed by the Parks Department; however, waterway infrastructure is not included among the needs that can be funded. Ms. Chiarelli suggested that the communication also include a financial component to access available funds through FIND or other grant sources.

After additional discussion, Ms. Chiarelli's **motion** was restated as follows: **motion** that the Marine Advisory Board urges the Commission to address the rebuilding of the seawalls [in] Downtown Fort Lauderdale along the New River, and to request a Master Plan and budget for implementation, and to support grants through FIND and other sources that might be available. Ms. McGowan **seconded** the **motion**, which passed unanimously in a voice vote.

Mr. Cuba advised that he would make the Board members aware of the City Commission Conference Agenda meeting on which their communication would be placed for discussion. The Board members, and the general public, may address this issue before the Commission at that time.

VI. Dock Waiver – 738 NE 20th Avenue / Hal Griffin, Manager HG Middle River Investments

Tyler Chappell and Kathryn Bongarzone, representing the Applicant, showed a PowerPoint presentation on the request. The subject property includes an existing sheet pile seawall and two slips. The site also includes wooden mooring piles, which would be removed.

The Application proposes a 4 ft. wide marginal dock as well as a finger pier, which would extend 75 ft. off the dock, and eight triple pile mooring clusters extending into the middle river. The two existing slips would be retained on-site. The distance across the waterway in the northern part of the site is 572 ft. and 680 ft. in the southern portion. The triple pile clusters range in distance from 54 ft. to 106.1 ft. from the property line. The finger pier is 84.1 ft. from the property line against an allowable distance of 25 ft., which requires a waiver of 59.1 ft. The greatest distance for which a waiver is requested is 81.1 ft.

Extraordinary circumstances include:

- No structures or piles will exceed 30% of the width of the waterway
- Extraordinary width of the waterway in the subject location
- Necessity of structures to safely moor residents' vessels, particularly during high winds and severe weather events
- The proposed project is consistent with other waivers issued in the area
- Perpendicular mooring is necessary at the subject location to protect vessels from high wave energy, as a waterskiing/jet ski area is located just to the east

Several neighbors from the surrounding area have provided letters of support. Other waivers issued in the area range in distance from 34.5 ft. to 125 ft. A Resolution was issued for the subject site in 1992 to allow the installation of triple pile clusters 75 ft. into the waterway.

Vice Chair Strobel requested clarification of whether the subject site is commercial or residential. Ms. Bongarzone replied that the site is residential. Either the owner or a tenant will keep his vessel(s) on-site.

There being no further questions from the Board at this time, Chair Henderson opened the public hearing.

William Smith, private citizen, asked if any neighbors who have submitted letters of support have not been granted their own waivers. Ms. Bongarzone clarified that three individuals have not received waivers.

Mr. Smith also asked for information regarding the business plan of the Applicant's firm. Mr. Chappell replied that he was not aware of this plan; the Application intends to install a dock that can better support the Applicant's or tenants' vessel(s).

Mr. Smith asked that the length of vessels to be docked at the subject location be clarified. Ms. Bongarzone stated that the two slips can accommodate 100 ft. vessels. It was estimated that a vessel of this length could have a crew of two to four individuals. Mr. Smith noted that the waiver would have minimal impact on navigation, except for the inconvenience of ongoing construction on 20th Avenue, and concluded that he was in favor of the request.

Jim Juranitch, private citizen, expressed concern with the challenges posed by hurricanes, recalling that during a recent Category 1 storm, a yacht had broken loose from the subject property and damaged two smaller boats. He noted that the subject location can accommodate vessels larger than 100 ft., and advised that stronger storms could result in even greater damage if these vessels break from their mooring structures.

Ms. Bongarzone stated that as part of regulatory review, the Applicant's team was required to provide structural drawings. Mr. Juranitch noted that these would apply to the normal load on a structure, not the wind load posed by a storm.

Mr. Chappell reiterated that the vessels proposed for the site are 100 ft. in length. In addition, the proposed pilings and other structures are required to remain within the Applicant's submerged land lease. He concluded that no design is intended to fully withstand a Category 5 hurricane: the requested structures are intended to withstand conditions such as regular thunderstorm events. In hurricanes, vessels are typically moved to another area outside the subject location.

Mr. Juranitch again stated his concern for the lines that would hold the vessel. Ms. McGowan pointed out that many vessels are mandated to follow the regulations established by their insurance companies, and may not be present in the area during hurricane season for this reason. Ms. Lovell confirmed this as well.

Priscilla Juranitch, private citizen, noted that over approximately 20 years, a large number of waivers have been approved in the area, resulting in what she characterized as an unregulated marina within the combined residential and commercial areas. She was concerned for the potential for waste, fuel spills, charter services, as well as the possibility of storm damage.

Mr. Chappell reiterated that the proposal and permits for the requested waiver are required to remain within the property's submerged land lease. He added that live-aboard vessels are not permitted in this area and are not expected to pump sewage into the waterway.

Alex [last name not provided], private citizen, advised that he was supportive of the requested waiver, and noted that most residents of the subject neighborhood leave the area during a hurricane. He felt the proposed waiver would benefit the street.

As there were no other individuals wishing to speak on this Item, the Chair closed the public hearing and brought the discussion back to the Board.

Mr. Witten recalled that there had been mention of tenants at the property when he had understood the vessels to be for the resident's use. He added that the concerns raised by the public regarding pump-outs at the site also raised the issue of whether the space is for commercial or residential use.

Mr. Chappell explained that the subject property is zoned RS-8, which permits residential use. This requires that boats docked at the location belong to the owner or to a party renting the property who acts as the owner's representative.

Motion made by Mr. Harrison, seconded by Ms. McGowan, to approve this waiver. In a roll call vote, the **motion** passed 10-1 (Vice Chair Strobel dissenting). (Ms. Chiarelli was not present for the vote.)

VII. Old / New Business

Mr. McLaughlin recommended that the Board consider that the channel of the New River may not be located in the center of the waterway. This would mean that structures extending more than 30 ft. into the waterway at some locations could obstruct navigation. He suggested that this be taken into consideration when reviewing applications.

VIII. Adjournment

There being no further business to come before the Board at this time, the meeting was adjourned at 7:40 p.m.

Any written public comments made 48 hours prior to the meeting regarding items discussed during the proceedings have been attached hereto.

[Minutes prepared by K. McGuire, ProtoType, Inc.]

ITEM V

MEMORANDUM MF NO. 21-03

DATE: March 10, 2021

TO: Marine Advisory Board Members

FROM: Andrew Cuba, Manager of Marine Facilities

RE: April 1st, 2021 MAB Meeting – Application for Dock Permit – Lori Jean Marcellino & M. Austin Forman / 1029 Cordova Road

Attached for your review is an application from Lori Jean Marcellino & M. Austin Forman / 1029 Cordova Road (see **Exhibit 1**).

APPLICATION AND BACKGROUND INFORMATION

The applicant is seeking approval for the installation of a 45' long x 8' wide marginal dock extending a maximum distance of +/-8' from the wetface of the seawall on public property abutting the waterway adjacent to 1029 Cordova Road (see **Exhibit 1**). City Code Section 8-144 (**Exhibit 2**) authorizes the construction and use of docks on public property, and allows for the permit to be issued provided the permit holder agrees to maintain the improvements and seawall.

PROPERTY LOCATION AND ZONING

The property is located within the Rio Vista Isles RS-8 Residential Low Density Zoning District. The dock area is directly adjacent to the Rio Vista canal with direct access to the Intracoastal Waterway.

ENGINEERING REVIEW REQUIREMENT

As a requirement of City Code Section 8-144, approval of the application is contingent upon all improvements to the property being maintained in accord with City Engineering standards and in full compliance with building and zoning regulations including construction permits required for any future electrical and water feeds to the property.

The granting of this Permit is subject to all of the provisions of City Code Section 8-144 as well as the following terms and conditions, violation of any of which shall be grounds for revocation of the Permit:

1. The permit to use the docks shall expire upon the: (i) abandonment of the use of the dock; or (ii) recordation of the deed of conveyance transferring title to the upland parcel; or (iii) termination, expiration or revocation of the dock permit by the City Commission, whichever (i),(ii), or (iii) shall first occur.
2. Upon expiration of the permit to use the dock, the permit holder shall be obligated to remove the dock and all appurtenances thereto no later than three (3) months after the termination, revocation or expiration of the permit to use the dock.
3. Signage such as "private dock" may be placed on the dock within the dock area, but not upon or within the public swale area.
4. Only vessels owned by the permit holder and registered with the City as part of the dock permit application may be moored at the permitted dock.

Marine Advisory Board

April 1, 2021

Page 2

5. During the term of the dock permit, the permit holder shall be required to repair, replace, reconstruct or maintain the dock or adjacent seawall or both to meet the requirements of City Code 8-144 (7) and ULDR section 47-19.3 (f.)(4.). The public swale area shall be landscaped in accordance with the established landscape plan for the area in question adopted by the Department of Sustainable Development.
6. All improvements such as docks, seawalls and the like which are placed upon the public dock area or within the dock permit parcel or within the dock area and public swale area by a private person shall be constructed with appropriate permits from all applicable agencies. Maintenance and repairs shall be performed according to City Engineering standards and all applicable regulatory codes.
7. The public swale area shall be kept open at all times as means of reasonable ingress and egress to the public, but the permit holder shall have the right to exclude the public from the dock area.
8. Vessels berthed within the Dock Area must not encroach into the northerly or southerly extension of the 5' set-back required for the RS-8 zoning district for Applicant's (Permit Holder's) Property.
9. All installed docks must be either (i) floating docks that can adapt to sea level rise over their useful life span ; or (ii) fixed docks installed at a minimum height consistent with the requirements of section 47-19.3(f); or (iii) fixed docks the height of which are even with the City's seawall, whichever (ii) or (iii) is the greater.
10. Except as to a tender, there shall be no rafting of vessels from the moored vessel.
11. The permit shall guarantee from the permit holder to the city to indemnify and hold the city harmless for any damage or injury to any person using such facilities.
12. The violation of any provisions of Code Section 8-144 or violations of any of the terms or conditions relative to the granting or renewal of a dock permit shall be unlawful and may constitute cause for revocation of the permit.

AC

Attachment

cc: Enrique Sanchez, Deputy Director of Parks and Recreation
Jonathan Luscomb, Marine Facilities Supervisor

**Marine Advisory Board:
Dock Permit Application**

**Lori Jean Marcellino and M. Austin Forman
1029 Cordova Rd
Ft Lauderdale, FL 33316**

Table Of Contents

- 1. Cover page**
- 2. Table of Contents**
- 3. Narrative**
- 4. Marine application form (completed)**
- 5. Broward County Property Appraiser ownership page**
- 6. Deed**
- 7. Signature page**
- 8. Construction drawings**
- 9. FP&L utility bill**
- 10. Elevation Certificate**
- 11. Survey**
- 12. Color site and aerial photos**

To whom it concerns,

We are requesting permission to rebuild the dock at 1029 Cordova Rd. that was torn down during the Cordova Rd Seawall replacement project. Resolution No. 19-205 refers to an agreement made between the City and property owners all Marine advisory fees would be waived. The dock and staircase are completely free - standing structures. The dock measures 8' x 45'. The mooring piles are 25' off the seawall. These dimensions are based on the projected lot line(s) to center line of the canal. Document P1 shows this information along with the survey. There is no intention to moor a vessel at the dock at this time. When we purchase a boat will submit all the specifications to the board. The 11th St bridge setback (25' from centerline of bridge) does not encroach on the area of proposed construction. Please note, the staircase will be precast concrete with railings. After the Marine Advisory Board, approval we will seek approval from Broward county DPERG and then the final step of securing the building permit with the City of Ft Lauderdale.

RESOLUTION NO. 19-205

A RESOLUTION OF THE CITY COMMISSION OF THE CITY OF FORT LAUDERDALE, FLORIDA, ESTABLISHING FEES FOR APPLICATIONS FOR DOCK PERMITS ISSUED UNDER SECTION 8-144 PRIVATE USE OF PUBLIC PROPERTY ABUTTING WATERWAYS, AND PROVIDING FOR SEVERABILITY, RESCISSION OF CONFLICTING RESOLUTION PROVISIONS, AND AN EFFECTIVE DATE.

WHEREAS, it has long been the law in Florida that a reasonable license or permit fee may be charged in an amount sufficient to bear the expense of issuing the permit and the costs of necessary inspections and review connected with the administration of the permit; and

WHEREAS, the City of Fort Lauderdale has established an application process that requires technical and legal review of documents, presentation of the application to the Marine Advisory Board for recommendation, drafting of a dock permit resolution, and presentation to the City Commission for approval, and recording of the resolution; and

WHEREAS, the current administrative fee of \$300 for the dock permit application does not cover the City's costs to process the application; and

WHEREAS, based on a review of the staff resources, an application fee of \$1,500 is recommended; and

WHEREAS, the City Commission of the City of Fort Lauderdale, Florida, wishes to establish the application fee for dock permits issued under Section 8-144 Private Use of Public Property Abutting Waterways at \$1,500 effective October 2, 2019; and

WHEREAS, a number of dock holders on Cordova Road between SE 7th Street and SE 12th Street will be required to submit full applications due to the removal of their docks associated with the reconstruction of the City seawall at that location and amendment of the terms and conditions of the dock permit under Section 8-144; and

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COMMISSION OF THE CITY OF FORT LAUDERDALE, FLORIDA:

SECTION 1. The City hereby establishes the application fee for dock permits issued under Section 8-144 Private Use of Public Property Abutting Waterways at \$1,500 effective October 2, 2019.


SECTION 2. The application fee for property owners whose docks were removed due to the seawall construction project on Cordova is hereby waived.

SECTION 3. That if any clause, section or other part of this Resolution shall be held invalid or unconstitutional by any court of competent jurisdiction, the remainder of this Resolution shall not be affected thereby, but shall remain in full force and effect.

SECTION 4. That all Resolutions or parts of Resolutions in conflict are hereby repealed.

SECTION 5. That this Resolution shall be in full force and effect upon final passage.

ADOPTED this the 2nd day of October, 2019.



Mayor
DEAN J. TRANTALIS

ATTEST:



City Clerk
JEFFREY A. MODARELLI

**CITY OF FORT LAUDERDALE
MARINE FACILITIES
APPLICATION FOR WATERWAY PERMITS, WAIVERS AND LICENSES**

Any agreement with the City of Fort Lauderdale and other parties, such as, but not limited to, licenses, permits and approvals involving municipal docking facilities or private uses in the waterways as regulated by Section 8 of the City Code of Ordinances or Section 47-19.3 of the City's Urban Land Development Regulations, shall be preceded by the execution and filing of the following application form available at the Office of the Supervisor of Marine Facilities. The completed application must be presented with the applicable processing fee paid before the agreement is prepared or the application processed for formal consideration (see City of Fort Lauderdale Code Section 2-157). If legal publication is necessary, the applicant agrees to pay the cost of such publication in addition to the application fee.

APPLICATION FORM
(Must be in Typewritten Form Only)

- 1. LEGAL NAME OF APPLICANT - (If corporation, name and titles of officers as well as exact name of corporation. If individuals doing business under a fictitious name, correct names of individuals, not fictitious names, must be used. If individuals owning the property as a private residence, the name of each individual as listed on the recorded warranty deed):

NAME: Lori Jean Marcellino & M. Austin Forman

TELEPHONE NO: 954-304-6900 EMAIL: pmctigue@aol.com
(home/cellular) (business)

- 2. APPLICANT'S ADDRESS (if different than the site address):
1500 SE 13th Street Fort Lauderdale FL. 33316

- 3. TYPE OF AGREEMENT AND DESCRIPTION OF REQUEST:
Dock Permit

- 4. SITE ADDRESS: 1029 Cordova Road Fort Lauderdale FL. 33316-1449 ZONING: RS-8

LEGAL DESCRIPTION AND FOLIO NUMBER:

RIO VISTA ISLES UNIT 3 7-47 B LOT 33 S 12.5,34 BLK 22

FOLIO #: 5042 11 18 1920

- 5. EXHIBITS: (In addition to proof of ownership, list all exhibits provided in support of the applications).
Deed, BCPA Record, Photos, Survey, Dock Plan

[Signature] 10/21/20 [Signature] 10/21/20
Applicant's Signature Date Applicant's Signature Date

The sum of \$ _____ was paid by the above-named applicant on the _____ of _____, 20____ Received by: _____

City of Fort Lauderdale

=====For Official City Use Only=====

Marine Advisory Board Action
Formal Action taken on _____

Commission Action
Formal Action taken on _____

Recommendation _____
Action _____



MARTY KIAR
BROWARD
 COUNTY
 PROPERTY APPRAISER

Site Address	1029 CORDOVA ROAD, FORT LAUDERDALE FL 33316-1449	ID #	5042 11 18 1920
Property Owner	MARCELLINO, LORI JEAN FORMAN, MILES AUSTIN	Millage	0312
Mailing Address	1500 SE 13 ST FORT LAUDERDALE FL 33316	Use	01
Abbr Legal Description	RIO VISTA ISLES UNIT 3 7-47 B LOT 33 S 12.5,34 BLK 22		

The just values displayed below were set in compliance with **Sec. 193.011, Fla. Stat.**, and include a reduction for costs of sale and other adjustments required by **Sec. 193.011(8)**.

* 2021 values are considered "working values" and are subject to change.

Property Assessment Values					
Year	Land	Building / Improvement	Just / Market Value	Assessed / SOH Value	Tax
2021	\$307,120	\$491,300	\$798,420	\$798,420	
2020	\$307,120	\$491,300	\$798,420	\$798,420	
2019	\$506,750	\$566,600	\$1,073,350	\$494,210	\$8,734.99

2021 Exemptions and Taxable Values by Taxing Authority				
	County	School Board	Municipal	Independent
Just Value	\$798,420	\$798,420	\$798,420	\$798,420
Portability	0	0	0	0
Assessed/SOH	\$798,420	\$798,420	\$798,420	\$798,420
Homestead	0	0	0	0
Add. Homestead	0	0	0	0
Wid/Vet/Dis	0	0	0	0
Senior	0	0	0	0
Exempt Type	0	0	0	0
Taxable	\$798,420	\$798,420	\$798,420	\$798,420

Sales History			
Date	Type	Price	Book/Page or CIN
12/16/2011	WD-Q	\$515,000	48422 / 207
10/29/2002	QCD	\$100	34056 / 702
10/13/1997	QCD	\$100	27371 / 879
7/22/1997	ODH		27128 / 327
8/1/1985	QCD	\$90	12761 / 331

Land Calculations		
Price	Factor	Type
\$40.00	7,678	SF
Adj. Bldg. S.F. (Card, Sketch)		2202
Units/Beds/Baths		1/2/2.5
Eff./Act. Year Built: 1959/1954		

Special Assessments					

Prepared by and return to:

Christopher James Gertz, Esq.
Christopher J. Gertz, P.A.
888 South Andrews Avenue Suite 204
Fort Lauderdale, FL 33316
954-565-2601
File Number: 11-451
Will Call No.:

[Space Above This Line For Recording Data]

Warranty Deed

This Warranty Deed made this 16th day of December, 2011 between **William E. Johnson and Kathryn E. Holtzman, husband and wife** whose post office address is *1126 S. Federal #172 Ft. LAUD FL 33316* grantor, and **Lori Jean Marcellino, a single woman, and Miles Austin Forman, a married man, as joint tenants with a right of survivorship,** whose post office address is **1029 Cordova Road, Fort Lauderdale, FL 33316, grantee:**

(Whenever used herein the terms "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives, and assigns of individuals, and the successors and assigns of corporations, trusts and trustees)

Witnesseth, that said grantor, for and in consideration of the sum of TEN AND NO/100 DOLLARS (\$10.00) and other good and valuable considerations to said grantor in hand paid by said grantee, the receipt whereof is hereby acknowledged, has granted, bargained, and sold to the said grantee, and grantee's heirs and assigns forever, the following described land, situate, lying and being in **Broward County, Florida** to-wit:

The South 12.5 feet of Lot 33 and all of Lot 34, Block 22, RIO VISTA ISLES UNIT 3, according to the map or plat thereof as recorded in Plat Book 7, Page 47, Public Records of Broward County, Florida.

Parcel Identification Number: 504211181920

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to **December 31, 2011.**

In Witness Whereof, grantor has hereunto set grantor's hand and seal the day and year first above written.

2

WA

Signed, sealed and delivered in our presence:

C. J. Gertz
Witness Name: C. J. Gertz

William E. Johnson
Witness Name: William E. Johnson

C. J. Gertz
Witness Name: C. J. Gertz

Kathryn E. Holtzman
Witness Name: Kathryn E. Holtzman


William E. Johnson (Seal)
William E. Johnson

Kathryn E. Holtzman (Seal)
Kathryn E. Holtzman

State of Florida
County of Broward

The foregoing instrument was acknowledged before me this 16th day of December, 2011 by William E. Johnson and Kathryn E. Holtzman, who are personally known or have produced a driver's license as identification.

[Notary Seal]




C. J. Gertz
Notary Public

Printed Name: C. J. Gertz

My Commission Expires: 7-6-2015

NOTES

- LAYOUT PER BROWARD COUNTY PROPERTY APPRAISER MAP
- NEW DOCK AND UPLAND STAIRCASE TO BE ADJACENT TO NEW SEAWALL
- DOCK WITHIN 25% OF CANAL WIDTH
- TURBIDITY CURTAIN TO BE USED DURING PILE INSTALLATION
- NO SEAGRASS IN AREA
- DOCK DECKBOARD AND STRINGERS NOT SHOWN FOR CLARITY
- DOCK TO BE 25' SETBACK FROM ADJACENT BRIDGE



**PROPOSED DOCK
PLAN VIEW
SCALE 1" = 30'**

CHRISTOPHER R. CROUSHORE, PE
FLORIDA PE # 74580

Croushore Marine Engineering Inc.


100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
PH (561) 951-6036
FL CERT OF AUTH #30254

SCALE: 1" = 30'
DATE: 08.26.20
REVISED: 01.04.21
DRAWN BY: CRC

AUSTIN FORMAN
1029 CORDOVA STREET
FORT LAUDERDALE, FL
PROPOSED STAIRCASE & DOCK
PLAN VIEW

P-1

GL CORDOVA ROAD



CHRISTOPHER R. CROUSHORE, PE
FLORIDA PE # 74580

Croushore Marine Engineering Inc.


100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
PH (561) 951-6036
FL CERT OF AUTH #30254

SCALE: 1" = 10'
DATE: 08.26.20
REVISED: 01.04.21
DRAWN BY: CRC

AUSTIN FORMAN
1029 CORDOVA STREET
FORT LAUDERDALE, FL
PROPOSED STAIRCASE & DOCK
DETAILED PLAN VIEW

P-2

SHEET 2 OF 6



CHRISTOPHER R. CROUSHORE, PE
FLORIDA PE # 74580

Croushore Marine Engineering Inc.

100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
PH (561) 951-6036
FL CERT OF AUTH #30254

SCALE: 1" = 10'
DATE: 08.26.20
REVISED: 01.04.21
DRAWN BY: CRC

AUSTIN FORMAN
1029 CORDOVA STREET
FORT LAUDERDALE, FL


PROPOSED DOCK
PROFILE VIEW

PR-1

SHEET 3 OF 6

NOTES

- STAIR SYSTEM IS NOT TO ATTACH TO, CONNECT TO, OR BE IN DIRECT CONTACT WITH THE CITY OF FT LAUDERDALE SEAWALL OR SEAWALL CAP
- ALL CONCRETE TO BE 5000 PSI AFTER 28 DAYS, WITH CORROSION INHIBITOR
- ALL REBAR TO BE GRADE 60 PER ASTM A-615
- ALL REBAR TO HAVE 3" (MIN) CONCRETE COVER
- AFTERMARKET 2"Ø GRASPABLE HANDRAIL TO BE 36" TALL ABOVE STEP. NOT SHOWN FOR CLARITY
- ALL HARDWARE TO BE MARINE GRADE 316 SS
- AFTERMARKET 2"Ø GRASPABLE HANDRAIL TO BE ATTACHED
- ANY PORTION OF ALUMINUM THAT COMES IN CONTACT OR NEAR ANY STEEL, SHALL BE POLYMER COATED IN AREAS TO MINIMIZE DISSIMILAR METALS CONTACT



PROPOSED STAIRCASE
 PROFILE VIEW
 SCALE 1" = 4'

CHRISTOPHER R. CROUSHORE, PE
 FLORIDA PE # 74580

Croushore Marine Engineering Inc.

100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
 PH (561) 951-6036
 FL CERT OF AUTH #30254

SCALE: 1" = 4'
 DATE: 08.26.20
 REVISED: 01.04.21
 DRAWN BY: CRC


AUSTIN FORMAN
 1029 CORDOVA STREET
 FORT LAUDERDALE, FL
 PROPOSED STAIRCASE PLATFORM
 PROFILE VIEW

PR-2

SHEET 4 OF 6

NOTES

- ALL WOOD TO BE SYP GRADE #1 OR BETTER
- MARINE PILES TO BE 2.50 CCA, SUB-FRAMING TO BE 0.60 CCA, DECK BOARDS TO BE 0.40 ACQ (OR EQUAL)
- DOCK SYSTEM IS NOT TO ATTACH TO, CONNECT TO, OR BE IN DIRECT CONTACT WITH THE CITY OF FT LAUDERDALE SEAWALL OR SEAWALL CAP
- ALL HARDWARE TO BE 316 SS
- 2x12 CROSS-TIES CONNECTED TO 8" MARINE PILES W/ (2) $\frac{5}{8}$ " BOLT ASSEMBLY KITS PER CROSS-TIE PER PILE
- 2x8 EDGE STRINGERS CONNECTED TO 8" MARINE PILES W/ (1) $\frac{5}{8}$ " LAG BOLT PER EXTERIOR STRINGER PER PILE ALONG SIDE CLOSEST TO SEAWALL
- 2x8 INTERIOR STRINGERS CONNECTED TO 2x12 CROSS-TIE W/ SIMPSON H2.5A HURRICANE STRAP
- 2x6 DECK BOARD CONNECTED TO 2x8 STRINGERS W/ #10 DECK SCREWS.
- 2 PER BOARD PER STRINGER
- 1 WATER-SIDE PILING IN SECTION 4 TO BE BELOW DECK.
- SEE SHEET 3



PROPOSED DOCK
TYPICAL CROSS-SECTION VIEW
SCALE 1" = 4'

CHRISTOPHER R. CROUSHORE, PE
FLORIDA PE # 74580

Croushore Marine Engineering Inc.

100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
PH (561) 951-6036
FL CERT OF AUTH #30254

SCALE: 1" = 4'
DATE: 08.26.20
REVISED: 01.04.21
DRAWN BY: CRC

AUSTIN FORMAN
1029 CORDOVA STREET
FORT LAUDERDALE, FL


PROPOSED DOCK
TYPICAL CROSS-SECTION VIEW

CS-1

SHEET 5 OF 6

NOTES

- CONCRETE TO BE 5000 PSI AFTER 28 DAYS
- STAIRCASE SYSTEM IS NOT TO ATTACH TO, CONNECT TO, OR BE IN DIRECT CONTACT WITH THE CITY OF FT LAUDERDALE SEAWALL OR SEAWALL CAP
- ALL HARDWARE TO BE MARINE GRADE 316 SS
- ALL ALUMINUM THAT COMES IN CONTACT OR CLOSE TO ANY STEEL HARDWARE OR REBAR, SHALL BE POLYMER COATED



CHRISTOPHER R. CROUSHORE, PE
FLORIDA PE # 74580

Croushore Marine Engineering Inc.

100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
PH (561) 951-6036
FL CERT OF AUTH #30254

SCALE: 1" = 6'
DATE: 08.26.20
REVISED: 01.04.21
DRAWN BY: CRC

AUSTIN FORMAN
1029 CORDOVA STREET
FORT LAUDERDALE, FL

PROPOSED STAIRCASE
CROSS-SECTION VIEW

CS-2

SHEET 6 OF 6



FPL
GENERAL MAIL FACILITY
MIAMI FL 33188-0001

LORI JEAN SISCO
1029 CORDOVA RD
FORT LAUDERDALE FL 33316

Hello Lori Jean Sisko,
Here's what you owe for this billing period.

Amount of your last bill	\$178.64
Payments	-\$178.64
New charges due by Nov 24, 2020	\$194.25
Total amount you owe	\$194.25

Amount of your last bill	178.64
Payment received - Thank you	-178.64
Balance before new charges	\$0.00

NEW CHARGES	
Rate: RS-1 RESIDENTIAL SERVICE	
Customer charge:	\$8.34
Non-fuel: (First 1000 kWh at \$0.066840) (Over 1000 kWh at \$0.077460)	\$118.35
Fuel: (First 1000 kWh at \$0.018840) (Over 1000 kWh at \$0.028840)	\$38.02
Electric service amount	164.71
Gross receipts tax	4.22
Franchise charge	10.06
Utility tax	15.26
Taxes and charges	29.54
Total new charges	\$194.25
Total amount you owe	\$194.25

Nov 3, 2020 Electric Bill

For: Oct 2, 2020 to Nov 3, 2020 (32 days)
Service Address
1029 CORDOVA RD
FORT LAUDERDALE, FL 33316
LMARCELLINO@AMMI.NET
Account Number 69736-09065

Questions? [Contact Us](#)
Reliable energy is affordable energy.
Learn how we save you money at fpl.com/savings

Meter Summary


Meter reading - Meter ACD1671 Next meter reading Dec 2, 2020
Current reading 30085
Previous reading -28420

kWh used 1665

Energy Usage Comparison

	This Month Nov 3, 2020	Last Month Oct 2, 2020	Last Year Nov 2, 2019
Service to			
kWh Used	1665	1540	2201
Service days	32	30	30
kWh/day	52	51	73
Amount	\$194.25	\$178.64	\$267.19

Energy Usage History



Keep In Mind

- Payments received after November 24, 2020 are considered late; a late payment charge, the greater of \$5.00 or 1.5% of your past due balance will apply. Your account may also be billed a deposit adjustment.

We're here to help

If you're experiencing hardship as a result of the coronavirus (COVID-19) and need help with your bill, there are resources available.
[Learn more](#)

Help your neighbors

Contribute to Care to Share and help a neighbor in need during this challenging time.
[Donate today](#)

Solar for everyone

Now, it's easy and affordable for you to participate in solar with the FPL SolarTogether™ program.
[See how](#)

Useful Links

[Billing and service details](#)
[Energy News](#)
[View back of the bill](#)

Important Numbers

Customer Service: (954) 797-5000
Outside Florida: 1-800-226-3545
To report power outages: 1-800-4OUTAGE (468-8243)
Hearing/speech impaired: 711 (Relay Service)

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A – PROPERTY INFORMATION				FOR INSURANCE COMPANY USE	
A1. Building Owner's Name FORMAN				Policy Number:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1029 CORDOVA ROAD				Company NAIC Number:	
City FORT LAUDERDALE		State FL		ZIP Code 33316	
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) FOLIO NO.: 5042 11 18 1920					
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>RESIDENTIAL</u>					
A5. Latitude/Longitude: Lat. <u>26°02'32.87" N</u> Long. <u>80°07'42.61" W</u> Horizontal Datum: <input type="checkbox"/> NAD1927 <input checked="" type="checkbox"/> NAD1983					
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.					
A7. Building Diagram Number <u>8</u>					
A8. For a building with a crawlspace or enclosure(s):					
a) Square footage of crawlspace or enclosure(s) <u>1900</u> sq ft					
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade <u>12</u>					
c) Total net area of flood openings in A8.b <u>2232</u> sq in					
d) Engineered flood openings? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					
A9. For a building with an attached garage:					
a) Square footage of attached garage <u>400</u> sq ft					
b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade <u>0</u>					
c) Total net area of flood openings in A9.b <u>0</u> sq in					
d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
B1. NFIP Community Name & Community Number FORT LAUDERDALE 125105			B2. County Name BROWARD		B3. State FL
B4. Map/Panel Number 12011C0557	B5. Suffix H	B6. FIRM Index Date 8-18-14	B7. FIRM Panel Effective/ Revised Date 8-18-14	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth) 5
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B <input type="checkbox"/> FIS Profile <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other/Source: _____					
B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD1929 <input checked="" type="checkbox"/> NAVD1988 <input type="checkbox"/> Other/Source: _____					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date: _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA					

ELEVATION CERTIFICATE

OMB No. 1660-0008
Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1029 CORDOVA ROAD			Policy Number:
City FORT LAUDERDALE	State FL	ZIP Code 33316	Company NAIC Number

SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction

*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.

Benchmark Utilized: BCED NO. 1881 Vertical Datum: 3.339 (NAVD 1988)

Indicate elevation datum used for the elevations in items a) through h) below.

NGVD1929 NAVD1988 Other/Source: _____

Datum used for building elevations must be the same as that used for the BFE.

Check the measurement used.

- a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 5.0 feet meters
- b) Top of the next higher floor N/A feet meters
- c) Bottom of the lowest horizontal structural member (V Zones only) N/A feet meters
- d) Attached garage (top of slab) 3.3 feet meters
- e) Lowest elevation of machinery or equipment servicing the building 5.1 feet meters
(Describe type of equipment and location in Comments)
- f) Lowest adjacent (finished) grade next to building (LAG) 2.7 feet meters
- g) Highest adjacent (finished) grade next to building (HAG) 4.5 feet meters
- h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support 4.4 feet meters

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No Check here if attachments.

Certifier's Name SCOTT A. GUZZI		License Number 5108	
Title PROFESSIONAL SURVEYOR & MAPPER			
Company Name VIC-SCOTT LAND SURVEYING & MAPPING			
Address 6047 KIMBERLY BOULEVARD, SUITE T			
City NORTH LAUDERDALE	State FL	ZIP Code 33068	
Signature 	Date 11-19-2020	Telephone 954-722-8500	

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments (including type of equipment and location, per C2(e), if applicable)
 LATTITUDE AND LONGITUDE PER GOOGLE EARTH.
 LOWEST ELEVATION OF MACHINERY (C2e) IS CONC. AIR CONDITIONER PAD LOCATED AT THE REAR OF RESIDENCE (WEST SIDE).
 FRONT OF RESIDENCE IS ON CORDOVA ROAD (EAST SIDE).
 CRAWL SPACE VENTS: 10 SMART VENTS (8"x16") AND TWO ACCESS POINTS (28"x17"), 2232 SQUARE INCH TOTAL.

ELEVATION CERTIFICATE

OMB No. 1660-0008
Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1029 CORDOVA ROAD			Policy Number:
City FORT LAUDERDALE	State FL	ZIP Code 33316	Company NAIC Number

**SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED)
FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).

- a) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the HAG.
- b) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the LAG.

E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is _____ feet meters above or below the HAG.

E3. Attached garage (top of slab) is _____ feet meters above or below the HAG.

E4. Top of platform of machinery and/or equipment servicing the building is _____ feet meters above or below the HAG.

E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's flood plain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner or Owner's Authorized Representative's Name

Address City State ZIP Code

Signature Date Telephone

Comments

Check here if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008
 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1029 CORDOVA ROAD			Policy Number:
City FORT LAUDERDALE	State FL	ZIP Code 33316	Company NAIC Number

SECTION G – COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.

- G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. The following information (Items G4–G10) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate of Compliance/Occupancy Issued
-------------------	------------------------	---

- G7. This permit has been issued for: New Construction Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement)
Of the building: _____ feet meters Datum _____
- G9. BFE or (in Zone AO) depth of flooding at the building site: _____ feet meters Datum _____
- G10. Community's design flood elevation: _____ feet meters Datum _____

Local Official's Name	Title
-----------------------	-------

Community Name	Telephone
----------------	-----------

Signature	Date
-----------	------


Comments (including type of equipment and location, per C2(e), if applicable)

Check here if attachments.


LEGEND




**ST. AUGUSTINE SOD,
TIGHT SEAMS, FULL COVERAGE**




**MUHLY GRASS:
18" - 24" TALL
18" - 24" ON CENTER**



**INDIAN HAWTHORN:
12" - 18" TALL
12" - 18" ON CENTER**



**12' SILVER BUTTWOOD TREE,
MULTI**




PLAN

GENERAL NOTES:


1. ALL IRRIGATION & PLANT MATERIAL SHALL BE INSTALLED & MAINTAINED BY APPLICANT.
2. ALL PLANT MATERIAL SHALL BE FLORIDA #1 GRADE OR BETTER.
3. ALL PLANT MATERIAL SHALL BE INSTALLED IN ACCORDANCE WITH INDUSTRY BEST MANAGEMENT PRACTICES.
4. ALL AREAS TO RECEIVE AUTOMATIC IRRIGATION FROM A PERMANENT WATER SOURCE PROVIDING 100% COVERAGE AND A RAIN SENSOR SHUT OFF.
5. ALL PLANT MATERIAL SUBSTITUTIONS SHALL BE FLORIDA-FRIENDLY LANDSCAPING (FFL) EQUIVALENT.

ISSUED: 2/2015		CITY OF FORT LAUDERDALE DEPT. OF SUSTAINABLE DEVELOPMENT		
REVISED:		URBAN DESIGN & PLANNING ENGINEERING DIVISION	LANDSCAPING PLAN (ROW)	SCALE: 1"=10'



LEGAL DESCRIPTION:

LOT 34 AND THE SOUTH 12.5 FEET OF LOT 33, BLOCK 22, RIO VISTA ISLES UNIT 3, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 7, PAGE 47, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA.



STANDARD ABBREVIATIONS:

- A/C - AIR CONDITIONER PAD
ACSM - AMERICAN CONGRESS ON SURVEYING AND MAPPING
ALTA - AMERICAN LAND TITLE ASSOCIATION
ADJ. - ADJACENT
B.F.P. - BACK FLOW PREVENTOR
B.C.R. - BROWARD COUNTY RECORDS
B.M. - BENCHMARK
B.O.C. - BACK OF CURB
CO - CALCULATED
C.B. - CATCH BASIN
C.L.F. - CHAIN LINK FENCE
CONC. - CONCRETE
C.B.S. - CONCRETE BLOCK STRUCTURE
D.A. - DELTA ANGLE
D.C.R. - DADE COUNTY RECORDS
DDV - DOUBLE DETECTOR CHECK VALVE
D.E. - DRAINAGE EASEMENT
O.W. - EDGE OF WATER
EAST - EAST
ELEVATION - ELEVATION
F.F. - FINISHED FLOOR
F.P.L. - FLORIDA POWER & LIGHT CO.
FD. - FOUND
G.F. - GARAGE FLOOR
GND - GROUND ELEVATION
INV. - INVERT
I.P. - IRON PIPE
I.R. - IRON ROD
I.R.C. - IRON ROD & CAP
I.R.C. - IRON ROD & CAP
L - LEGAL DESCRIPTION
L.M.E. - LAKE MAINTENANCE EASEMENT
L.B. - LICENSED BUSINESS
(LD) - LEGAL DESCRIPTION
(M) - MEASURED
M.H. - MANHOLE
MISC. - MISCELLANEOUS
N/D - NAIL AND DISK
N/T - NAIL AND TAB
NGVD - NATIONAL GEODETIC VERTICAL DATUM
NSPS - NATIONAL SOCIETY OF PROFESSIONAL SURVEYORS
N/A - NON-APPLICABLE
NAVd - NORTH AMERICAN VERTICAL DATUM
N - NORTH
N.T.S. - NOT TO SCALE
N - NUMBER
O/S - OFFSET
O.H. - OVERHEAD WIRES
O.R.B. - OFFICIAL RECORD BOOK
P.C.R. - PALM BEACH COUNTY RECORDS
P.C.P. - PERMANENT CONTROL POINT
P.R.M. - PERMANENT REFERENCE MONUMENT
P.B. - PLAT BOOK
P.O.B. - POINT OF BEGINNING
P.O.C. - POINT OF COMMENCEMENT
P.O.C. - POINT OF COMPOUND CURVE
P.C. - POINT OF CURVATURE
P.R.C. - POINT OF REVERSE CURVE
P.T. - POINT OF TANGENCY
P.S.M. - PROFESSIONAL SURVEYOR AND MAPPER
PROP. - PROPOSED
R - RADIUS
R/W - RIGHT OF WAY
S - SOUTH
SEC. - SECTION
SF - SQUARE FEET
S.P. - STATE PLANE
S.P. - STATE PLANE
S.P. - STATE ROAD
S.W. - SIDEWALK
T - TOP
T.O.B. - TOP OF BANK
T.O.P. - TOP OF PILE
T.O.W. - TOP OF WALL ELEVATION
TYP. - TYPICAL
U.E. - UTILITY EASEMENT
U.P. - UTILITY POLE
W - WEST

LEGEND:

- SET 5/8" IR & CAP (LB 6893)
△ NAIL & TAB
● PCP
⊙ PRM
+11.5 ELEVATION
⚡ FIRE HYDRANT
⊕ CENTERLINE
⊕ LIGHT POLES
○ MANHOLE (SANITARY)
⊖ MANHOLE (STORM)
⊖ CATCH BASIN
○ ELECTRIC SERVICE
⊖ TELEPHONE JUNCTION BOX
⊖ WATER METER
⊖ CABLE TV BOX
⊖ UTILITY POLE

NOTE: ZONE LINES SCALED FROM F.E.M.A. FLOOD INSURANCE RATE MAP NUMBER 1201100557

NOTES:

- 1. REPRODUCTIONS OF THIS SURVEY ARE NOT VALID UNLESS SEALED BY THE SIGNING SURVEYOR.
2. THIS DRAWING IS THE PROPERTY OF VIC-SCOTT LAND SURVEYING & MAPPING, AND SHALL NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT PERMISSION OF VIC-SCOTT LAND SURVEYING & MAPPING.
3. THE LANDS SHOWN HEREON WERE NOT REVIEWED FOR RIGHTS-OF-WAY, EASEMENTS, OR OTHER SIMILAR MATTERS OF RECORD. ALL EASEMENTS PER RECORD PLAT UNLESS OTHERWISE NOTED.
4. LEGAL DESCRIPTION FURNISHED BY CLIENT.
5. THIS SURVEY DOES NOT PURPORT TO IDENTIFY IMPROVEMENTS BELOW GRADE, IF ANY, EXCEPT AS SPECIFICALLY NOTED HEREON.
6. BUILDING TIES ARE PERPENDICULAR OR RADIAL TO BOUNDARY LINES UNLESS NOTED OTHERWISE.
7. ANGLES SHOWN HEREON ARE BASED ON FIELD MEASUREMENTS WITHIN THE PLAT ENTITLED RIO VISTA ISLES UNIT 3, AS RECORDED IN PLAT BOOK 7, PAGE 47, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA.
8. ELEVATIONS SHOWN HEREON ARE RELATIVE TO N.A.V.D. 1988.
9. FLOOD ELEVATION INFORMATION:
COMMUNITY NO. - 125105 PANEL NO. - 1201100557 LOWEST FLOOR ELEVATION - 4.73
DATE OF FIRM - 8-18-14 SUFFIX - H LOWEST ADJACENT GRADE - 2.7
FIRM ZONE - AS SHOWN BASE FLOOD ELEVATION - AS SHOWN DIAGRAM NO. - 8
10. PROPERTY ADDRESS: 1029 CORDOVA ROAD, FORT LAUDERDALE, FLORIDA 33316
11. CONTAINING 7,676 SQUARE FEET, MORE OR LESS.
12. CERTIFIED TO: PATRICK MCTIGUE

SETBACK NOTE: SETBACKS, AS SHOWN HEREON, PER FORT LAUDERDALE, FL UNIFIED LAND DEVELOPMENT CODE SEC. 47-5.31 - TABLE OF DIMENSIONAL REQUIREMENTS FOR THE RS-8 DISTRICT.

BOUNDARY SURVEY SCALE: 1"=10'

SURVEYOR'S CERTIFICATION: I HEREBY CERTIFY THAT THE SURVEY SHOWN HEREON COMPLIES WITH THE STANDARDS OF PRACTICE FOR SURVEYS AS CONTAINED IN CHAPTER 63-17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES, AND THAT SAID SURVEY IS TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF.


SCOTT A. GUZZI, PSM PROFESSIONAL SURVEYOR AND MAPPER FLORIDA REGISTRATION NUMBER 5108 DATE OF LAST FIELD WORK 11-19-20

Table with columns: ADJACENT, FB/PFC, DATE, BY, CHECKED

VIC-SCOTT LAND SURVEYING & MAPPING logo and address: 7041 W. Commercial Boulevard, Ste. 6C, Fort Lauderdale, FL 33309

1029 CORDOVA ROAD FORT LAUDERDALE, FLORIDA 33316 CLIENT: PATRICK MCTIGUE SCALE: 1"=10' DESIGNED BY: DATE: 11-19-20 DRAWN BY: CAM CHECKED BY: SAG FIELD BOOK NO. 165 PAGE NO. 30

PROJECT NO. 2509 SHEET NO. 1 OF 1











ITEM VI

MEMORANDUM MF NO. 21-04

DATE: March 10-2021

TO: Marine Advisory Board Members

FROM: Andrew Cuba, Manager of Marine Facilities

RE: April 1st, 2021 MAB Meeting – Application for Dock Permit – M. Austin Foreman
Mgr. Gillis Investments 2 LTD / 915 Cordova Road

Attached for your review is an application from M. Austin Foreman Mgr. Gillis Investments 2 LTD / 915 Cordova Road (see **Exhibit 1**).

APPLICATION AND BACKGROUND INFORMATION

The applicant is seeking approval for the installation of a 52'4" long x 8' wide marginal dock extending a maximum distance of +/-8' from the wet face of the seawall on public property abutting the waterway adjacent to 1029 Cordova Road (see **Exhibit 1**). City Code Section 8-144 (**Exhibit 2**) authorizes the construction and use of docks on public property, and allows for the permit to be issued provided the permit holder agrees to maintain the improvements and seawall.

PROPERTY LOCATION AND ZONING

The property is located within the Rio Vista Isles RS-8 Residential Low Density Zoning District. The dock area is directly adjacent to the Rio Vista canal with direct access to the Intracoastal Waterway.

ENGINEERING REVIEW REQUIREMENT

As a requirement of City Code Section 8-144, approval of the application is contingent upon all improvements to the property being maintained in accord with City Engineering standards and in full compliance with building and zoning regulations including construction permits required for any future electrical and water feeds to the property.

The granting of this Permit is subject to all of the provisions of City Code Section 8-144 as well as the following terms and conditions, violation of any of which shall be grounds for revocation of the Permit:

1. The permit to use the docks shall expire upon the: (i) abandonment of the use of the dock; or (ii) recordation of the deed of conveyance transferring title to the upland parcel; or (iii) termination, expiration or revocation of the dock permit by the City Commission, whichever (i),(ii), or (iii) shall first occur.
2. Upon expiration of the permit to use the dock, the permit holder shall be obligated to remove the dock and all appurtenances thereto no later than three (3) months after the termination, revocation or expiration of the permit to use the dock.
3. Signage such as "private dock" may be placed on the dock within the dock area, but not upon or within the public swale area.
4. Only vessels owned by the permit holder and registered with the City as part of the dock permit application may be moored at the permitted dock.

Marine Advisory Board

April 1, 2021

Page 2

5. During the term of the dock permit, the permit holder shall be required to repair, replace, reconstruct or maintain the dock or adjacent seawall or both to meet the requirements of City Code 8-144 (7) and ULDR section 47-19.3 (f.)(4.). The public swale area shall be landscaped in accordance with the established landscape plan for the area in question adopted by the Department of Sustainable Development.
6. All improvements such as docks, seawalls and the like which are placed upon the public dock area or within the dock permit parcel or within the dock area and public swale area by a private person shall be constructed with appropriate permits from all applicable agencies. Maintenance and repairs shall be performed according to City Engineering standards and all applicable regulatory codes.
7. The public swale area shall be kept open at all times as means of reasonable ingress and egress to the public, but the permit holder shall have the right to exclude the public from the dock area.
8. Vessels berthed within the Dock Area must not encroach into the northerly or southerly extension of the 5' set-back required for the RS-8 zoning district for Applicant's (Permit Holder's) Property.
9. All installed docks must be either (i) floating docks that can adapt to sea level rise over their useful life span ; or (ii) fixed docks installed at a minimum height consistent with the requirements of section 47-19.3(f); or (iii) fixed docks the height of which are even with the City's seawall, whichever (ii) or (iii) is the greater.
10. Except as to a tender, there shall be no rafting of vessels from the moored vessel.
11. The permit shall guarantee from the permit holder to the city to indemnify and hold the city harmless for any damage or injury to any person using such facilities.
12. The violation of any provisions of Code Section 8-144 or violations of any of the terms or conditions relative to the granting or renewal of a dock permit shall be unlawful and may constitute cause for revocation of the permit.

AC

Attachment

cc: Enrique Sanchez, Deputy Director of Parks and Recreation
Jonathan Luscomb, Marine Facilities Supervisor

**Marine Advisory Board:
Dock Permit Application**

**Gillis Investments 2 LTD
(P.O. Box 292037, Davie, FL 33329)
915 Cordova Rd
Ft Lauderdale, FL 33316**

Table Of Contents

- 1. Cover page**
- 2. Table of Contents**
- 3. Narrative**
- 4. Resolution 19 - 205**
- 5. Marine application form (completed)**
- 6. Broward County Property Appraiser ownership page**
- 7. Deed**
- 8. Signature page**
- 9. City of Fort Lauderdale water bill**
- 10. Permit pack w/ survey**
- 11. Fort Lauderdale Standard Landscaping**
- 12. Color site and aerial photos**

To whom it concerns,

We are requesting permission to rebuild the dock at 915 Cordova Rd. that was torn down during the Cordova Rd Seawall replacement project. Resolution No. 19-205 refers to an agreement made between the City and property owners all Marine advisory fees would be waived. The dock and staircase are completely free - standing structures. The staircase is pre-cast concrete with appropriate hand railing. The dock measures 8' x 52' 4". The mooring piles will measure 25' from the seawall. These dimensions are based on the projected south lot line to seawall. Document P1 shows this information. We have secured DEP approval (see attached) There is no intention to moor a vessel at the dock at this time. After the Marine Advisory Board approval, we will seek approval from Broward county DPERG and then the final step of securing the building permit with the City of Ft Lauderdale.

RESOLUTION NO. 19-205

A RESOLUTION OF THE CITY COMMISSION OF THE CITY OF FORT LAUDERDALE, FLORIDA, ESTABLISHING FEES FOR APPLICATIONS FOR DOCK PERMITS ISSUED UNDER SECTION 8-144 PRIVATE USE OF PUBLIC PROPERTY ABUTTING WATERWAYS, AND PROVIDING FOR SEVERABILITY, RESCISSION OF CONFLICTING RESOLUTION PROVISIONS, AND AN EFFECTIVE DATE.

WHEREAS, it has long been the law in Florida that a reasonable license or permit fee may be charged in an amount sufficient to bear the expense of issuing the permit and the costs of necessary inspections and review connected with the administration of the permit; and

WHEREAS, the City of Fort Lauderdale has established an application process that requires technical and legal review of documents, presentation of the application to the Marine Advisory Board for recommendation, drafting of a dock permit resolution, and presentation to the City Commission for approval, and recording of the resolution; and

WHEREAS, the current administrative fee of \$300 for the dock permit application does not cover the City's costs to process the application; and

WHEREAS, based on a review of the staff resources, an application fee of \$1,500 is recommended; and

WHEREAS, the City Commission of the City of Fort Lauderdale, Florida, wishes to establish the application fee for dock permits issued under Section 8-144 Private Use of Public Property Abutting Waterways at \$1,500 effective October 2, 2019; and

WHEREAS, a number of dock holders on Cordova Road between SE 7th Street and SE 12th Street will be required to submit full applications due to the removal of their docks associated with the reconstruction of the City seawall at that location and amendment of the terms and conditions of the dock permit under Section 8-144; and

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COMMISSION OF THE CITY OF FORT LAUDERDALE, FLORIDA:

SECTION 1. The City hereby establishes the application fee for dock permits issued under Section 8-144 Private Use of Public Property Abutting Waterways at \$1,500 effective October 2, 2019.


SECTION 2. The application fee for property owners whose docks were removed due to the seawall construction project on Cordova is hereby waived.

SECTION 3. That if any clause, section or other part of this Resolution shall be held invalid or unconstitutional by any court of competent jurisdiction, the remainder of this Resolution shall not be affected thereby, but shall remain in full force and effect.

SECTION 4. That all Resolutions or parts of Resolutions in conflict are hereby repealed.

SECTION 5. That this Resolution shall be in full force and effect upon final passage.

ADOPTED this the 2nd day of October, 2019.



Mayor
DEAN J. TRANTALIS

ATTEST:



City Clerk
JEFFREY A. MODARELLI



MARTY KIAR
BR  **WARD**
 COUNTY
 PROPERTY APPRAISER

Site Address	915 CORDOVA ROAD, FORT LAUDERDALE FL 33316-1451	ID #	5042 11 19 0071
Property Owner	GILLIS INVESTMENTS 2 LTD	Millage	0312
Mailing Address	PO BOX 292037 DAVIE FL 33329	Use	00
Abbr Legal Description	RESUB BLK 22 RIO VISTA ISLES 23-30 B LOT 21 & PT LOT 22 DESC AS BEG AT NELY COR OF LOT 21, SLY ALG ELY BNDRY/L OF LOTS 21 & 22 A DIST OF 75, WLY 114.57 TO MIDPOINT ON E BNDRY/L OF LOT 14 BLK 22, NLY 95 TO NWLY COR OF LOT 21, ELY 109.99 TO POB		

The just values displayed below were set in compliance with **Sec. 193.011, Fla. Stat.**, and include a reduction for costs of sale and other adjustments required by **Sec. 193.011(8)**.

* 2021 values are considered "working values" and are subject to change.

Property Assessment Values

Year	Land	Building / Improvement	Just / Market Value	Assessed / SOH Value	Tax
2021	\$647,500		\$647,500	\$647,500	
2020	\$647,500		\$647,500	\$647,500	
2019	\$786,250		\$786,250	\$786,250	\$14,612.23

2021 Exemptions and Taxable Values by Taxing Authority

	County	School Board	Municipal	Independent
Just Value	\$647,500	\$647,500	\$647,500	\$647,500
Portability	0	0	0	0
Assessed/SOH	\$647,500	\$647,500	\$647,500	\$647,500
Homestead	0	0	0	0
Add. Homestead	0	0	0	0
Wid/Vet/Dis	0	0	0	0
Senior	0	0	0	0
Exempt Type	0	0	0	0
Taxable	\$647,500	\$647,500	\$647,500	\$647,500

Sales History

Date	Type	Price	Book/Page or CIN
7/31/2019	QC*-D	\$1,995,000	115969888
8/29/2018	WD*-E	\$1,925,000	115300911
6/30/2014	WD-E	\$1,000,000	112384478
6/30/2006	QCD	\$100	42424 / 359
5/26/1998	WD	\$455,000	28290 / 262

Land Calculations

Price	Factor	Type
\$70.00	9,250	SF
Adj. Bldg. S.F.		

* Denotes Multi-Parcel Sale (See Deed)

Special Assessments

--	--	--	--	--	--	--	--

Prepared by and return to:
Christopher James Gertz, Esq.
President
Christopher J. Gertz, P.A.
888 South Andrews Avenue Suite 204
Fort Lauderdale, FL 33316
954-565-2601
File Number: CCS-475
Will Call No.:

[Space Above This Line For Recording Data]

Quit Claim Deed

This Quit Claim Deed made this 31st day of July, 2019 between Tidal Wave Properties, LLC, a Florida limited liability company, whose post office address is PO Box 292037, Davie, FL 33329, grantor, and Gillis Investments #2, Ltd., a Florida limited partnership, whose post office address is PO Box 292037, Davie, FL 33329, grantee:

(Whenever used herein the terms "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives, and assigns of individuals, and the successors and assigns of corporations, trusts and trustees)

Witnesseth, that said grantor, for and in consideration of the sum TEN AND NO/100 DOLLARS (\$10.00) and other good and valuable consideration to said grantor in hand paid by said grantee, the receipt whereof is hereby acknowledged, does hereby remise, release, and quitclaim to the said grantee, and grantee's heirs and assigns forever, all the right, title, interest, claim and demand which grantor has in and to the following described land, situate, lying and being in Broward County, Florida to-wit:

Parcel 1:

Lot 15 and the North 25 feet of Lot 14, Block 22, RESUBDIVISION IN BLOCK 22-RIO VISTA ISLES, according to the map or plat thereof as recorded in Plat Book 23, Page 30, Public Records of Broward County, Florida, more particularly described as follows:

Lot 15 and a portion of Lot 14 more fully described as: Beginning at the Northwest corner of Lot 14; thence Easterly along the North boundary thereof a distance of 109.33 feet to the Northeast corner thereof; thence Southerly along the East boundary of said Lot 14 a distance of 25 feet to the mid-point of said East line; thence Westerly along a line parallel to the said North boundary of Lot 14 a distance of 109.30 feet to the mid-point of the West boundary of Lot 14; thence Northerly along the said West boundary a distance of 25 feet to the point of beginning.

Parcel 2:

All of Lot 21 and that portion of Lot 22 in Block 22, of RIO VISTA ISLES, according to the plat of a resubdivision in Block 22 of said RIO VISTA ISLES recorded in Plat Book 23, at Page 30, of the Public Records of Broward County, Florida, described as follows:

Beginning at the Northeasterly Corner of said Lot 21 and running thence Southerly along the Easterly Boundary line of said Lots 21 and 22, a distance of 75 feet to a point; thence Westerly, a distance of 114.58 feet to the midpoint on the Easterly Boundary line of Lot 14 in said Block 22; thence Northerly along the Westerly Boundary line of said Lots 22 and 21 in said Block 22, a distance of 95 feet to the Northwesterly corner of said Lot 21, thence Easterly along the Northerly line of said Lot 21, a distant of 109.99 feet to the Point of Beginning.


Said lands situate, lying and being in Broward County, Florida.




To Have and to Hold, the same together with all and singular the appurtenances thereto belonging or in anywise appertaining, and all the estate, right, title, interest, lien, equity and claim whatsoever of grantors, either in law or equity, for the use, benefit and profit of the said grantee forever.


In Witness Whereof, grantor has hereunto set grantor's hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:


Witness Name: Clay Cameron


Witness Name: Patrick McZigie

Tidal Wave Properties, LLC, a Florida limited liability company


By: 
M. Austin Forman, its Manager

State of Florida
County of Broward

The foregoing instrument was acknowledged before me this 31ST day of July, 2019 by M. Austin Forman, Manager of Tidal Wave Properties, LLC, a Florida limited liability company, who [] is personally known or [] has produced a driver's license as identification.

[Notary Seal]




Notary Public

Printed Name: HELEN GRAY

My Commission Expires: _____





City of Fort Lauderdale
Municipal Service Bill
100 North Andrews Avenue
Fort Lauderdale Florida 33301-1016



Municipal Services Information	
Water Billing:	954-828-5150
24-Hour Customer Service:	954-828-8000
E-Mail:	customerservice@fortlauderdale.gov
Lobby Hours:	Monday-Friday, 7:30 a.m. to 5 p.m.
Pay Online At:	utilitybilling.fortlauderdale.gov


Account Number	Bill Type	Due Date	Amount Due
2143768	Regular	3/9/21	\$41.64

TIDAL WAVE PROPERTIES LLC
P O BOX 292037
FT LAUDERDALE FL 33329-2037



Customer	TIDAL WAVE PROPERTIES LLC
Living Units	1
Period	1/15/21 to 2/11/21
Days	28
Previous Bill	\$41.64
Payments	-\$41.64
Adjustments	\$0.00
Past Due ***	\$0.00
Penalties	\$0.00
Current	\$41.64
Total Due	\$41.64

Service Address: 915 CORDOVA RD



Description	Meter/Dial	Reading			\$ Amount
		Previous	Current	Usage	
Water Single Family in the City	200902475-M	569	569	0	\$0.00
Water Base (1 inch Water meter)					\$11.59
Water Monthly Fixed Charge					\$2.37
Utility Tax					\$1.16
Sewer Base City					\$23.98
Sewer Monthly Fixed Charge					\$2.54
					\$41.64

***** Sweepstakes: Select a paperless bill option and/or enroll in Autopay for a chance to win a Ring Video Doorbell.**
Landlord Registry: Residential property owners with rental properties are required to register with the City at
<https://aca-prod.accela.com/FTL/Default.aspx> ***

Detach and return this stub with remittance - Please make check payable in US funds to CITY OF FORT LAUDERDALE - Allow 5 days for mailing

Account Number	Address Served	Bill Date	Due Date	Amount Due
2143768	915 CORDOVA RD	Feb 12, 2021	Mar 09, 2021	\$41.64

Amount Enclosed \$

City of Fort Lauderdale
Municipal Services
P.O. Box 31687
Tampa, FL 33631-3687



0000041640500021437685


* DRIVE THRU LOCATION
EAST OF CITY HALL IN PARKING LOT, A
24 HR SELF-SERVICE PAYMENT KIOSK IS
AVAILABLE FOR YOUR CONVENIENCE.

DRIVE THRU HOURS:
MONDAY - FRIDAY
8:00 AM - 4:30 PM

OFFICE HOURS:
7:30 AM - 5:00 PM
MONDAY - FRIDAY
CLOSED SATURDAY, SUNDAY AND HOLIDAYS

NOTES

- LAYOUT PER BROWARD COUNTY PROPERTY APPRAISER MAP
- NEW DOCK AND UPLAND STAIRCASE TO BE ADJACENT TO NEW SEAWALL
- MOORING PILES AND DOCK WITHIN 25% OF CANAL WIDTH
- TURBIDITY CURTAIN TO BE USED DURING PILE INSTALLATION
- NO SEAGRASS IN AREA
- DOCK DECKBOARD AND STRINGERS NOT SHOWN FOR CLARITY




AUSTIN FORMAN
 GILLIS INVESTMENTS 2 LTD
 915 CORDOVA ROAD
 FORT LAUDERDALE, FL 33316
 PARCEL ID: 5042-11-19-0071

PROPOSED STAIRCASE, DOCK & MOORING PILES

PLAN VIEW
 SCALE 1" = 30'

CHRISTOPHER R. CROUSHORE, PE
 FLORIDA PE # 74580

<p>Croushore Marine Engineering Inc. 100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461 PH (561) 951-6036 FL CERT OF AUTH #30254</p>	<p>SCALE: 1" = 30'</p>	<p>AUSTIN FORMAN 915 CORDOVA STREET FORT LAUDERDALE, FL PROPOSED STAIRCASE, DOCK & MOORING PILES PLAN VIEW</p>	<p>P-1</p>
	<p>DATE: 08.10.20</p>		
	<p>REVISED: 02.08.21</p>		
	<p>DRAWN BY: CRC</p>		




CHRISTOPHER R. CROUSHORE, PE
 FLORIDA PE # 74580

Croushore Marine Engineering Inc.
 100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
 PH (561) 951-6036
 FL CERT OF AUTH #30254

SCALE: 1" = 10'
DATE: 08.10.20
REVISED: 02.08.21
DRAWN BY: CRC

AUSTIN FORMAN
 915 CORDOVA STREET
 FORT LAUDERDALE, FL
 PROPOSED STAIRCASE, DOCK & MOORING PILES
 DETAILED PLAN VIEW

P-2
 SHEET 2 OF 6



CHRISTOPHER R. CROUSHORE, PE
FLORIDA PE # 74580

Croushore Marine Engineering Inc.

100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
PH (561) 951-6036
FL CERT OF AUTH #30254

SCALE: 1" = 10'
DATE: 08.10.20
REVISED: 02.11.21
DRAWN BY: CRC

AUSTIN FORMAN
915 CORDOVA STREET
FORT LAUDERDALE, FL


PROPOSED DOCK
PROFILE VIEW

PR-1

SHEET 3 OF 6

NOTES

- CONCRETE TO BE 5000 PSI AFTER 28 DAYS
- STAIRCASE SYSTEM IS NOT TO ATTACH TO, CONNECT TO, OR BE IN DIRECT CONTACT WITH THE CITY OF FT LAUDERDALE SEAWALL OR SEAWALL CAP
- ALL HARDWARE TO BE MARINE GRADE 316 SS
- ALL ALUMINUM THAT COMES IN CONTACT OR CLOSE TO ANY STEEL HARDWARE OR REBAR, SHALL BE POLYMER COATED



CHRISTOPHER R. CROUSHORE, PE
FLORIDA PE # 74580

Croushore Marine Engineering Inc.

100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
PH (561) 951-6036
FL CERT OF AUTH #30254

SCALE: 1" = 6'
DATE: 08.10.20
REVISED: 02.08.21
DRAWN BY: CRC


AUSTIN FORMAN
915 CORDOVA STREET
FORT LAUDERDALE, FL
PROPOSED STAIRCASE
PROFILE VIEW

PR-2

SHEET 4 OF 6

NOTES

- ALL WOOD TO BE SYP GRADE #1 OR BETTER
- MARINE PILES TO BE 2.50 CCA, SUB-FRAMING TO BE 0.60 CCA, DECK BOARDS TO BE 0.40 ACQ (OR EQUAL)
- DOCK SYSTEM IS NOT TO ATTACH TO, CONNECT TO, OR BE IN DIRECT CONTACT WITH THE CITY OF FT LAUDERDALE SEAWALL OR SEAWALL CAP
- ALL HARDWARE TO BE 316 SS
- 2x12 CROSS-TIES CONNECTED TO 8" MARINE PILES W/ (2) $\frac{5}{8}$ " BOLT ASSEMBLY KITS PER CROSS-TIE PER PILE
- 2x8 EDGE STRINGERS CONNECTED TO 8" MARINE PILES W/ (1) $\frac{5}{8}$ " LAG BOLT PER EXTERIOR STRINGER PER PILE ALONG SIDE CLOSEST TO SEAWALL
- 2x8 INTERIOR STRINGERS CONNECTED TO 2x12 CROSS-TIE W/ SIMPSON H2.5A HURRICANE STRAP
- 2x6 DECK BOARD CONNECTED TO 2x8 STRINGERS W/ #10 DECK SCREWS.
- 2 PER BOARD PER STRINGER



PROPOSED DOCK
TYPICAL CROSS-SECTION VIEW
SCALE 1" = 4'

CHRISTOPHER R. CROUSHORE, PE
FLORIDA PE # 74580

Croushore Marine Engineering Inc.

100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
PH (561) 951-6036
FL CERT OF AUTH #30254


SCALE: 1" = 4'
DATE: 08.10.20
REVISED: 02.08.21
DRAWN BY: CRC

AUSTIN FORMAN
915 CORDOVA STREET
FORT LAUDERDALE, FL
PROPOSED DOCK & MOORING PILES
TYPICAL CROSS-SECTION VIEW

CS-1

NOTES

- STAIR SYSTEM IS NOT TO ATTACH TO, CONNECT TO, OR BE IN DIRECT CONTACT WITH THE CITY OF FT LAUDERDALE SEAWALL OR SEAWALL CAP
- ALL CONCRETE TO BE 5000 PSI AFTER 28 DAYS, WITH CORROSION INHIBITOR
- ALL REBAR TO BE GRADE 60 PER ASTM A-615
- ALL REBAR TO HAVE 3" (MIN) CONCRETE COVER
- AFTERMARKET 2"Ø GRASPABLE HANDRAIL TO BE 36" TALL ABOVE STEP. NOT SHOWN FOR CLARITY
- ALL HARDWARE TO BE MARINE GRADE 316 SS
- AFTERMARKET 2"Ø GRASPABLE HANDRAIL TO BE ATTACHED
- ANY PORTION OF ALUMINUM THAT COMES IN CONTACT OR NEAR ANY STEEL, SHALL BE POLYMER COATED IN AREAS TO MINIMIZE DISSIMILAR METALS CONTACT



PROPOSED STAIRCASE
 PROFILE VIEW
 SCALE 1" = 4'

CHRISTOPHER R. CROUSHORE, PE
 FLORIDA PE # 74580

Croushore Marine Engineering Inc.

100 ANDROS ROAD, PALM SPRINGS, FLORIDA 33461
 PH (561) 951-6036
 FL CERT OF AUTH #30254

SCALE: 1" = 4'
 DATE: 08.10.20
 REVISED: 02.08.21
 DRAWN BY: CRC

AUSTIN FORMAN
 915 CORDOVA STREET
 FORT LAUDERDALE, FL

PROPOSED STAIRCASE PLATFORM
 TYPICAL CROSS-SECTION VIEW

CS-2

SHEET 6 OF 6



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southeast District Office
3301 Gun Club Road, MSC 7210-1
West Palm Beach, FL 33406
561-681-6600

August 4, 2020

Austin Forman
c/o Gillis Investments 2 LTD
P. O. Box 292037
Davie, FL 33329

Re: File No.: 06-389190-001&002-EE
File Name: Forman Gillis

Dear Austin Forman:

On June 18, 2020, we received your request for verification of exemption to perform the following activities: (1) install an 8 ft. by 75 ft (600 sq. ft.) marginal dock, and (2) install mooring piles. The project is located in a residential canal, Class III Waters, adjacent to 915 Cordova Road in Fort Lauderdale (Section 11, Township 50 South, Range 42 East), in Broward County (Latitude N 26° 6' 39.33", Longitude W -80° 7' 41.10").

Your request has been reviewed to determine whether it qualifies for (1) regulatory exemption, (2) proprietary authorization (related to state-owned submerged lands), and (3) federal approval that may be necessary for work in wetlands or waters of the United States.

Your project qualifies for all three. However, this letter does not relieve you from the responsibility of obtaining other federal, state, or local authorizations that may be required for the activity.

If you change the project from what you submitted, the authorization(s) granted may no longer be valid at the time of commencement of the project. Please contact us prior to beginning your project if you wish to make any changes.

If you have any questions regarding this matter, please contact Ashley Drda at the letterhead address or at 561-681-6671, Ashley.Drda@FloridaDEP.gov.

www.floridadep.gov

1. Regulatory Review – VERIFIED

Based on the information submitted, the Department has verified that the activities as proposed are exempt, under Chapter 62-330.051(5)(a) and Chapter 62-330.051(5)(b), Florida Administrative Code, from the need to obtain a regulatory permit under Part IV of Chapter 373 of the Florida Statutes.

This exemption verification is based on the information you provided the Department and the statutes and rules in effect when the information was submitted. This verification may not be valid if site conditions materially change, the project design is modified, or the statutes or rules governing the exempt activity are amended. In the event you need to re-verify the exempt status for the activity, a new request and verification fee will be required. Any substantial modifications to the project design should be submitted to the Department for review, as changes may result in a permit being required.

2. Proprietary Review - NOT REQUIRED

The activity does not appear to be located on sovereign submerged lands, and does not require further authorization under chapter 253 of the Florida Statutes, or chapters 18-20 or 18-21 of the Florida Administrative Code.

3. Federal Review - APPROVED

Your proposed activity as outlined in your application and attached drawings qualifies for Federal authorization pursuant to the State Programmatic General Permit V-R1, and a **SEPARATE permit or authorization will not be required** from the Corps. Please note that the Federal authorization expires on July 26, 2021. However, your authorization may remain in effect for up to 1 additional year, if provisions of Special Condition 19 of the SPGP V-R1 permit instrument are met. You, as permittee, are required to adhere to all General Conditions and Special Conditions that may apply to your project. Special conditions required for your project are attached. A copy of the SPGP V-R1 with all terms and conditions and the General Conditions may be found at <https://www.saj.usace.army.mil/Missions/Regulatory/Source-Book>.

Authority for review - an agreement with the USACOE entitled "Coordination Agreement Between the U. S. Army Corps of Engineers (Jacksonville District) and the Florida Department of Environmental Protection (or Duly Authorized Designee), State Programmatic General Permit," Section 10 of the Rivers and Harbor Act of 1899, and Section 404 of the Clean Water Act.

Additional Information

Please retain this letter. The activities may be inspected by authorized state personnel in the future to ensure compliance with appropriate statutes and administrative codes. If the activities are not in compliance, you may be subject to penalties under Chapter 373, F.S., and Chapter 18-14, F.A.C.

NOTICE OF RIGHTS

This action is final and effective on the date filed with the Clerk of the Department unless a petition for an administrative hearing is timely filed under Sections 120.569 and 120.57, F.S., before the

deadline for filing a petition. On the filing of a timely and sufficient petition, this action will not be final and effective until a subsequent order of the Department. Because the administrative hearing process is designed to formulate final agency action, the hearing process may result in a modification of the agency action or even denial of the application.

Petition for Administrative Hearing

A person whose substantial interests are affected by the Department's action may petition for an administrative proceeding (hearing) under Sections 120.569 and 120.57, F.S. Pursuant to Rules 28-106.201 and 28-106.301, F.A.C., a petition for an administrative hearing must contain the following information:

- (a) The name and address of each agency affected and each agency's file or identification number, if known;
- (b) The name, address, any e-mail address, any facsimile number, and telephone number of the petitioner, if the petitioner is not represented by an attorney or a qualified representative; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination;
- (c) A statement of when and how the petitioner received notice of the agency decision;
- (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;
- (e) A concise statement of the ultimate facts alleged, including the specific facts that the petitioner contends warrant reversal or modification of the agency's proposed action;
- (f) A statement of the specific rules or statutes that the petitioner contends require reversal or modification of the agency's proposed action, including an explanation of how the alleged facts relate to the specific rules or statutes; and
- (g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wishes the agency to take with respect to the agency's proposed action.

The petition must be filed (received by the Clerk) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, or via electronic correspondence at Agency_Clerk@dep.state.fl.us. Also, a copy of the petition shall be mailed to the applicant at the address indicated above at the time of filing.

Time Period for Filing a Petition

In accordance with Rule 62-110.106(3), F.A.C., petitions for an administrative hearing by the applicant and persons entitled to written notice under Section 120.60(3), F.S., must be filed within 21 days of receipt of this written notice. Petitions filed by any persons other than the applicant, and other than those entitled to written notice under Section 120.60(3), F.S., must be filed within 21 days of publication of the notice or within 21 days of receipt of the written notice, whichever occurs first. You cannot justifiably rely on the finality of this decision unless notice of this decision and the right of substantially affected persons to challenge this decision has been duly published or otherwise provided to all persons substantially affected by the decision. While you are not required to publish notice of this action, you may elect to do so pursuant Rule 62-110.106(10)(a).

The failure to file a petition within the appropriate time period shall constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57, F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention (in a proceeding initiated by another party) will be only at the discretion of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205, F.A.C. If you do not publish notice of this action, this waiver will not apply to persons who have not received written notice of this action.

Extension of Time

Under Rule 62-110.106(4), F.A.C., a person whose substantial interests are affected by the Department's action may also request an extension of time to file a petition for an administrative hearing. The Department may, for good cause shown, grant the request for an extension of time. Requests for extension of time must be filed with the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, or via electronic correspondence at Agency_Clerk@dep.state.fl.us, before the deadline for filing a petition for an administrative hearing. A timely request for extension of time shall toll the running of the time period for filing a petition until the request is acted upon.

Mediation

Mediation is not available in this proceeding.

FLAWAC Review

The applicant, or any party within the meaning of Section 373.114(1)(a) or 373.4275, F.S., may also seek appellate review of this order before the Land and Water Adjudicatory Commission under Section 373.114(1) or 373.4275, F.S. Requests for review before the Land and Water Adjudicatory Commission must be filed with the Secretary of the Commission and served on the Department within 20 days from the date when this order is filed with the Clerk of the Department.

Judicial Review

Once this decision becomes final, any party to this action has the right to seek judicial review pursuant to Section 120.68, F.S., by filing a Notice of Appeal pursuant to Florida Rules of Appellate Procedure 9.110 and 9.190 with the Clerk of the Department in the Office of General Counsel (Station #35, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000) and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate district court of appeal. The notice must be filed within 30 days from the date this action is filed with the Clerk of the Department.

EXECUTION AND CLERKING

Executed in West Palm Beach, Florida.

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Ashley Drda
Environmental Specialist
Southeast District

Enclosures:

- Attachment A - Specific Exemption Rule
- Special Conditions for Federal Authorization for SPGP V-R1
- General Conditions for Federal Authorization for SPGP V-R1
- Project drawings, 5 pages

CERTIFICATE OF SERVICE

The undersigned duly designated deputy clerk hereby certifies that this document and all attachments were sent on the filing date below to the following listed persons:

FDEP – Jeff Meyer, Ashley Drda
Chris Croushore - Ccroushore@gmail.com

FILING AND ACKNOWLEDGMENT

FILED, on this date, pursuant to Section 120.52, F. S., with the designated Department Clerk, receipt of which is hereby acknowledged.

Barbara Branning

Clerk

August 4, 2020
Date

Attachment A

62-330.051 Exempt Activities.

The activities meeting the limitations and restrictions below are exempt from permitting. However, if located in, on, or over state-owned submerged lands, they are subject to a separate authorization under chapters 253 and 258, F.S., as applicable.

(5) Dock, Pier, Boat Ramp and Other Boating-related Work –

(a) Installation or repair of pilings and dolphins associated with private docking facilities or piers that are exempt under section 403.813(1)(b), F.S.;

(b) Installation of private docks, piers, and recreational docking facilities, and installation of local governmental piers and recreational docking facilities, in accordance with section 403.813(1)(b), F.S. This includes associated structures such as boat shelters, boat lifts, and roofs, provided:

1. The cumulative square footage of the dock or pier and all associated structures located over wetlands and other surface waters does not exceed the limitations in section 403.813(1)(b), F.S.;

2. No structure is enclosed on more than three sides with walls and doors;

3. Structures are not used for residential habitation or commercial purposes, or storage of materials other than those associated with water dependent recreational use; and

4. Any dock and associated structure shall be the sole dock as measured along the shoreline for a minimum distance of 65 feet, unless the parcel of land or individual lot as platted is less than 65 feet in length along the shoreline, in which case there may be one exempt dock allowed per parcel or lot.

Rulemaking Authority 373.026(7), 373.043, 373.4131, 373.4145, 403.805(1) FS. Law Implemented 373.406, 373.4131, 373.4145, 373.415, 403.813(1) FS. History—New 10-1-13, Amended 6-1-18

Special Conditions for Federal Authorization for SPGP V-R1

Note: JAXBO (Jacksonville District's Programmatic Biological Opinion), referenced throughout, may be found online in the Jacksonville District Regulatory Division Sourcebook, or at <http://cdm16021.contentdm.oclc.org/utils/getfile/collection/p16021coll13/id/577>.

The SPGP V-R1 instrument and all attachments may be found online through the Sourcebook, or at <https://www.saj.usace.army.mil/SPGP/>

In addition to the conditions specified above, the following Special Conditions apply to all projects reviewed and/or authorized under the SPGP V-R1.

Special Conditions for All Projects

1. Authorization, design and construction must adhere to the terms of the SPGP V-R1 instrument including the Procedure and Work Authorized sections.
2. Design and construction must adhere to the PDCs for In-Water Activities ([Attachment 6](#), from PDCs AP.7 through AP1, inclusive, of JAXBO) (Reference: JAXBO PDC AP.1.).
3. All activities performed during daylight hours (Reference: JAXBO PDC AP.6.).
4. For all projects involving the installation of piles or sheet piles, the maximum number of piles, sheet piles or concrete slab walls or boatlift I-beams installed by impact hammer per day is limited to no more than 5 per day. Any installation of metal pipe or metal sheet pile by impact hammer is not authorized (Reference: Categories D and E of JAXBO PDCs for In-Water Noise from Pile and Sheet Pile Installation, page 86.).
5. Projects within the boundary of the NOAA Florida Keys National Marine Sanctuary require prior approval from the Sanctuary (Reference: JAXBO PDCs AP.14 and A1.6).
6. Notifications to the Corps. For all authorizations under this SPGP V-R1, including Self-Certifications, the Permittee shall provide the following notifications to the Corps:
 - a. Commencement Notification. Within 10 days before the date of initiating the work authorized by this permit or for each phase of the authorized project, the Permittee shall provide a written notification of the date of commencement of authorized work to the Corps.
 - b. Corps Self-Certification Statement of Compliance form. Within 60 days of completion of the work authorized by this permit, the Permittee shall complete the "Self-Certification Statement of Compliance" form ([Attachment 32](#)) and submit it to the Corps. In the event that the completed work deviates in any manner from the authorized work, the Permittee shall describe the deviations between the work authorized by this permit and the work as constructed on the "Self-Certification Statement of Compliance" form. The description of any deviations on the "Self-Certification Statement of Compliance" form does not constitute approval of any deviations by the Corps.
 - c. Permit Transfer. When the structures or work authorized by this permit are still in existence at the time the property is transferred, the terms and conditions of this permit will continue to be binding on the new owner(s) of the property. To validate

the transfer of this permit and the associated liabilities associated with compliance with its terms and conditions, have the transferee sign and date the enclosed form (Attachment 2).

d. Reporting Address. The Permittee shall submit all reports, notifications, documentation, and correspondence required by the general and special conditions of this permit to the following address.

- (1) For standard mail: U.S. Army Corps of Engineers, Regulatory Division, Enforcement Section, P.O. Box 4970, Jacksonville, FL, 32232-0019.
- (2) For electronic mail: SAJ-RD-Enforcement@usace.army.mil (not to exceed 10 MB). The Permittee shall reference this permit number, SAJ- 2015-02575 on all submittals.

7. The District Engineer reserves the right to require that any request for authorization under this SPGP V-R1 be evaluated as an Individual Permit. Conformance with the terms and conditions of the SPGP V-R1 does not automatically guarantee Federal authorization.

8. On a case-by-case basis, the Corps may impose additional Special Conditions which are deemed necessary to minimize adverse environmental impacts.

9. Failure to comply with all conditions of the SPGP V-R1 constitutes a violation of the Federal authorization.

10. No structure or work shall adversely affect or disturb properties listed in the National Register of Historic Places or those eligible for inclusion in the National Register. Prior to the start of work, the Applicant/Permittee or other party on the Applicant's/Permittee's behalf, shall conduct a search of known historical properties by contracting a professional archaeologist, and contacting the Florida Master Site File at 850-245-6440 or SiteFile@dos.state.fl.us. The Applicant/Permittee can also research sites in the National Register Information System (NRIS). Information can be found at <http://www.cr.nps.gov/nr/research>.

a. If, during the initial ground disturbing activities and construction work, there are archaeological/cultural materials unearthed (which shall include, but not be limited to: pottery, modified shell, flora, fauna, human remains, ceramics, stone tools or metal implements, dugout canoes or any other physical remains that could be associated with Native American cultures or early colonial or American settlement), the Permittee shall immediately stop all work in the vicinity and notify the Compliance and Review staff of the State Historic Preservation Office at 850-245-6333 and the Corps Regulatory Project Manager to assess the significance of the discovery and devise appropriate actions, including salvage operations. Based on the circumstances of the discovery, equity to all parties, and considerations of the public interest, the Corps may modify, suspend, or revoke the permit in accordance with 33 C.F.R. § 325.7.

b. In the unlikely event that human remains are identified, the remains will be treated in accordance with Section 872.05, Florida Statutes; all work in the vicinity shall immediately cease and the local law authority, and the State Archaeologist (850-245-6444) and the Corps Regulatory Project Manager shall immediately be notified. Such activity shall not resume unless specifically authorized by the State Archaeologist and the Corps.

11. The Permittee is responsible for obtaining any "take" permits required under the U.S. Fish and Wildlife Service's regulations governing compliance with these laws. The Permittee should contact the appropriate local office of the U.S. Fish and Wildlife Service to determine if such "take" permits are required for a particular activity.

12. For Projects authorized under this SPGP V-R1 in navigable waters of the U.S., the Permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structures or work herein authorized, or if, in the opinion of the Secretary of the Army or his authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the Permittee will be required, upon due notice from the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.

13. The SPGP V-R1 will be valid through July 26, 2021 unless suspended or revoked by issuance of a public notice by the District Engineer. The Corps, in conjunction with the Federal resource agencies, will conduct periodic reviews to ensure that continuation of the permit during the period ending July 26, 2021, is not contrary to the public interest. The SPGP V-R1 will not be extended beyond July 26, 2021, but may be replaced by a new SPGP. If revocation occurs, all future applications for activities covered by the SPGP V-R1 will be evaluated by the Corps.

14. If the SPGP V-R1 expires, is revoked, or is terminated prior to completion of the authorized work, authorization of activities which have commenced or are under contract to commence in reliance upon the SPGP V-R1 will remain in effect provided the activity is completed within 12 months of the date the SPGP V-R1 expired or was revoked.

Special Conditions for Docks, Piers, Associated Facilities, and other Minor Piling-Supported Structures

1. For temporary structures associated with marine events. Upon completion of the event, these structures must be removed and, to the maximum extent practical, the site must be restored to pre-construction elevations. Water depths in the area of marine events must be deep enough to support at least 5 ft of water depth under the keel of a vessel and between the keel of a vessel and Endangered Species Act listed coral colonies, if present, when transiting to the mooring areas (Reference: JAXBO PDC A2.1.4.).

2. Educational Signs. For commercial, multi-family, or public facilities, and marine events, signs must be posted as described below (Reference: These replicate JAXBO PDCs A.2.2 and A.2.2.1 to A.2.2.3., inclusive, within the table PDCs Specific to Activity 2 - Pile Supported Structures and Anchored Buoys, starting on page 112.):

- a. (A2.2.) For commercial, multi-family, or public facilities, and marine events, signs must be posted in a visible location(s), alerting users of listed species in the area susceptible to vessel strikes and hook-and-line captures. The most current version of the signs that must be downloaded and sign installation guidance are available at:

(http://sero.nmfs.noaa.gov/protected_resources/section_7/protected_species_educational_signs/index.html). The signs required to be posted by area are stated below:

- (1) (A2.2.1.) All projects in Florida shall use the Save Sea Turtle, Sawfish, and Dolphin sign. These signs shall include contact information to the sea turtle and marine mammal stranding networks and smalltooth sawfish encounter database.

- (2) (A2.2.2.) Projects within the North Atlantic right whale educational sign zone shall post the Help Protect North Atlantic Right Whales sign.
- (3) (A2.2.3.) On the east coast of Florida, projects located within the St. Johns River and those occurring north of the St. Johns River to the Florida-Georgia line shall post the Report Sturgeon sign. On the west coast of Florida, projects occurring from the Cedar Key, Florida north to the Florida-Alabama line.

3. Monofilament Recycling Bins. For commercial, multi-family, or public facilities, monofilament recycling bins must be provided as described below (Reference: The below replicates PDC A.2.3 within the table PDCs Specific to Activity 2 - Pile Supported Structures and Anchored Buoys, the PDC itself on page 113 of the JAXBO.):

a. (A2.3.) For commercial, multi-family, or public facilities, monofilament recycling bins must be provided at the docking facility to reduce the risk of turtle or sawfish entanglement in, or ingestion of, marine debris. Monofilament recycling bins must:

- (1) (A2.3.1.) Be constructed and labeled according to the instructions provided at <http://mrrp.myfwc.com>.
- (2) (A2.3.2.) Be maintained in working order and emptied frequently (according to <http://mrrp.myfwc.com> standards) so that they do not overflow.

4. North Atlantic Right Whale. The attached North Atlantic Right Whale Information Form ([Attachment 27](#)) describes the presence of North Atlantic right whales in the area and the Federal regulations governing the approach to North Atlantic right whales. (The FDEP or Designee will attach this document to their authorizations for a dock project (new construction, repair, or replacement) at a private residence located within 11 nautical miles of North Atlantic right whale critical habitat as measured in a radius from the center of the nearest inlet to open ocean described by [Attachment 29](#), the North Atlantic Right Whale Educational Sign Zones (from Section 2.1.1.4 of JAXBO, pages 31 and 32, inclusive) (Reference: JAXBO PDC A2.4).

5. Aids to Navigation. Aids to navigation must be approved by and installed in accordance with the requirements of the U.S. Coast Guard (i.e., 33 C.F.R., chapter I, subchapter C, part 66, Section 10 of the Rivers and Harbors Act, and any other pertinent requirements) (Reference: JAXBO PDC A2.5).

6. Lighting for docks installed within visible distance of ocean beaches. If lighting is necessary, then turtle-friendly lighting shall be installed. Turtle-friendly lighting is explained and examples are provided on the Florida Fish and Wildlife Conservation Commission website: <http://myfwc.com/wildlifehabitats/managed/sea-turtles/lighting/> (Reference: JAXBO PDC A2.8).

7. Construction Location. Project construction shall take place from uplands or from floating equipment (e.g., barge); prop or wheel-washing is prohibited (Reference: JAXBO PDC A2.9).

8. Regarding submerged and emergent aquatic vegetation, the design and construction of a Project must comply with the following:

- a. A pile supported structure (i) that is located on a natural waterbody (i.e., outside an artificial waterway that was excavated for boating access and is bordered by residential properties) and (ii) that is within the range of seagrass (estuarine waters within all coastal

counties except for Nassau, Duval, St Johns, Flagler and Volusia north of Ponce Inlet), will be constructed to the following standards:

- (1) Must comply with or provide a higher level of protection than, the protective criteria in the joint U.S. Army Corps of Engineers' National Marine Fisheries Service's "Construction Guidelines in Florida for Minor Piling-Supported Structures Constructed in or over Submerged Aquatic Vegetation (SAV), Marsh or Mangrove Habitat" updated November 2017 ([Attachment 5](#)).

- (2) In addition to (1), above, IF the project is within range of Johnson's seagrass (the range of Johnson's seagrass is defined as Turkey Creek/Palm Bay south to central Biscayne Bay in the lagoon systems on the east coast of Florida), THEN the design and construction shall comply with, in some cases, the more restrictive requirements within paragraph 8.c., below (Reference: JAXBO PDC A2.17).

b. For all other Projects,

- (1) Within the range of Johnson's seagrass (the range of Johnson's seagrass is defined as Turkey Creek/Palm Bay south to central Biscayne Bay in the lagoon systems on the east coast of Florida), the presence of submerged aquatic vegetation will be determined utilizing the "Submerged Aquatic Vegetation Survey Guidelines" ([Attachment 7](#)). If no survey performed, aquatic vegetation, including Johnson's seagrass, will be presumed to be present for purposes of this Special Condition.
- (2) Outside the range of Johnson's seagrass but within the range of seagrass (estuarine waters within all coastal counties except for Nassau, Duval, St Johns, Flagler and Volusia County north of Ponce Inlet) and within tidal waters, the presence of seagrass and tidal freshwater submerged aquatic vegetation will be determined using the "Submerged Aquatic Vegetation Survey Guidelines" ([Attachment 7](#)) unless a site visit or aerial photography observes absence during the growing season (if water depth and clarity allows) or aquatic vegetation has not been found in the vicinity in the past.
- (3) Pile-supported structures, IF aquatic vegetation is present (including seagrass, tidal freshwater submerged aquatic vegetation and emergent vegetation), THEN must comply with or provide a higher level of protection than, the protective criteria in the joint U.S. Army Corps of Engineers' National Marine Fisheries Service's "Construction Guidelines in Florida for Minor Piling-Supported Structures Constructed in or over Submerged Aquatic Vegetation (SAV), Marsh or Mangrove Habitat" updated November 2017 ([Attachment 5](#)).
- (4) In addition to (1) to (3) above, IF the proposed dock or proposed structure is within range of Johnson's seagrass (the range of Johnson's seagrass is defined as Turkey Creek/Palm Bay south to central Biscayne Bay in the lagoon systems on the east coast of Florida), and IF the proposed dock or proposed structure falls within the following scenarios, THEN the design and construction shall comply with, in some cases, the more restrictive requirements within paragraph 8.c., below. (Reference: The following replicates "Scenario B" as defined within A2.17., PDCs for Docks or Other Minor Structures of JAXBO.):
 - (i) Dock replacement in the exact footprint (i.e., same location/configuration/size) as the previous dock and:
 - (a) within Johnson's seagrass critical habitat with No current seagrass survey (completed no earlier than 1 year before submitting the application); or, Johnson's seagrass under the dock; or, Native seagrass, other than Johnson's seagrass, under the dock; or,

- (b) within the Range of Johnson's seagrass (outside of critical habitat) with No current seagrass survey or Johnson's seagrass under the dock,
- (ii) New docks or dock expansions and:
 - (a) within Johnson's seagrass critical habitat; or,
 - (b) within the Range of Johnson's seagrass (outside of critical habitat) with: No current seagrass survey (completed no earlier than 1 year before submitting the application) or, Johnson's seagrass within property limit.
- c. The following additional restrictions apply when required by paragraphs 8.a.(2) or 8.b.(4), above (Reference: The following replicates the "Dock PDCs for Scenario B" within A2.17. PDCs for Docks or Other Minor Structures of JAXBO.):
 - (1) To avoid and minimize impacts to Johnson's seagrass and native, non-listed seagrasses to the maximum extent practicable:
 - (i) The dock must be positioned to avoid and minimize effects to Johnson's seagrass.
 - (ii) Over any area that contains Johnson's seagrass or native, non-listed seagrasses, the dock shall be oriented in a north-south orientation to the maximum extent that is practicable to allow maximum sunlight under the structure.
 - (iii) If practicable, terminal platforms shall be placed in deep water, waterward of Johnson's seagrass beds or native, non-listed seagrasses beds or in an area devoid of Johnson's seagrass or native, non-listed seagrasses.
 - (iv) Piles must be spaced a minimum of 10 ft apart in any area that contains Johnson's seagrass to minimize direct impacts.
 - (v) Piles shall be installed in a manner that will not result in the formation of sedimentary deposits (e.g., donuts or halos) around the newly installed pilings.
 - (vi) No covered boat lifts are allowed over any Johnson's seagrass.
 - (2) Decking options: Deck surfaces (parallel with the water) that are located waterward of the MHWL must be constructed of grated materials or plank construction or a combination of the both methods (e.g. plank decking on the walkway and grated decking on the terminal platform). These decking options are described below:
 - (i) For grated decking:
 - (a) Height requirement: The surface of the structure, including the dock walkway (the over-water narrow portion connecting the terminal platform to the shore and any over-water ramp required for access) and the dock, must be a minimum of 3 ft above MHW when constructed with grated decking.
 - (b) Size limitations: The dock walkway is limited to a width of 4 ft. The terminal platform is limited to a total area of 160 ft². Marginal docks are limited to a width of 5 ft. The 5 ft width restriction is measured from wet side of the seawall. For example, if a seawall cap is 3 feet overwater then the dock would be limited to 2 feet.
 - (c) Material description: Decking materials shaped in the form of grids, grates, lattices, etc., to allow the passage of light through the open spaces. These materials must provide a minimum of 43% open space.
 - (ii) For plank decking:
 - (a) Height requirement: The surface of the structure, including the dock walkway (the over-water narrow portion connecting the terminal platform to the shore and any over-water ramp required for access) and the dock, must be a minimum of 5 ft above MHW when constructed of plank decking.

(b) Size limitations: The dock walkway is limited to a width of 4 ft. The terminal platform is limited to a total area of 120 ft². Marginal docks are limited to a width of 5 ft.

(c) Material description: Deck boards may be constructed of any material. Deck Boards must be installed to provide a minimum of a 0.5-in gap between individual deck boards.

d. Aids to Navigation in Acropora critical habitat. The distance from Aids to Navigation (ATONs) to ESA-listed corals and Acropora critical habitat shall ensure there are no impacts to the corals or the essential feature of Acropora critical habitat from the movement of buoys and tackle. The appropriate distance shall be based on the size of the anchor chain or other tackle to be installed to secure the buoy to its anchor, particularly when the design of the ATON does not prohibit the contact of tackle with the marine bottom. In all cases, buoy tackle will include flotation to ensure there is no contact between the anchor chain or line and the marine bottom (Reference: JAXBO PDC A2.10.).

General Conditions for Federal Authorization for SPGP V-RI

1. The time limit for completing the work authorized ends on July 26, 2021.
2. You must maintain the activity authorized by this permit in good condition and in conformance with the terms and conditions of this permit. You are not relieved of this requirement if you abandon the permitted activity, although you may make a good faith transfer to a third party in compliance with General Condition 4 below. Should you wish to cease to maintain the authorized activity or should you desire to abandon it without a good faith transfer, you must obtain a modification of this permit from this office, which may require restoration of the area.
3. If you discover any previously unknown historic or archeological remains while accomplishing the activity authorized by this permit, you must immediately notify this office of what you have found. We will initiate the Federal and State coordination required to determine if the remains warrant a recovery effort or if the site is eligible for listing in the National Register of Historic Places.
4. If you sell the property associated with this permit, you must obtain the signature of the new owner on the enclosed form and forward a copy of the permit to this office to validate the transfer of this authorization.
5. If a conditioned water quality certification has been issued for your project, you must comply with the conditions specified in the certification as special conditions to this permit.
6. You must allow representatives from this office to inspect the authorized activity at any time deemed necessary to ensure that it is being or has been accomplished in accordance with the terms and conditions of your permit.

Further Information:

1. Limits of this authorization.
 - a. This permit does not obviate the need to obtain other Federal, State, or local authorizations required by law.
 - b. This permit does not grant any property rights or exclusive privileges.
 - c. This permit does not authorize any injury to the property or rights of others.
 - d. This permit does not authorize interference with any existing or proposed Federal projects.
2. Limits of Federal Liability. In issuing this permit, the Federal Government does not assume any liability for the following:
 - a. Damages to the permitted project or uses thereof as a result of other permitted or unpermitted activities or from natural causes.
 - b. Damages to the permitted project or uses thereof as a result of current or future activities undertaken by or on behalf of the United States in the public interest.

- c. Damages to persons, property, or to other permitted or unpermitted activities or structures caused by the activity authorized by this permit.
- d. Design or Construction deficiencies associated with the permitted work.
- e. Damage claims associated with any future modification, suspension, or revocation of this permit.

3. Reliance on Applicant's Data: The determination of this office that issuance of this permit is not contrary to the public interest was made in reliance on the information you provided.

4. Reevaluation of Permit Decision: This office may reevaluate its decision on this permit at any time the circumstances warrant. Circumstances that could require a reevaluation include, but are not limited to, the following:

- a. You fail to comply with the terms and conditions of this permit.
 - b. The information provided by you in support of your permit application proves to have been false, incomplete, or inaccurate (see 3 above).
 - c. Significant new information surfaces which this office did not consider in reaching the original public interest decision.
5. Such a reevaluation may result in a determination that it is appropriate to use the suspension, modification, and revocation procedures contained in 33 CFR 325.7 or enforcement procedures such as those contained in 33 CFR 326.4 and 326.5. The referenced enforcement procedures provide for the issuance of an administrative order requiring you comply with the terms and conditions of your permit and for the initiation of legal action where appropriate. You will be required to pay for any corrective measures ordered by this office, and if you fail to comply with such directive, this office may in certain situations (such as those specified in 33 CER 209.170) accomplish the corrective measures by contract or otherwise and bill you for the cost.

6. When the structures or work authorized by this permit are still in existence at the time the property is transferred, the terms and conditions of this permit will continue to be binding on the new owner(s) of the property. To validate the transfer of this permit and the associated liabilities associated with compliance with its terms and conditions, have the transferee sign and date the enclosed form.

7. The Permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structures or work herein authorized, or if, in the opinion of the Secretary of the Army or his authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the Permittee will be required, upon due notice from the U.S. Army Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal, relocation or alteration.

Department of the Army Permit Transfer for SPGP V-R1

PERMITEE: _____
PERMIT NUMBER: _____ DATE: _____

ADDRESS/LOCATION OF PROJECT: _____

(Subdivision) _____ (Lot) _____ (Block)

When the structures or work authorized by this permit are still in existence at the time the property is transferred, the terms and conditions of this permit will continue to be binding on the new owner(s) of the property. Although the construction period for works authorized by Department of the Army permits is finite, the permit itself, with its limitations, does not expire.

To validate the transfer of this permit and the associated responsibilities associated with compliance with its terms and conditions, have the transferee sign and date below and mail to the U.S. Army Corps of Engineers, Enforcement Branch, Post Office Box 4970, Jacksonville, FL 32232-0019.

(Transferee Signature) _____ (Date)

(Name Printed) _____

(Street address) _____

(Mailing address) _____

(City, State, Zip Code) _____

STANDARD MANATEE CONDITIONS FOR IN-WATER WORK

2011

The permittee shall comply with the following conditions intended to protect manatees from direct project effects:

- a. All personnel associated with the project shall be instructed about the presence of manatees and manatee speed zones, and the need to avoid collisions with and injury to manatees. The permittee shall advise all construction personnel that there are civil and criminal penalties for harming, harassing, or killing manatees which are protected under the Marine Mammal Protection Act, the Endangered Species Act, and the Florida Manatee Sanctuary Act.
- b. All vessels associated with the construction project shall operate at "Idle Speed/No Wake" at all times while in the immediate area and while in water where the draft of the vessel provides less than a four-foot clearance from the bottom. All vessels will follow routes of deep water whenever possible.
- c. Siltation or turbidity barriers shall be made of material in which manatees cannot become entangled, shall be properly secured, and shall be regularly monitored to avoid manatee entanglement or entrapment. Barriers must not impede manatee movement.
- d. All on-site project personnel are responsible for observing water-related activities for the presence of manatee(s). All in-water operations, including vessels, must be shutdown if a manatee(s) comes within 50 feet of the operation. Activities will not resume until the manatee(s) has moved beyond the 50-foot radius of the project operation, or until 30 minutes elapses if the manatee(s) has not reappeared within 50 feet of the operation. Animals must not be herded away or harassed into leaving.
- e. Any collision with or injury to a manatee shall be reported immediately to the FWC Hotline at 1-888-404-3922. Collision and/or injury should also be reported to the U.S. Fish and Wildlife Service in Jacksonville (1-904-731-3336) for north Florida or Vero Beach (1-772-562-3909) for south Florida, and to FWC at ImperiledSpecies@myFWC.com
- f. Temporary signs concerning manatees shall be posted prior to and during all in-water project activities. All signs are to be removed by the permittee upon completion of the project. Temporary signs that have already been approved for this use by the Florida Fish and Wildlife Conservation Commission (FWC) must be used (see MyFWC.com/manatee). One sign which reads *Caution: Boaters* must be posted. A second sign measuring at least 8 1/2" by 11" explaining the requirements for "Idle Speed/No Wake" and the shut down of in-water operations must be posted in a location prominently visible to all personnel engaged in water-related activities. Questions concerning these signs can be sent to the email address listed above.

CAUTION: MANATEE HABITAT

All project vessels

IDLE SPEED / NO WAKE

When a manatee is within 50 feet of work
all in-water activities must

SHUT DOWN

Report any collision with or injury to a manatee:



Wildlife Alert:

1-888-404-FWCC(3922)

cell *FWC or #FWC



UNITED STATES DEPARTMENT OF
COMMERCE

National Oceanic and Atmospheric Administration
NATIONAL MARINE FISHERIES SERVICE
Southeast Regional Office
263 13th Avenue South
St. Petersburg, FL 33701



SEA TURTLE AND SMALLTOOTH SAWFISH CONSTRUCTION CONDITIONS

The permittee shall comply with the following protected species construction conditions:


- a. The permittee shall instruct all personnel associated with the project of the potential presence of these species and the need to avoid collisions with sea turtles and smalltooth sawfish. All construction personnel are responsible for observing water-related activities for the presence of these species.
- b. The permittee shall advise all construction personnel that there are civil and criminal penalties for harming, harassing, or killing sea turtles or smalltooth sawfish, which are protected under the Endangered Species Act of 1973.
- c. Siltation barriers shall be made of material in which a sea turtle or smalltooth sawfish cannot become entangled, be properly secured, and be regularly monitored to avoid protected species entrapment. Barriers may not block sea turtle or smalltooth sawfish entry to or exit from designated critical habitat without prior agreement from the National Marine Fisheries Service's Protected Resources Division, St. Petersburg, Florida.
- d. All vessels associated with the construction project shall operate at "no wake/idle" speeds at all times while in the construction area and while in water depths where the draft of the vessel provides less than a four-foot clearance from the bottom. All vessels will preferentially follow deep-water routes (e.g., marked channels) whenever possible.
- e. If a sea turtle or smalltooth sawfish is seen within 100 yards of the active daily construction/dredging operation or vessel movement, all appropriate precautions shall be implemented to ensure its protection. These precautions shall include cessation of operation of any moving equipment closer than 50 feet of a sea turtle or smalltooth sawfish. Operation of any mechanical construction equipment shall cease immediately if a sea turtle or smalltooth sawfish is seen within a 50-ft radius of the equipment. Activities may not resume until the protected species has departed the project area of its own volition.
- f. Any collision with and/or injury to a sea turtle or smalltooth sawfish shall be reported immediately to the National Marine Fisheries Service's Protected Resources Division (727-824-5312) and the local authorized sea turtle stranding/rescue organization.

- g. Any special construction conditions, required of your specific project, outside these general conditions, if applicable, will be addressed in the primary consultation.
- h. Any collision(s) with and/or injuries to any whale, or sturgeon occurring during the construction of a project, shall be reported immediately to NMFS's Protected Resources Division (PRD) at (727-824-5312).
- i. Reports to NMFS's Protected Resources Division (PRD) may be made by email to takereport.nmfs@noaa.gov.
- j. Sea turtle and marine stranding/rescue organizations' contact information is available by region at <http://www.nmfs.noaa.gov/pr/health/networks.htm>.
- k. Smalltooth sawfish encounters shall be reported to <http://www.flmnh.ufl.edu/fish/sharks/sawfish/sawfishencounters.html>.
- l. All work must occur during daylight hours.





LOCATION SKETCH
(NOT TO SCALE)



NOTE: ZONE LINES AS SHOWN HEREON ARE SCALED FROM F.E.M.A. FLOOD MAP 12011C0557.

A.C.F.H. - ANNUAL CHANCE OF FLOOD HAZARD
A.O.M.F.H. - AREA OF MINIMAL FLOOD HAZARD
B.F.E. - BASE FLOOD ELEVATION

LEGAL DESCRIPTION:

THE NORTH HALF (N 1/2) OF LOT 14 AND LOT 15, BLOCK 22, RESUBDIVISION IN BLOCK 22 - RIO VISTA ISLES, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 23, PAGE 30, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA.



TOGETHER WITH:

ALL OF LOT 21 AND THAT PORTION OF LOT 22, BLOCK 22, RIO VISTA ISLES, ACCORDING TO THE PLAT OF A RESUBDIVISION IN BLOCK 22 - RIO VISTA ISLES, RECORDED IN PLAT BOOK 23 AT PAGE 30 OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHEASTERLY CORNER OF SAID LOT 21 AND RUNNING THENCE SOUTHERLY, ALONG THE EASTERLY BOUNDARY OF LOTS 21 AND 22, A DISTANCE OF 75 FEET TO A POINT; THENCE WESTERLY A DISTANCE OF 114.68 FEET TO THE MIDPOINT ON THE EASTERLY BOUNDARY LINE OF LOT 14, BLOCK 22; THENCE NORTHERLY, ALONG THE WESTERLY BOUNDARY LINE OF SAID LOTS 22 AND 21, BLOCK 22, A DISTANCE OF 95 FEET TO THE NORTHWEST CORNER OF SAID LOT 21; THENCE EASTERLY, ALONG THE NORTHERLY LINE OF SAID LOT 21, A DISTANCE OF 109.99 FEET TO THE POINT OF BEGINNING.

NOTES:

- 1. REPRODUCTIONS OF THIS SURVEY ARE NOT VALID UNLESS SEALED BY THE SIGNING SURVEYOR.
2. THIS DRAWING IS THE PROPERTY OF SCOTT A. GUZZI & ASSOCIATES, INC. AND SHALL NOT BE USED OR REPRODUCED IN WHOLE OR IN PART WITHOUT PERMISSION OF SCOTT A. GUZZI & ASSOCIATES, INC.
3. THE LANDS SHOWN HEREON WERE NOT REVIEWED FOR RIGHTS-OF-WAY, EASEMENTS, OR OTHER SIMILAR MATTERS OF RECORD. ALL EASEMENTS PER RECORD PLAT UNLESS OTHERWISE NOTED.
4. LEGAL DESCRIPTION FURNISHED BY CLIENT.
5. THIS SURVEY DOES NOT PURPORT TO IDENTIFY IMPROVEMENTS BELOW GRADE, IF ANY, EXCEPT AS SPECIFICALLY NOTED HEREON.
6. BUILDING TIES ARE PERPENDICULAR OR RADIAL TO BOUNDARY LINES UNLESS NOTED OTHERWISE.
7. ANGLES SHOWN HEREON ARE BASED ON FIELD MEASUREMENTS WITHIN THE PLAT ENTITLED "RESUBDIVISION IN BLOCK 22- RIO VISTA ISLES, AS RECORDED IN PLAT BOOK 23, PAGE 30, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA."
8. ELEVATIONS SHOWN HEREON ARE RELATIVE TO N.G.V.D. 1929 AND ARE BASED ON BROWARD COUNTY ENGINEERING BENCHMARK NO. 1881, ELEVATION = 4.839
9. FLOOD ELEVATION INFORMATION:
COMMUNITY NO. - 125105 PANEL NO. - 12011C0557
DATE OF FIRM - 8-18-14 SUFFIX - H
FIRM ZONE - AS SHOWN BASE FLOOD ELEVATION - AS SHOWN
10. PROPERTY ADDRESS: 1342 PONCE DE LEON DRIVE AND 915 CORDOVA ROAD, FORT LAUDERDALE, FLORIDA 33316
11. CONTAINING 17,404 SQUARE FEET, MORE OR LESS.
12. CERTIFIED TO: GULF BUILDING



ABBREVIATIONS:

- A/C - AIR CONDITIONER PAD
ADJ. - ADJACENT
BFP - BACK FLOW PREVENTOR
B.C.R. - BROWARD COUNTY RECORDS
B.M. - BENCHMARK
B.O.C. - BACK OF CURB
(C) - CALCULATED
CB - CATCH BASIN
CLF - CHAIN LINK FENCE
CONC. - CONCRETE
C.B.S. - CONCRETE BLOCK STRUCTURE
D.A. - DELTA ANGLE
D.C.R. - DADE COUNTY RECORDS
DDCV - DOUBLE DETECTOR CHECK VALVE
D.E. - DRAINAGE EASEMENT
E.O.W. - EDGE OF WATER
E. - EAST
ELEVATION - ELEVATION
F.F. - FINISHED FLOOR
F.P.L. - FLORIDA POWER & LIGHT CO.
FOUND - FOUND
G.F. - GARAGE FLOOR
INV. - INVERT
IP - IRON PIPE
IR - IRON ROD
RC - IRON ROD & CAP
ARC LENGTH - ARC LENGTH
LME - LAKE MAINTENANCE EASEMENT
LB - LICENSED BUSINESS
(LD) - LEGAL DESCRIPTION
(M) - MEASURED
M.H. - MANHOLE
MISC. - MISCELLANEOUS
N/D - NAIL AND DISK
N/T - NAIL AND TAB
NGVD - NATIONAL GEODETIC VERTICAL DATUM
N/A - NON-APPLICABLE
NAVD - NORTH AMERICAN VERTICAL DATUM
N. - NORTH
N.T.S. - NOT TO SCALE
O/S - OFFSET
OH - OVERHEAD WIRES
O.R.B. - OFFICIAL RECORD BOOK
P.B.C.R. - PALM BEACH COUNTY RECORDS
P. - PAGE
P.C.P. - PERMANENT CONTROL POINT
P.R.M. - PERMANENT REFERENCE MONUMENT
PLAT - PLAT
P.B. - PLAT BOOK
P.O.B. - POINT OF BEGINNING
P.O.C. - POINT OF COMMENCEMENT
P.C.C. - POINT OF COMPOUND CURVE
P.O.C. - POINT OF CURVATURE
P.R.C. - POINT OF REVERSE CURVE
P.T. - POINT OF TANGENCY
P.S.M. - PROFESSIONAL SURVEYOR AND MAPPER
PROP. - PROPOSED
R. - RADIUS
R/W - RIGHT OF WAY
S. - SOUTH
SECT. - SECTION
SF. - SQUARE FEET
SR - STATE ROAD
T.O.B. - TOP OF BANK
T.O.P. - TOP OF PIPE
TYP. - TYPICAL
U.E. - UTILITY EASEMENT
U.P. - UTILITY POLE
W. - WEST

LEGEND:

- SET 5/8" IR & CAP (LB 6893)
△ NAIL & TAB
● PCP
● PRM
11.5 ELEVATION
● FIRE HYDRANT
● CENTERLINE
● LIGHT POLES
○ MANHOLE (SANITARY)
● MANHOLE (STORM)
■ CATCH BASIN
■ ELECTRIC SERVICE
■ TELEPHONE JUNCTION BOX
■ WATER METER
■ CABLE TV BOX
◇ UTILITY POLE

BOUNDARY SURVEY
SCALE: 1"=20'

SURVEYOR'S CERTIFICATION:

I HEREBY CERTIFY THAT THE SURVEY SHOWN HEREON COMPLIES WITH MINIMUM TECHNICAL STANDARDS FOR SURVEYS AS CONTAINED IN CHAPTER 51-17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES, AND THAT SAID SURVEY IS TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SCOTT A. GUZZI, PSM
PROFESSIONAL SURVEYOR AND MAPPER
FLORIDA REGISTRATION NUMBER 5108
DATE OF LAST FIELD WORK: 1-7-21

Table with columns: CHECKED BY, DATE, FB/PG, ADENDUM.

VIC-SCOTT LAND SURVEYING & MAPPING
IT'S GOOD!


Certificate of Authorization No. LB-6883
6047 Kimberly Boulevard, Suite T
North Lauderdale, FL 33068
PH: (954) 742-3030

1342 PONCE DE LEON DRIVE AND 915 CORDOVA ROAD
FORT LAUDERDALE, FLORIDA 33316


Table with columns: CLIENT, DRAWN BY, CHECKED BY, SCALE, DATE, SURVEYED BY, FIELD BOOK NO., PAGE NO.

PROJECT NO. 1946
SHEET NO. 1 OF 1


LEGEND




ST. AUGUSTINE SOD,
TIGHT SEAMS, FULL COVERAGE




MUHLY GRASS:
18" - 24" TALL
18" - 24" ON CENTER



INDIAN HAWTHORN:
12" - 18" TALL
12" - 18" ON CENTER



12' SILVER BUTTONWOOD TREE,
MULTI



GENERAL NOTES:

1. ALL IRRIGATION & PLANT MATERIAL SHALL BE INSTALLED & MAINTAINED BY APPLICANT.
2. ALL PLANT MATERIAL SHALL BE FLORIDA #1 GRADE OR BETTER.
3. ALL PLANT MATERIAL SHALL BE INSTALLED IN ACCORDANCE WITH INDUSTRY BEST MANAGEMENT PRACTICES.
4. ALL AREAS TO RECEIVE AUTOMATIC IRRIGATION FROM A PERMANENT WATER SOURCE PROVIDING 100% COVERAGE AND A RAIN SENSOR SHUT OFF.
5. ALL PLANT MATERIAL SUBSTITUTIONS SHALL BE FLORIDA-FRIENDLY LANDSCAPING (FFL) EQUIVALENT.

ISSUED:
2/2015




CITY OF FORT LAUDERDALE
DEPT. OF SUSTAINABLE DEVELOPMENT

REVISED:

URBAN DESIGN & PLANNING
ENGINEERING DIVISION

LANDSCAPING PLAN (ROW)

SCALE:
1"=10'











MEMORANDUM NO. MF 21-07

DATE: March 16, 2021

TO: Marine Advisory Board

FROM: Andrew Cuba, Manager of Marine Facilities

RE: April 1, 2021 MAB Meeting – Application - Dock Waiver of Distance Limitations – William H. Jr. & Vicki L. Schaefer / 1207 Seminole Drive

Attached for your review is an application from William H. Jr. & Vicki L. Schaefer / 1207 Seminole Drive (see **Exhibit 1**).

APPLICATION AND BACKGROUND INFORMATION

The applicant is requesting approval for the installation of a 25’ long by 4’ wide wood finger pier (+/- 100 sq. ft.) and the installation of one (1) wood 12” mooring pile, extending a maximum of 53.5’ from the property line. The proposed distances for the dock and piling extending into Seminole Lake are shown in the survey in **Exhibit 1** and summarized in **Table 1** below:

TABLE 1

PROPOSED STRUCTURES	STRUCTURES DISTANCE FROM PROPERTY LINE	PERMITTED DISTANCE WITHOUT WAIVER	DISTANCE REQUIRING A WAIVER
Finger Pier	33.0’	25’	8.0’
Mooring Pile	53.5’	25’	28.5’

The City’s Unified Land and Development Regulations (UDLR), Section 47-19.3.C and D, limits the maximum distance of finger piers to 25’ or 25%, whichever is less, and mooring piles to 25’ or 30%, whichever is less, from the property line. Section 47.19.3.E authorizes the City Commission to waive this limitation based on a finding of extraordinary circumstances. The Summary Description specifies the following justifications for the waiver request:

1. Extraordinary width at project site from wet face to wet face (+/- 335’) would not impede navigation
2. The proposed structures are necessary to safely moor resident’s vessels, especially during high wind events/severe weather.
3. The angle of the applicant’s property lines do not provide adequate length along the existing dock to moor the applicant’s vessels parallel within vessel side yard setbacks.

PROPERTY LOCATION AND ZONING

The property is located within the Beach Way Heights RS-4.4 Residential Single Family Low/Medium Density Zoning District. It is situated along Seminole Lake.

TIDAL CONDITIONS

The Summary Description makes mention to the incoming tidal waters (flood) moving to the south and the outgoing waters (ebb) moving to the north.

DOCK PLAN AND BOATING SAFETY

Marine Facilities office records reflect that there have been at least twelve (12) waivers of distance limitation approved by the City Commission since 1979 with the most recent opposite 1100/1120 Seminole Drive in 2013. **Table 2** represents the maximum distances of mooring piers/pilings:

TABLE 2

DATE	ADDRESS	MAXIMUM DISTANCE
1979	1280 Seminole Drive	42'
1980	1224 Seminole Drive	40'
1984	1224 Seminole Drive	51'
1985	1240 Seminole Drive	46'
1990	2701 East Sunrise Blvd	487.4'
1990	2800 Yacht Club Blvd	120'
1994	1256 Seminole Drive	33'
1995	1272 Seminole Drive	40'
2009	1256 Seminole Drive	58'
2009	1224 Seminole Drive	50'
2011	1200 Seminole Drive	50'
2013	1100/1120 Seminole Drive	54.7'

The proposed dock structures are being applied for concurrently with the Broward County Environmental and Growth Management Department (EPGMD), Florida Department of Environmental Protection (FDEP), and US Army Corp of Engineers (USACE).

RECOMMENDATIONS

Should the Marine Advisory Board consider approval of the application, the resolution under consideration for approval by the City Commission should include at least the following:

1. The applicant is required to comply with all applicable building and zoning regulations as well as any other Federal and State laws and permitting requirements including the Broward County Environmental Protection and Growth Management Department, the Florida Department of Environmental Protection and the U.S. Army Corps of Engineers.
2. As a general condition of approval and in order to review for final consistency with construction of facilities in accord with this application and City building permits the applicant is required to provide the City's Supervisor of Marine Facilities with copies of "As Built" drawings from a certified and licensed contractor.

AC

Attachment

cc: Enrique Sanchez, Deputy Director of Parks and Recreation
Jon Luscomb, Supervisor of Marine Facilities



1207 SEMINOLE DRIVE APPLICATION FOR WATERWAY WAIVER

**CITY OF FORT LAUDERDALE
MARINE FACILITIES
APPLICATION FOR WATERWAY PERMITS, WAIVERS AND LICENSES**

Any agreement with the City of Fort Lauderdale and other parties, such as, but not limited to, licenses, permits and approvals involving municipal docking facilities or private uses in the waterways as regulated by Section 8 of the City Code of Ordinances or Section 47-19.3 of the City's Urban Land Development Regulations, shall be preceded by the execution and filing of the following application form available at the Office of the Supervisor of Marine Facilities. The completed application must be presented with the applicable processing fee paid before the agreement is prepared or the application processed for formal consideration (see City of Fort Lauderdale Code Section 2-157). If legal publication is necessary, the applicant agrees to pay the cost of such publication in addition to the application fee.

APPLICATION FORM
(Must be in Typewritten Form Only)

1. **LEGAL NAME OF APPLICANT** - (If corporation, name and titles of officers as well as exact name of corporation. If individuals doing business under a fictitious name, correct names of individuals, not fictitious names, must be used. If individuals owning the property as a private residence, the name of each individual as listed on the recorded warranty deed):

NAME: **William H. Schaefer, Jr. & Vicki L. Schaefer**

TELEPHONE NO: 443-500-2000 _____ EMAIL: whsofc@aol.com
(home) (business)

2. **APPLICANT'S ADDRESS** (if different than the site address): **1207 Seminole Drive Fort Lauderdale, FL 33304**

3. **TYPE OF AGREEMENT AND DESCRIPTION OF REQUEST:**
The applicant requests a waiver for the proposed construction of a wood finger pier and one (1) wood mooring pile beyond 25 feet from the property line.

4. **SITE ADDRESS:** **1207 Seminole Drive Fort Lauderdale, FL 33304** **ZONING:** **R.S-4.4**

LEGAL DESCRIPTION AND FOLIO NUMBER:
BEACH WAY HEIGHTS UNIT B 25-27 B LOT 34
Folio No. 494236080310

5. **EXHIBITS** (In addition to proof of ownership, list all exhibits provided in support of the applications).
Warranty Deed, Survey, Zoning Aerial, Photos, Project Plans



2-25-21

Applicant's Signature

Date

The sum of \$ _____ was paid by the above-named applicant on the _____ of _____, 20____ Received by: _____

City of Fort Lauderdale

=====For Official City Use Only=====

Marine Advisory Board Action

Commission Action

Formal Action taken on _____

Formal Action taken on _____

Table of Contents

SUMMARY DESCRIPTION	3
WARRANTY DEED	6
ORIGINAL SURVEY	9
ZONING AERIAL	12
SITE PHOTOGRAPHS	14
PROJECT PLANS	16
DISTANCE EXHIBIT	21
EXISTING WAIVERS IN THE VICINTY	25
LETTERS OF SUPPORT	27

EXHIBIT II SUMMARY DESCRIPTION

Summary Description

1207 Seminole Drive

TCG Project No. 21-0005

The project site is located along Seminole Lake at 1207 Seminole Drive, in Section 36, Township 49, Range 42, in the City of Fort Lauderdale, Broward County, Florida

The property is located along Seminole Lake, which is a tidal water. The nearest direct connection to the Atlantic Ocean is approximately 3.5 miles to the south at the Port Everglades Inlet. As the project site is located along the Seminole Lake, the incoming tidal waters (flood) at the site move to the south and the outgoing waters (ebb) move to the north.

The project site consists of an existing ± 55 ln. ft. coral rock wall with a footer, and a ± 549 sq. ft. wood marginal dock. The proposed project includes the installation of a 25'x4' wood finger pier (± 100 sq. ft.) and the installation of one (1) wood 12-inch mooring pile. As measured from the existing wetface and property line, the proposed finger pier and mooring pile encroach more than 25' from the wetface and property line into the Seminole Lake. As these distances are over the allowable 25' distance into the waterway from the property line, the proposed finger pier and mooring pile will require a variance waiver.

The proposed structures are being applied for concurrently with the Broward County Environmental Protection & Growth Management Department, Florida Department of Environmental Protection, and US Army Corps of Engineers.

The following four (4) matters provide justification for this waiver request:

1. All structures and piles will not exceed 30% of the width of the waterway.
2. Due to the extraordinary width of the waterway at this location from wetface to wetface ($\pm 335'$), the proposed project will not impede navigation within the Seminole Lake.
3. The proposed structures are necessary for safely mooring resident's vessels, especially during high wind events and severe weather.
4. The angle of the applicant's property lines do not provide adequate length along the existing dock to moor the applicant's vessels parallel with the

existing dock while also adhering to side yard setback for mooring of vessels (Section 47-19.3 (H)).

If this waiver is approved, the applicant will comply with all necessary construction requirements stated in Section 47-19.3 (C)(D)(E).

STRUCTURE	PROPOSED STRUCTURES	STRUCTURE DISTANCE FROM PROPERTY LINE	PERMITTED DISTANCE WITHOUT WAIVER	DISTANCE REQUIRING A WAIVER
A	Finger pier	33.0'	25'	8.0'
B	Mooring pile	53.5'	25'	28.5'

EXHIBIT III WARRANTY DEED

THIS INSTRUMENT PREPARED BY:

J. WALTER McCrory, ESQ.
J. Walter McCrory, P.A.
1900 S.E. 15th Street, Suite 6
Fort Lauderdale, FL 33316

**PROPERTY APPRAISER'S PARCEL
IDENTIFICATION NUMBER: 4942 36 08 0310**

WARRANTY DEED

THIS INDENTURE, made this 10th day of September 2019, by DENNIS E. LYLES and JACQUELYN C. LYLES, his wife, hereafter "Grantors", whose post office address is 600 N.W. Winters Creek Road, Palm City, FL 34990-8094, to WILLIAM H. SCHAEFER, JR., and VICKI L. SCHAEFER, husband and wife, hereafter "Grantees", whose post office address is 5 Johnson Mill Road, Baltimore, MD 21204:

WITNESSETH that the Grantors, for and in consideration of Ten and 00/100 (\$10.00) Dollars and other valuable considerations to Grantors in hand paid by Grantees, the receipt whereof is hereby acknowledged, has granted, bargained and sold to Grantees, and Grantees' heirs and assigns forever, the following described land, situate, lying and being in Broward County, Florida, to wit:

Lot 34 of BEACH WAY HEIGHTS - UNIT "B", according to the plat thereof, as recorded in Plat Book 25, Page 27, of the Public Records of Broward County, Florida.

SUBJECT TO: (1) Zoning and/or restrictions and prohibitions imposed by governmental authority; (2) restrictions, easements and other matters appearing on the plat and/or common to the subdivision; (3) taxes for the year 2019 and all subsequent years.


AND the Grantors do hereby fully warrant the title to said land and will defend the same against the lawful claims of all persons whomsoever.


IN WITNESS WHEREOF, the Grantors have hereunto set their hands and seals the day and year first above written.

Signed, sealed and delivered in the presence of:


Print Name: James B. Abert


Print Name: Kelly Adams


Print Name: James B. Abert


Print Name: Kelly Adams



DENNIS E. LYLES


JACQUELYN C. LYLES

WARRANTY DEED

STATE OF FLORIDA)
) ss.
COUNTY OF BROWARD)

The foregoing instrument was acknowledged and subscribed before me this 18th day of September 2019, by DENNIS E. LYLES and JACQUELYN C. LYLES (X) who are personally known to me or () who have produced _____ as identification.



[Handwritten Signature]
NOTARY PUBLIC
State of Florida James B. Abril

MY COMMISSION EXPIRES:

EXHIBIT IV ORIGINAL SURVEY

LEGAL DESCRIPTION OF: 1207 SEMINOLE DRIVE, FORT LAUDERDALE, FL, 33304

LOT 34, OF BEACH WAY HEIGHTS - UNIT "B", ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 25, PAGE 27, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA.

CERTIFIED TO:

WILLIAM H. SCHAEFER, JR. AND VICKI L. SCHAEFER
ENTERPRISE TITLE, INC.
OLD REPUBLIC NATIONAL TITLE INSURANCE COMPANY
WELLS FARGO BANK, N.A.

FLOOD ZONE:

12011C0388H
ZONE: AE
ELEV. 5 FT
EFF: 08/18/2014

SURVEY NOTES:

- DRIVEWAY CROSSES THE BOUNDARY LINE ON EASTERLY SIDE OF LOT AS SHOWN.
- TILE WALK CROSSES THE BOUNDARY LINE ON EASTERLY SIDE OF LOT AS SHOWN.
- FENCES LIE NEAR BOUNDARY LINES AS SHOWN, OWNERSHIP NOT DETERMINED.
- FENCES CROSS THE BOUNDARY LINES ON NORTHERLY SIDES OF LOT AS SHOWN.
- WOOD DOCK CROSSES THE BOUNDARY LINE ON WESTERLY SIDE OF LOT AS SHOWN.

LEGEND

A/C	-AIR CONDITIONER
WM	-WATER METER
AL	-ARC LENGTH
(C)	-CALCULATED
(M)	-MEASURED
P.O.B.	-POINT OF BEGINNING
P.O.C.	-POINT OF COMMENCEMENT
&	-AND
P.B.	-PLAT BOOK
PG	-PAGE
U.E.	-UTILITY EASEMENT
D.E.	-DRAINAGE EASEMENT
P.U.E.	-PUBLIC UTILITY EASEMENT
L.A.E.	-LIMITED ACCESS EASEMENT
L.M.E.	-LAKE MAINTENANCE EASEMENT
O.H.E.	-OVERHEAD EASEMENT
R	-RADIUS
(R)	-RECORD
O.R.B.	-OFFICIAL RECORDS BOOK
Sq.Ft.	-SQUARE FEET
Ac.	-ACRES
DB	-DEED BOOK
(D)	-DEED
(P)	-PLAT
EOW	-EDGE OF WATER
TOB	-TOP OF BANK
OHL	-OVERHEAD LINE
C/O	-CLEAN OUT
ELEV	-ELEVATION
FF	-FINISHED FLOOR
LS	-LICENSED SURVEYOR
LB	-LICENSED BUSINESS
PSM	-PROFESSIONAL SURVEYOR & MAPPER
- x -	-FENCE
#	-NUMBER
±	-PLUS OR MINUS
□	-ASPHALT
□	-CONCRETE
□	-PAVER/BRINCK
□	-WOOD
⊙	-LIGHT POLE
⊗	-WELL
⊗	-WATER VALVE
⊗	-CENTER LINE
□	-CATCH BASIN
⊗	-FIRE HYDRANT
⊗	-UTILITY POLE
⊗	-MANHOLE
XXX	-ELEVATION

SOME ITEMS IN LEGEND MAY NOT
APPEAR ON DRAWING.

GENERAL NOTES:

- 1) THIS SURVEY IS BASED UPON RECORD INFORMATION BY CLIENT. NO SPECIFIC SEARCH OF THE PUBLIC RECORD HAS BEEN MADE BY THIS OFFICE UNLESS OTHERWISE NOTED.
- 2) IF THIS SURVEY HAS BEEN PREPARED FOR THE PURPOSES OF A MORTGAGE TRANSACTION, ITS SCOPE IS LIMITED TO THE DETERMINATION OF TITLE DEFICIENCIES. NO FUTURE CONSTRUCTION SHALL BE BASED UPON THIS SURVEY WITHOUT FIRST OBTAINING APPROVAL AND/OR UPDATES FROM NEXGEN SURVEYING, LLC. NEXGEN SURVEYING, LLC, ASSUMES NO RESPONSIBILITY FOR ERRORS RESULTING FROM FAILURE TO ADHERE TO THIS CLAUSE. 3) ANY FENCES SHOWN HEREON ARE ILLUSTRATIVE OF THEIR GENERAL POSITION ONLY. FENCE TIES SHOWN ARE TO GENERAL CENTERLINE OF FENCE. THIS OFFICE WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING SOLELY ON THEIR PHYSICAL RELATIONSHIP TO THE MONUMENTED BOUNDARY LINES. 4) GRAPHIC REPRESENTATIONS MAY HAVE BEEN EXAGGERATED TO MORE CLEARLY ILLUSTRATE MEASURED RELATIONSHIPS - DIMENSIONS SHALL HAVE PRECEDENCE OVER SCALED POSITIONS. 5) UNDERGROUND IMPROVEMENTS HAVE NOT BEEN LOCATED EXCEPT AS SPECIFICALLY SHOWN. 6) ELEVATIONS ARE BASED UPON NATIONAL GEODETIC VERTICAL DATUM (N.G.V.D. 1929) OR NORTH AMERICAN VERTICAL DATUM (N.A.V.D. 1988). 7) ALL BOUNDARY AND CONTROL DIMENSIONS SHOWN ARE FIELD MEASURED AND CORRESPOND TO RECORD INFORMATION UNLESS SPECIFICALLY NOTED OTHERWISE. 8) CORNERS SHOWN AS "SET" ARE 5/8" IRON RODS IDENTIFIED WITH A PLASTIC CAP MARKED LS (LICENSED SURVEYOR)



www.NexGenSurveying.com


561.508.6272

Fax: 561.508.6309

LB 8111

5601 Corporate Way | Suite 103
West Palm Beach, FL 33407

EXHIBIT V ZONING AERIAL



City of Fort Lauderdale GIS



CITY OF FORT LAUDERDALE

1207 Seminole Drive



0 90 180 Feet

GIS
Fort Lauderdale

EXHIBIT VI SITE PHOTOGRAPHS



1. Southern portion of the subject site, facing north along Seminole Lake.




2. Northern portion of the subject site, facing south along Seminole Lake.

EXHIBIT VII PROJECT PLANS

1207 SEMINOLE DRIVE

PLAN SET



LOCATION MAP (N.T.S.)

DRAWING INDEX


SHEET 1: COVER

SHEET 2: EXISTING
CONDITIONS

SHEET 3: PROPOSED
CONDITIONS

SHEET 4: SECTION A

SHEET 5: DETAILS



VICINITY AERIAL (N.T.S.)

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
© THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.
714 East McNab Road
Pompano Beach, Florida 33060
tel. 954.782.1908
fax. 954.782.1108 www.thechappellgroup.com


- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys

1207 SEMINOLE DRIVE

PREPARED FOR:
MR. WILLIAM H. SCHAEFFER, JR.

COVER

Date: 2/19/2021	Sheet : 1	of : 5
Proj No.: 21-0005		



LEGEND

- SUBJECT SITE (0.28 AC)**
- EXISTING WOOD MARGINAL DOCK TO REMAIN (±549 SQ. FT.)**
- M.H.W. = 0.26' NAVD88 M.L.W. = (-)2.12' NAVD88**
- NOTE: SURVEY INFORMATION PROVIDED BY NEXGEN SURVEYING, LLC.**

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
 © THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.
 714 East McNab Road
 Pompano Beach, Florida 33060
 tel. 954.782.1908
 fax. 954.782.1108
www.thechappellgroup.com



- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys

1207 SEMINOLE DRIVE
 PREPARED FOR:
MR. WILLIAM H. SCHAEFFER, JR.

EXISTING CONDITIONS		
Date: 2/19/2021	Sheet :	of :
Proj No.: 21-0005	2	5

PROPOSED SLIP TABLE		
SLIP #	LENGTH	WIDTH
1	60'	16'
2	30'	10'

CITY WAIVER REQUEST			
PROPOSED STRUCTURES	STRUCTURE DISTANCE FROM PROPERTY LINE	PERMITTED DISTANCE WITHOUT WAIVER	DISTANCE REQUIRING A WAIVER
FINGER PIER	33.0'	25'	8.0'
MOORING PILE (1)	53.5'	25'	28.5'



LEGEND

- SUBJECT SITE (0.28 AC)
 - EXISTING WOOD MARGINAL DOCK TO REMAIN (±549 SQ. FT.)
 - PROPOSED WOOD FINGER PIER (±100 SQ. FT.)
 - PROPOSED BOAT SLIPS (2)
- M.H.W. = 0.26' NAVD88 M.L.W. = (-)2.12' NAVD88
 NOTE: SURVEY INFORMATION PROVIDED BY NEXGEN SURVEYING, LLC.

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
 © THE CHAPPELL GROUP, INC. 2021


THE Chappell GROUP INC.
 714 East McNab Road
 Pompano Beach, Florida 33060
 tel. 954.782.1908
 fax. 954.782.1108
www.thechappellgroup.com

- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys


1207 SEMINOLE DRIVE
 PREPARED FOR:
 MR. WILLIAM H. SCHAEFFER, JR.

PROPOSED CONDITIONS		
Date: 2/19/2021	Sheet : 3	of : 5
Proj No.: 21-0005		

EXISTING CONDITIONS A-A (TYP.)



PROPOSED CONDITIONS A-A (TYP.)



THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
© THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.
 714 East McNab Road
 Pompano Beach, Florida 33060
 tel. 954.782.1908
 fax. 954.782.1108
www.thechappellgroup.com


- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys

1207 SEMINOLE DRIVE
 PREPARED FOR:
MR. WILLIAM H. SCHAEFFER, JR.


SECTION A

Date: 2/19/2021	Sheet : 4	of : 5
Proj No.: 21-0005		

CONSTRUCTION BARGE (TYP.)




- LEGEND**
- Pile Locations
 - ▨ Dredge Or Fill Area
 - Mooring Buoy w/Anchor
 - Anchor
 - Barrier Movement Due To Current Action



Note:
Turbidity barriers for flowing streams and tidal creeks may be either floating, or staked types or any combinations of types that will suit site conditions and meet erosion control and water quality requirements. The barrier type(s) will be at the Contractor's option unless otherwise specified in the plans, however payment will be under the pay item(s) established in the plans for Floating Turbidity Barrier and/or Staked Turbidity Barrier. Posts in staked turbidity barriers to be installed in vertical position unless otherwise directed by the Engineer.

1. Turbidity barriers are to be used in all permanent bodies of water regardless of water depth.
2. Number and spacing of anchors dependent on current velocities.
3. Deployment of barrier around pile locations may vary to accommodate construction operations.
4. Navigation may require segmenting barrier during construction operations.
5. For additional information see Section 104 of the Standard Specifications.

TURBIDITY BARRIER APPLICATIONS



THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
© THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.
714 East McNab Road
Pompano Beach, Florida 33060
tel. 954.782.1908
fax. 954.782.1108
www.thechappellgroup.com

- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys



1207 SEMINOLE DRIVE

PREPARED FOR:
MR. WILLIAM H. SCHAEFFER, JR.

DETAILS

Date: 2/19/2021	Sheet : 5	of : 5	
Proj No.: 21-0005			

EXHIBIT VIII DISTANCE EXHIBIT



LEGEND

- SUBJECT SITE (0.28 AC)
 - EXISTING WOOD MARGINAL DOCK TO REMAIN (±549 SQ. FT.)
- M.H.W. = 0.26' NAVD88 M.L.W. = (-)2.12' NAVD88
 NOTE: SURVEY INFORMATION PROVIDED BY NEXGEN SURVEYING, LLC.

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
 © THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.
 714 East McNab Road
 Pompano Beach, Florida 33060
 tel. 954.782.1908
 fax. 954.782.1108
www.thechappellgroup.com


- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys

1207 SEMINOLE DRIVE

PREPARED FOR:
 MR. WILLIAM H. SCHAEFFER, JR.


DISTANCE EXHIBIT - EXISTING

Date: 3/12/2021	Sheet : 1	of : 3
Proj No.: 21-0005		



PROPOSED SLIP TABLE		
SLIP #	LENGTH	WIDTH
1	60'	16'
2	30'	10'

CITY WAIVER REQUEST			
PROPOSED STRUCTURES	STRUCTURE DISTANCE FROM PROPERTY LINE	PERMITTED DISTANCE WITHOUT WAIVER	DISTANCE REQUIRING A WAIVER
FINGER PIER	33.0'	25'	8.0'
MOORING PILE (1)	53.5'	25'	28.5'



LEGEND

- SUBJECT SITE (0.28 AC)
- EXISTING WOOD MARGINAL DOCK TO REMAIN (±549 SQ. FT.)
- PROPOSED WOOD FINGER PIER (±100 SQ. FT.)
- 1 PROPOSED BOAT SLIPS (2)

M.H.W. = 0.26' NAVD88 M.L.W. = (-)2.12' NAVD88
 NOTE: SURVEY INFORMATION PROVIDED BY NEXGEN SURVEYING, LLC.

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
 © THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.
 714 East McNab Road
 Pompano Beach, Florida 33060
 tel. 954.782.1908
 fax. 954.782.1108
www.thechappellgroup.com


- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys

1207 SEMINOLE DRIVE
 PREPARED FOR:
 MR. WILLIAM H. SCHAEFFER, JR.

DISTANCE EXHIBIT - PROPOSED		
Date: 3/12/2021	Sheet : 2	of : 3
Proj No.: 21-0005		

PROPOSED SLIP TABLE		
SLIP #	LENGTH	WIDTH
1	60'	16'
2	30'	10'

CITY WAIVER REQUEST			
PROPOSED STRUCTURES	STRUCTURE DISTANCE FROM PROPERTY LINE	PERMITTED DISTANCE WITHOUT WAIVER	DISTANCE REQUIRING A WAIVER
FINGER PIER	33.0'	25'	8.0'
MOORING PILE (1)	53.5'	25'	28.5'



LEGEND

- SUBJECT SITE (0.28 AC)
- EXISTING WOOD MARGINAL DOCK TO REMAIN (±549 SQ. FT.)
- PROPOSED WOOD FINGER PIER (±100 SQ. FT.)
- 1 PROPOSED BOAT SLIPS (2)

M.H.W. = 0.26' NAVD88 M.L.W. = (-)2.12' NAVD88
 NOTE: SURVEY INFORMATION PROVIDED BY NEXGEN SURVEYING, LLC.

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
 © THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.
 714 East McNab Road
 Pompano Beach, Florida 33060
 tel. 954.782.1908
 fax. 954.782.1108
www.thechappellgroup.com

- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys

1207 SEMINOLE DRIVE
 PREPARED FOR:
 MR. WILLIAM H. SCHAEFFER, JR.

DISTANCE EXHIBIT - PROPOSED		
Date: 3/12/2021	Sheet : 3	of : 3
Proj No.: 21-0005		

EXHIBIT IX EXISTING WAIVERS IN THE VICINTY


EXISTING WAIVERS IN THE VICINITY



ADDRESS	MAXIMUM DISTANCE
1280 Seminole Drive	42'
1224 Seminole Drive	50'
1240 Seminole Drive	46'
2701 E Sunrise Blvd	487.4'
2800 Yacht Club Blvd	120'
1256 Seminole Drive	58'
1272 Seminole Drive	40'
1200 Seminole Drive	50'
1100/1120 Seminole Drive	54.7'
1180 N Federal Highway	54.7'
Subject Site	53.5'

EXHIBIT X LETTERS OF SUPPORT

LETTERS OF SUPPORT



ADDRESS	OWNER
1201 Seminole Drive	Jok E. & Alison Williams Jevizian
1208 Seminole Drive	Brian Kilcullen
1215 Seminole Drive	Brian Keenan

February 19, 2021


William H. Schaefer, Jr. & Vicki Schaefer
1207 Seminole Drive
Fort Lauderdale, FL 33304

RE: 1207 Seminole Drive
City of Fort Lauderdale Waiver Request

Dear Mr. William H. Schaefer, Jr. & Mrs. Vicki Schaefer,

I have reviewed the attached plans (Attachment A), for the proposed project to install a wood finger pier and one (1) wood mooring pile beyond 25 feet from the property line into Seminole Lake. I understand that the proposed project will require a waiver of limitations through the City of Fort Lauderdale along with permitting through the regulatory agencies. I reside at 1201 Seminole Drive, and support the project as proposed.

Sincerely,

A handwritten signature in blue ink, appearing to be "Jock E. Jevizian & Alison Williams Jevizian". The signature is stylized and cursive, with a large initial "J" and "A".

Jock E. Jevizian & Alison Williams Jevizian
1201 Seminole Drive
Fort Lauderdale, FL 33304

February 19, 2021

William H. Schaefer, Jr. & Vicki Schaefer
1207 Seminole Drive
Fort Lauderdale, FL 33304

RE: 1207 Seminole Drive

City of Fort Lauderdale Waiver Request

Dear Mr. William H. Schaefer, Jr. & Mrs. Vicki Schaefer,

I have reviewed the attached plans (Attachment A), for the proposed project to install a wood finger pier and one (1) wood mooring pile beyond 25 feet from the property line into Seminole Lake. I understand that the proposed project will require a waiver of limitations through the City of Fort Lauderdale along with permitting through the regulatory agencies. I reside at 1215 Seminole Drive, and support the project as proposed.

Sincerely,

A handwritten signature in cursive script, appearing to read "Brian Keenan".

Brian Keenan
1215 Seminole Drive
Fort Lauderdale, FL 33304


February 23, 2021

William H. Schaefer, Jr. & Vicki Schaefer
1207 Seminole Drive
Fort Lauderdale, FL 33304

Dear Mr. William H. Schaefer, Jr. & Mrs. Vicki Schaefer,

I have reviewed the attached plans (Attachment A) for the proposed project to install a wood finger pier and (1) wood mooring pile beyond 25 feet from the property line into Seminole Lake. I understand that the proposed project will require a waiver of limitations through the City of Fort Lauderdale along with permitting through the regulator agencies. I reside at 1208 Seminole Drive, and support the project as proposed.

Sincerely,



Brian Kilcullen
1208 Seminole Drive
Fort Lauderdale, FL 33304

ITEM VIII

MEMORANDUM MF NO. 21-06

DATE: March 15, 2021

TO: Marine Advisory Board Members

FROM: Andrew Cuba, Marine Facilities Manager

RE: April 1, 2021 MAB Meeting - Dock Waiver of Distance Limitations – Madison Abele , Casa Murano LLC / 141 Isle of Venice

Attached for your review is an application from Madison Abele, Casa Murano LLC / 141 Isle of Venice.

APPLICATION AND BACKGROUND INFORMATION

The applicant is requesting approval for installation of twenty-two (22) wood mooring piles extending a maximum of +/-49.4 into the adjacent Rio Grande Waterway. The distances this structure will extend from the property line into waterway is shown in the survey and summarized in Table 1 below:

TABLE 1

PROPOSED STRUCTURES	STRUCTURE DISTANCE FROM PROPERTY LINE	PERMITTED DISTANCE WITHOUT WAIVER	AMOUNT OF DISTANCE REQUIRING WAIVER
Mooring Pile Group A (3 piles)	+/-49.4'	25'	+/-24.4'
Mooring Pile Group B (4 piles)	+/-44.7'	25'	+/-19.7'
Mooring Pile Group C (2 piles)	+/-39.8'	25'	+/-14.8'
Mooring Pile Group D (13 piles)	+/-26.4'	25'	+/-1.4'

The City's Unified Land and Development Regulations (UDLR) Sec. 47-19.3.D limits the maximum distance of mooring piles to 25' or 30% of the width of the waterway, whichever is less, from the property line. Section 47-19.3.E authorizes the City Commission to waive that limitation based on a finding of extraordinary circumstances. The applicant indicates that the proposed mooring piles are necessary to safely moor resident's vessels, especially during high wind events and sever weather.

PROPERTY LOCATION AND ZONING

The property is located within the RMM-25 Residential Mid Rise Multi Family / Medium High Density District. It is situated along the Rio Grande Waterway.

DOCK PLAN AND BOATING SAFETY

Marine Facilities' records reflect there has been four (4) Waivers of Limitation approved by the City Commission within close proximity to 141 Isle of Venice (**Table 2**).

TABLE 2

DATE	ADDRESS	MAXIMUM DISTANCE
July 1985	440 Hendricks Isle	Pilings – 39'
June 1989	13 Hendricks Isle	Pilings – 80'
July 2007	101 Hendricks Isle	Pilings – 30'
April 2013	91 Isle of Venice	Pilings – 45'
April 2019	1 Hendricks Isle	Boatlift – 43'
July 2019	95 Hendricks Isle	Pilings/Finger Pier – 35'

RECOMMENDATIONS

Should the Marine Advisory approve the application, the resolution under consideration by the City Commission should include at least the following as prescribed in the ULDR and City Code of Ordinances:

1. The applicant is required to comply with all applicable building and zoning regulations as well as any other Federal and State laws and permitting requirements including the Broward County Environmental Protection and Growth Management Department, the Florida Department of Environmental Protection and the U.S. Army Corps of Engineers.
2. As a general condition of approval and in order to review for final consistency with construction of facilities in accord with this application and City building permits the applicant is required to provide the City's Supervisor of Marine Facilities with copies of "As Built" drawings from a certified and licensed contractor.

AC

Attachment

cc:

Enrique Sanchez, Deputy Director of Parks and Recreation

Jon Luscomb, Marine Facilities Supervisor

**141 ISLE OF VENICE DRIVE
APPLICATION FOR WATERWAY WAIVER**

**CITY OF FORT LAUDERDALE
MARINE FACILITIES
APPLICATION FOR WATERWAY PERMITS, WAIVERS AND LICENSES**

Any agreement with the City of Fort Lauderdale and other parties, such as, but not limited to, licenses, permits and approvals involving municipal docking facilities or private uses in the waterways as regulated by Section 8 of the City Code of Ordinances or Section 47-19.3 of the City's Urban Land Development Regulations, shall be preceded by the execution and filing of the following application form available at the Office of the Supervisor of Marine Facilities. The completed application must be presented with the applicable processing fee paid before the agreement is prepared or the application processed for formal consideration (see City of Fort Lauderdale Code Section 2-157). If legal publication is necessary, the applicant agrees to pay the cost of such publication in addition to the application fee.

APPLICATION FORM
(Must be in Typewritten Form Only)

1. LEGAL NAME OF APPLICANT - (If corporation, name and titles of officers as well as exact name of corporation. If individuals doing business under a fictitious name, correct names of individuals, not fictitious names, must be used. If individuals owning the property as a private residence, the name of each individual as listed on the recorded warranty deed):

NAME: **Madison Abele, Casa Murano LLC**

TELEPHONE NO: 954.448.7951 EMAIL: <mabele@gcfr.com>
(home) (business)

2. APPLICANT'S ADDRESS (if different than the site address): **1776 Polk Street, Suite 200, Hollywood FL 33020**

3. TYPE OF AGREEMENT AND DESCRIPTION OF REQUEST:
The applicant requests a waiver for the proposed installation of twenty-two (22) wood mooring piles beyond 25 feet from the property line.

4. SITE ADDRESS: **141 Isle of Venice, FL 33301** ZONING: **RMM-25**

LEGAL DESCRIPTION AND FOLIO NUMBER:
NURMI ISLES ISLAND NO 4 24-43 B LOTS 22 & 23
Folio No. 504201120260

5. EXHIBITS (In addition to proof of ownership, list all exhibits provided in support of the applications).
Warranty Deed, Survey, Zoning Aerial, Photos, Project Plans



Applicant's Signature

3/10/21

Date

=====
The sum of \$ _____ was paid by the above-named applicant on the _____ of _____, 20____ Received by: _____

City of Fort Lauderdale

=====
=====For Official City Use Only=====

Marine Advisory Board Action
Formal Action taken on _____

Commission Action
Formal Action taken on _____

Recommendation _____
Action _____

TABLE OF CONTENTS

	PAGE
EXHIBIT 2 - SUMMARY DESCRIPTION	3
EXHIBIT 3 - WARRANTY DEED	6
EXHIBIT 4 - ORIGINAL SURVEY	20
EXHIBIT 5 - ZONING AERIAL	22
EXHIBIT 6 - SITE PHOTOGRAPHS	24
EXHIBIT 7 - PROJECT PLANS	26
EXHIBIT 8 - DISTANCE EXHIBIT	31
EXHIBIT 9 - EXISTING WAIVERS IN THE VICINITY	35

EXHIBIT II SUMMARY DESCRIPTION

Summary Description
141 Isle of Venice Drive
TCG Project No. 20-0004

The project site is located along the Middle River at 141 Isle of Venice Drive, in Section 01, Township 50, Range 42, in the City of Fort Lauderdale, Broward County, Florida

The property is located along the Rio Grande Waterway, which is a tidal water. The nearest direct connection to the Atlantic Ocean is approximately 2.5 miles to the south at the Port Everglades Inlet. As the project site is located along the Rio Grande Waterway, the incoming tidal waters (flood) at the site move to the north and the outgoing waters (ebb) move to the south.

The project site consists of an existing ± 120 in. ft. concrete panel seawall, five (5) wood finger piers and nine (9) wood mooring piles. The proposed project includes the removal of the existing finger piers and mooring piles, the installation of a ± 300 sq. ft. concrete marginal dock, the installation of 120 in. ft. of new concrete panel seawall with batter piles, four (4) 20'x4' finger piers (320 ft²) and the installation of twenty-two (22) wood mooring piles. As measured from the property line, the mooring piles encroach more than 25' from the wetface and property line into the Middle River. As these distances are over the allowable 25' distance into the waterway from the property line, the proposed mooring piles will require a variance waiver.

The proposed structures have been approved by Broward County Environmental Protection & Growth Management Department (DF20-1314), Florida Department of Environmental Protection (06-0396734-001), and US Army Corps of Engineers (SAJ-2020-04341).

The following five (5) matters provide justification for this waiver request:

1. All structures and piles will not exceed 30% of the width of the waterway.
2. Due to the extraordinary width of the waterway at this location from wetface to wetface ($\pm 164'$), the proposed project will not impede navigation within the Rio Grande Waterway.
3. The proposed piles are necessary for safely mooring resident's vessels, especially during high wind events and severe weather

4. The proposed project is consistent with existing waivers in the area that have been issued up to 80'.
5. The proposed project is a reconfiguration of an existing marina, with similar size finger piers and pile locations.

If this waiver is approved, the applicant will comply with all necessary construction requirements stated in Section 47-19.3 (C)(D)(E).

STRUCTURE	PROPOSED STRUCTURES	STRUCTURE DISTANCE FROM PROPERTY LINE	PERMITTED DISTANCE WITHOUT WAIVER	DISTANCE REQUIRING A WAIVER
Mooring Pile	Mooring Pile Group A (3 piles)	±49.4'	25'	±24.4'
Mooring Pile	Mooring Pile Group B (4 piles)	±44.7'	25'	±19.7'
Mooring Pile	Mooring Pile Group C (2 piles)	±39.8'	25'	±14.8'
Mooring Pile	Mooring Pile Group D (13 piles)	±26.4'	25'	±1.4'

**EXHIBIT III
WARRANTY DEED**

①

This instrument prepared by, or under the supervision of (and after recording, return to):

Gary A. Saul, Esq.
Greenberg Traurig, P.A.
333 S.E. 2nd Avenue
Miami, Florida 33131

(Reserved for Clerk of Court)

PLAN OF TERMINATION OF SHARI-LEA, A CONDOMINIUM

Pursuant to Section 718.117, Florida Statutes, the following is the Plan of Termination of **Shari-Lea, a Condominium** (the "**Plan**"), dated as of December 17, 2020 (the "**Plan Date**").

1. **The Condominium.** Shari-Lea, a Condominium (the "**Condominium**") was created by the Declaration of Condominium of Shari-Lea, a Condominium, which Declaration was recorded June 25, 1980, in Official Records Book 8980, Page 301, of the public records of Broward County, Florida (as amended to date, the "**Declaration**"). Any initial capitalized terms used, but not defined herein, shall have the meanings set forth in the Declaration, or in the absence thereof, in the Florida Condominium Act (Chapter 718, Florida Statutes, as it exists on the date hereof).

2. **Plan of Termination.** Upon the recordation of this Plan in the public records of Broward County, Florida, the Condominium shall automatically be deemed terminated, pursuant to and as permitted under the Declaration, and to the extent applicable, Section 718.117, Florida Statutes (the "**Termination Statute**"). The date upon which this Plan is recorded shall be referred to as the "**Effective Date**".

Upon the Effective Date, title to the Property vests in the Trustee, pursuant to Section 718.117(13), and the unit owners' rights and title as tenants in common in undivided interests in the Property (as hereinafter defined) vests in the Trustee. The unit owners thereafter become the beneficiaries of the proceeds realized from the Plan, if any, as further described herein. Except as otherwise indicated below, liens that encumber a unit shall be transferred to the proceeds of sale of the Property and the proceeds of sale or other distribution of association property, common surplus, or other association assets attributable to such unit in their same priority. It is anticipated that, pursuant to the Plan, lienors may receive less than the amounts necessary to fully satisfy their mortgage liens encumbering condominium units. Pursuant to this Plan, a first mortgage encumbering a unit shall be paid to the extent necessary to satisfy the lien, but the payment may not exceed the unit's share of the proceeds of termination, if any, under the Plan.

The Trustee may deal with the Property or any interest therein as it sees fit, without requiring the consent of any unit owners, beneficiaries or lienors, inasmuch as the Plan confers on the Trustee the authority to protect, conserve, manage, sell, or dispose of the Property. The powers of the Trustee include, without limitation, the right to mortgage, pledge or otherwise encumber any and all property transferred or entrusted to the Trustee, including, without limitation, the Property and all other association property, common surplus, or other association assets, without requiring the consent of any unit owners/ beneficiaries or lienors.

(Reserved for Clerk of Court)

The Plan does not terminate the Association. Following the Plan Date, notwithstanding any provision to the contrary in the Declaration or the articles of incorporation of the Association, the Board of Directors of the Association shall:

- (a) Employ directors, agents, attorneys, and other professionals to liquidate or conclude its affairs.'
- (b) Conduct the affairs of the Association as necessary for the liquidation or termination.
- (c) Carry out contracts and collect, pay, and settle debts and claims for and against the Association.
- (d) Defend suits brought against the Association.
- (e) Sue in the name of the Association for all sums due or owed to the Association or to recover any of its property.
- (f) Prior to the Effective Date, perform any act necessary to maintain, repair, or demolish unsafe or uninhabitable improvements or other Property in compliance with applicable codes.
- (g) Prior to the Effective Date, sell at public or private sale or exchange, convey, or otherwise dispose of assets of the Association for an amount deemed to be in the best interests of the Association, and execute bills of sale and deeds of conveyance in the name of the Association.
- (h) Prior to the Effective Date, collect and receive rents, profits, accounts receivable, income, maintenance fees, special assessments, or insurance proceeds for the Association.
- (i) Contract and do anything in the name of the Association which is proper or convenient to terminate the affairs of the Association.

3. **The Property**. For purposes of this Plan, the "Property" shall mean and refer to the aggregate of the following:

- (a) all property which was submitted to the condominium form of ownership pursuant to the Declaration, including, without limitation, any and all units and/or common elements contained therein;
- (b) any and all real property, if any, owned by Shari-Lea Condominium Association, Inc., a Florida not-for-profit corporation (the "Association");
- (c) any and all improvements included within the Condominium and located on the real property referenced in subparagraphs 3(a) or 3(b) above (collectively, the "Realty"), including buildings, structures and other facilities;
- (d) all fixtures, equipment, machinery, vehicles, furnishings and items of personal property located on and used in the operation of the Realty and owned by the Association;
- (e) all applicable licenses, permits, warranties, authorizations and approvals pertaining to ownership and/or operation of the Realty in the Association's possession, if any;

(Reserved for Clerk of Court)

- (f) the common surplus of the Association, if any;
- (g) any and all intangible rights of the Association affecting the Realty;
- (h) all contract rights of the Association pertaining to the ownership and operation of the Realty which are assignable and would affect the Property after the Effective Date, if any; and
- (i) all monies held in accounts maintained by the Association.

4. **Plan Provisions.**

- (a) **Termination Trustee.** Section 718.117(10)(a), Florida Statutes, requires that this Plan name a termination trustee. The termination trustee (the "Trustee") under this Plan is CASA MURANO, LLC, a Florida limited liability company, having an address of 1776 Polk Street, #200, Hollywood, FL 33020. The powers of the Trustee shall include, without limitation, (i) all of the powers given the Board of Directors of the Association pursuant to the Declaration, and the Bylaws of the Association, and 718.117(6), Florida Statutes, (ii) all the powers of a termination trustee set forth in the Termination Statute, (iii) the power and the authority to protect, conserve, manage, sell or dispose of the Property, pursuant to Section 718.117(14), Florida Statutes, including the right to contract for and dispose of the Property, (iv) the power and the authority to mortgage, pledge or otherwise encumber any and all property transferred or entrusted to the Trustee, including, without limitation, the Property and all other association property, common surplus, or other association assets, without requiring the consent of any unit owners/beneficiaries or lienors, and (v) all of the powers necessary to effectuate this Plan. The Trustee shall have the sole discretion to operate, maintain, repair, alter, sell, mortgage, pledge, convey and/or dispose of the Property, without requiring the consent of any other party, including, any unit owner, the Association or any lienor.

Inasmuch as the Trustee is not the Association, the Trustee's powers shall be coextensive with those of the Association, and the Association shall, simultaneously with the recordation of this Plan, transfer any association property to the Trustee. If the Association is dissolved, the Trustee shall also have such other powers necessary to conclude the affairs of the Association.

- (b) **Reports.** The Trustee, by execution hereof, agrees to prepare and transmit copies of all reports required by Section 718.117(8), Florida Statutes. All reports shall be sent to unit owners and lienors at the mailing addresses, if any, provided to the Association by the unit owners or lienors prior to the Plan Date, or any updated addresses provided in writing to the Trustee subsequent to the Plan Date.
- (c) **Date After Which Plan May be Void.** As required by Section 718.117(10)(b), Florida Statutes, the date after which this Plan of Termination is void if it has not been recorded in the Public Records of Broward County, Florida is December 31, 2021.
- (d) **Interests in Certain Property.** As provided for in Section 718.117(10)(c), Florida Statutes, upon the Effective Date, the percentage interests of the former unit owners in the association property, common surplus, and other assets of the Association, shall be the same as the percentage interests of the respective former unit owners in the common elements of the Condominium, as set forth in Section 6 of the Declaration.

(Reserved for Clerk of Court)

- (e) Interests in Proceeds of Sale of the Property. upon the Effective Date, the percentage interests of the respective unit owners in any proceeds from the sale of the Property, shall be the same as the percentage interests of the respective former unit owners in the common elements of the Condominium, as set forth in Section 6 of the Declaration (the "Interest in Proceeds").
- (f) Insurance and Condemnation Proceeds. As provided for in Section 718.117(10)(e), Florida Statutes, as of the date of this Plan, the Association is not in possession of any insurance proceeds or condemnation proceeds. If any such proceeds are received prior to the Effective Date, they will be distributed to the Purchasing Owner, or if not, distributed in accordance with the respective percentage interests of the unit owners in the common elements, as set forth in Section 6 of the Declaration.
- (g) Withdraw or Modification of Plan. At any time before the sale of the Property, the Plan may be withdrawn or modified by the affirmative vote or written agreement of at least 80% of voting interests in the Condominium.

5. **Sale to CASA MURANO, LLC**

- (a) Sale to Purchasing Owner. CASA MURANO, LLC, a Florida limited liability company ("Purchasing Owner"), is the record owner of one hundred percent (100%) of the voting interests of the Condominium as of the Plan Date. Upon recordation of this Plan, Trustee shall immediately thereafter convey, transfer, assign and deliver to Purchasing Owner good, marketable and insurable title to the Property. In doing so, Trustee further agrees to provide to Purchasing Owner such other documents and agreements as may be reasonably requested by any title insurer intending to provide title insurance to Purchasing Owner with respect to Purchasing Owner's acquisition of the Property from Trustee.
- (b) Disclosure. In accordance with the provision of Section 718.117(3)(c)5, Florida Statutes (2019), Purchasing Owner makes the additional disclosures set forth on Exhibit "A" attached hereto.

6. **Distributions**

- (a) Purpose. Following the Effective Date, the Property shall be held by the Trustee, as trustee for unit owners and holders of liens on the units, in their order of priority, until conveyed to Purchasing Owner, as provided above.
- (b) Notice. Trustee shall provide such notices and reports as required by the Termination Statute.
- (c) Distribution Priority. The proceeds from any sale of Property or association property and any remaining Property or association property, common surplus, and other assets shall be distributed in the following priority:
 - (i) To pay the reasonable termination Trustee's fees and costs and accounting fees and costs.
 - (ii) To lienholders of liens of the Association which have been consented to under s. 718.121(1), if any.

(Reserved for Clerk of Court)

- (iii) To creditors of the Association, as their interests appear.
- (iv) To Purchasing Owner.
- (d) Additional Distributions. Other than as provided herein, the Trustee shall have full discretion in making distributions, subject to, and in accordance with the provisions of this Plan and the Termination Statute.

7. Lease. As of the Effective Date, there are: (a) no owners in occupancy of Units other than the Purchasing Owner, (b) no Unit owners whose Units were granted a homestead exemption by the property appraiser, (c) no Unit owners or former Unit owners who have any existing rights to be compensated for the fair market value of their Units by Purchasing Owner, and (d) no Unit owners other than Purchasing Owner's representatives are on the Board of Directors or have a right to serve on the Board of Directors.

IN WITNESS WHEREOF, Pursuant to Section 718.117, Florida Statutes, Purchasing Owner, representing one hundred percent (100%) of the total voting interests of the Condominium, hereby approves the foregoing Plan by executing the attached approval, consent and joinder in the manner of execution of a deed. Furthermore, the Trustee executes and joins in this Plan and agrees to be bound by its terms.

[Approvals, consents and joinders are attached.]

STATE OF FLORIDA)

) ss.:

COUNTY OF BROWARD)

The foregoing instrument was acknowledged before me by means of physical presence or online notarization, this 17th day of December, 2020 by PETER JAGO of CASA MURANO, LLC, a Florida limited liability company , on behalf of said entity. He is personally known to me or has produced _____ as identification.


[Notary Seal]

Notary: *JO*

Print Name: Joselyn Ortman

Notary Public, State of Florida

My Commission Expires: 6/28/2025



JOINDER OF TERMINATION TRUSTEE

CASA MURANO, LLC, hereby approves, joins in, consents to, approves and agrees to be bound by the forgoing Plan of Termination of the Declaration of Condominium of Shari-Lea, a Condominium, as Termination Trustee.

Witnesses:

[Signature]
Printed Name: Jamie Pajes
[Signature]
Printed Name: V. Madison Abele

CASA MURANO, LLC, a Florida limited liability company

By: [Signature]
Name: Charles R. Abele Jr.
Title: Manager
Dated: 12/17/2020, 2020


STATE OF Florida)
COUNTY OF Broward)

ss.:

The foregoing instrument was acknowledged before me, by means of physical presence or online notarization, this 17 day of December 2020, by Charles Abele, as Manager of CASA MURANO, LLC, a Florida limited liability company, on behalf of said entity(ies). He/she is personally known to me or produced _____ as identification.

Notary: [Signature]
Print Name: Joselyn Ortman
Notary Public, State of Florida
My commission expires: 3/17/2023

NOTARY SEAL



(Reserved for Clerk of Court)

Exhibit "A"

Additional Disclosures of Purchasing Owner

DISCLOSURES OF CASA MURANO, LLC

STATE OF FLORIDA)
) ss:
COUNTY OF BROWARD)

THE UNDERSIGNED, in furtherance of the Plan of Termination of Shari-Lea, a Condominium, hereby discloses the following:

1. CASA MURANO, LLC, a Florida limited liability company ("CASA MURANO") is the owner of all of the Units listed on Exhibit "A" attached hereto (the "Units") in Shari-Lea, a Condominium (the "Condominium").

2. Inasmuch as the Units are owned by an entity, the undersigned certifies that the following are the natural persons who, directly or indirectly, manage or control CASA MURANO and the natural person or persons who, directly or indirectly, own or control 10 percent or more of CASA MURANO:

Name of Persons who, directly or indirectly, manage or control CASA MURANO:

Peter Jago

Charles R. Abele, Jr.

Rachel Madison Abele

Donovan Jago

Name of Persons who, directly or indirectly, own or control 10 percent or more of CASA MURANO:

Peter Jago

Charles R Abele, Jr.


3. As to each of the Units, set forth on Exhibit "B" attached hereto is a listing of the date each unit was acquired by CASA MURANO, and the total amount of compensation paid to each prior unit owner by CASA MURANO.

4. Charles Abele, Jr., Rhonda L. Randall, and Peter Jago, all of whom are members of the Board of Directors of Shari-Lea Condominium Association, Inc., are employees of entities affiliated with members of CASA MURANO.

5. As the holder of 100% of the voting interests in the Condominium, the undersigned confirms that: (i) the Plan of Termination for the Condominium has been approved by in excess of 80% of the voting interests and that the Plan has not been rejected by owners holding 5% or more of the voting interests of the Condominium; (ii) the Plan of Termination for the Condominium otherwise substantially complies with the requirements of the Florida Condominium Act, and (iii) that the termination of the Condominium furthers the policies of the State by unifying title to best preserve the value of the underlying real property.

MADE AS OF the 17 day of December, 2020.

CASA MURANO, LLC, a Florida limited liability company



By: [Signature]
Name: Charles R. Abele, Jr
Title: Manager -Representative

Sworn to and subscribed before me, by means of physical presence or online notarization, this 17 day of December 2020, by Charles Abele, as manager of CASA MURANO, LLC, a Florida limited liability company, on behalf of said entity(ies). He/she is personally known to me or produced _____ as identification.

Name: [Signature]

Notary Public, State of Florida
Commission No. 311712023
676280215

My Commission Expires: 3/17/23

Exhibit "A"

Units 1, 2, 3, 4, 5, 6, 7, 8 and 9 in Shari-Lea, a Condominium created by the Declaration of Condominium of Shari-Lea, a Condominium, which Declaration was recorded June 25, 1980, in Official Records Book 8980, Page 301 and all amendments thereto, of the public records of Broward County, Florida.

Exhibit "B"

\$2,900,000.00


**EXHIBIT IV
ORIGINAL SURVEY**

prepared by:
McLAUGHLIN ENGINEERING COMPANY (LB#285)

1700 N.W. 64th STREET, SUITE 400
 FORT LAUDERDALE, FLORIDA 33309
 PHONE: (954) 763-7611
 FAX: (954) 763-7615



GRAPHIC SCALE



TITLE NOTES:

There are no other Easements, Road Reservations or Rights-of-Ways of record affecting this property per American Land Title Association Commitment File No. 19078117, dated November 20, 2019 at 3:28PM.

9) Matters per Declaration of Condominium per O.R. Book 8980, Page 301 of the Public Records of Broward County, Florida and Amendment per Instrument # 114471297 of the Public Records of Broward County, Florida affects this property and Easements are Blanket Easements.

10) Matters per O.R. Book 105, Page 616 of the Public Records of Broward County, Florida affects this property.

11) Easement per O.R. Book 1262, Page 233 of the Public Records of Broward County, Florida affects this property and as shown.

12) Matters per Plat Book 24, Page 43 of the Public Records of Broward County, Florida affects this property and as shown.

13) Agreement per O.R. Book 9629, Page 276 of the Public Records of Broward County, Florida is not a survey matter.

14) Ordinance No. 2002-61 per O.R. Book 34145, Page 1891 of the Public Records of Broward County, Florida does not affect this property.

TREE SYMBOLS

- INDICATES DIAMETER± (D.B.H.)
- GUMBO LIMBO
- CLUSTER OF PALM TREES
- PALM TREE
- SILVER BUTTONWOOD TREE
- UNKNOWN TREE


NOTES:

- 1) This survey reflects all easements and rights-of-way, as shown on above referenced record plat(s). The subject property was not abstracted for other easements road reservations or rights-of-way of record by McLaughlin Engineering Company.
- 2) Underground improvements if any not located.
- 3) This drawing is not valid unless sealed with an embossed surveyors seal.
- 4) Boundary survey information does not infer Title or Ownership.
- 5) All iron rods 5/8", unless otherwise noted.
- 6) Reference Bench Mark: City of Fort Lauderdale Benchmark #SE 354, Elevation= 5.689(NAVD88).
- 7) Elevations shown refer to North American Vertical Datum (1988), and are indicated thus: $\text{Elev.} = 2.05$
- 8) This property lies in Flood Zone "AE", Elev.=5.0 Per Flood Insurance Rate Map No. 12011C0388 H Dated: August 18, 2014. Community Panel No. 125105.
- 9) Elevations per North American Vertical Datum (1988) derived from National Geodetic Vertical Datum (1929) data and converted using U.S. Army Corps of Engineers software (Corpscon 6.0.1) obtained from <http://www.tech.army.mil/>

ALTA/NSPS LAND TITLE SURVEY

LOTS 22 & 23


ISLAND NO. 4, NURMI ISLANDS, PLAT BOOK 24, PAGE 43, B.C.R.



LEGEND

- | | |
|--|--------------------------------------|
| Δ = CENTRAL ANGLE (DELTA) | ELEV. = ELEVATION |
| R = RADIUS | O/S = OFFSET |
| A OR L = ARC LENGTH | A/C = AIR CONDITIONING |
| CH.BRG. = CHORD BEARING | C = CENTERLINE OF RIGHT-OF-WAY |
| TAN.BRG. = TANGENT BEARING | F.P.L. = FLORIDA POWER AND LIGHT CO. |
| P.O.C. = POINT OF COMMENCEMENT | S.B.T. = SOUTHERN BELL TELEPHONE |
| P.O.B. = POINT OF BEGINNING | B.C.R. = BROWARD COUNTY RECORDS |
| W/McL CAP. = WITH McLAUGHLIN ENGINEERING CO. CAP | D.C.R. = DADE COUNTY RECORDS |
| P.R.M. = PERMANENT REFERENCE MONUMENT | P.B.R. = PALM BEACH COUNTY RECORDS |
| CONC. = CONCRETE | O.R. = OFFICIAL RECORDS BOOK |
| C.B.S. = CONCRETE, BLOCK AND STUCCO | PS. = PAGE |
| I.C.V. = IRRIGATION CONTROL VALVE | R/W = RIGHT-OF-WAY |
| W.M. = WATER METER | C.O. = CLEAN OUT |
| B.F.P. = BACK FLOW PREVENTOR | C.L.F. = CHAIN LINK FENCE |

BLOCK PLAN
 (NOT TO SCALE)



LEGAL DESCRIPTION:

Lots 22 & 23, ISLAND NO. 4, NURMI ISLANDS, according to the plat thereof, as recorded in Plat Book 24, Page 43, of the public records of Broward County, Florida.

Said lands situate, lying and being in the City of Fort Lauderdale, Broward County, Florida and containing 14,400 square feet or 0.3306 acres, more or less.

ALTA/NSPS CERTIFICATION

TO: American Land Title Association; Casa Murano, LLC, a Florida limited liability company.
 This is to certify that this map or plat and the survey on which it is based were made in accordance with the 2016 Minimum Standard Detail Requirements for ALTA/NSPS Land Title Surveys, jointly established and adopted by ALTA and NSPS, and includes items 1, 2, 3, 4, 5, 7(a), 7(b), 7(c), 8, 9, 11(as to visible utilities only), 13, 16(none observed), 17(none observed) of Table A thereof.
 The fieldwork was completed on January 10, 2020.

CERTIFICATION

We hereby certify that this survey meets the "Standards of Practice" as set forth by the Florida Board of Professional Surveyors and Mappers in Chapter 5J-17.05 Florida Administrative Code, pursuant to Section 472.027, Florida Statutes.


Dated at Fort Lauderdale, Florida, this 10th day of January, 2020.

McLAUGHLIN ENGINEERING COMPANY

JERALD A. McLAUGHLIN
 Registered Land Surveyor No. 5269
 State of Florida.

"NOT VALID UNLESS SEALED WITH AN EMBOSSED SURVEYOR'S SEAL"

**EXHIBIT V
ZONING AERIAL**



City of Fort Lauderdale GIS



CITY OF FORT LAUDERDALE

141 Isle Of Venice



0 90 180 Feet

GIS
Fort Lauderdale

EXHIBIT VI SITE PHOTOGRAPHS





1. Southern portion of the subject site, facing north along the Rio Grande Waterway.



2. Northern portion of the subject site, facing south along the Rio Grande Waterway.

EXHIBIT VII PROJECT PLANS



EXISTING BOAT SLIP TABLE		
SLIP #	LENGTH	WIDTH
1	25	13
2	25	13
3	25	12.5
4	25	12.5
5	25	11
6	25	11
7	25	10.5
8	25	10.5
9	25	11

LEGEND

- SUBJECT SITE (0.33 AC)
- EXISTING CONCRETE SEAWALL W/ 2.7' CAP TO REMAIN (±120 LN. FT)
- EXISTING WOOD FINGER PIERS TO BE REMOVED (±150 SQ. FT.)
- EXISTING BOAT SLIPS AUTHORIZED UNDER MFOL09-0018 (9)

M.H.W. = 0.25' NAVD M.L.W. = (-)2.13' NAVD

NOTE: SURVEY INFORMATION PROVIDED BY MCLAUGHLIN ENGINEERING CO. SURVEY CONDUCTED ON 01/10/2020. ELEVATIONS SHOWN AS NAVD88.

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
© THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.


714 East McNab Road
Pompano Beach, Florida 33060
tel. 954.782.1908
fax. 954.782.1108 www.thechappellgroup.com

- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys


141 ISE OF VENICE DRIVE

PREPARED FOR:
ADACHE GROUP ARCHITECTS

EXISTING CONDITIONS		
Date: 3/18/2021	Sheet : 1	of : 4
Proj No.: 20-0004		



CASA MURANO, LLC
LOT 24



PROPOSED BOAT SLIP TABLE

SLIP #	LENGTH	WIDTH
1	35	11
2	40	12
3	40	12
4	44	14
5	44	14
6	40	12
7	40	12
8	35	11

LEGEND

- SUBJECT SITE (0.33 AC)
 - EXISTING CONCRETE SEAWALL W/ 2.7' CAP TO REMAIN (±120 LN. FT)
 - PROPOSED CONCRETE SEAWALL W/ 3.0' CAP (±120 LN. FT.; ±240 SQ. FT. OVERWATER)
 - PROPOSED COMPOSITE FINGER PIERS (±320 SQ. FT.)
 - PROPOSED MOORING PILES (22)
 - EXISTING BOAT SLIPS AUTHORIZED UNDER MFOL09-0018 (8)
- M.H.W. = 0.25' NAVD M.L.W. = (-)2.13' NAVD
 NOTE: SURVEY INFORMATION PROVIDED BY MCLAUGHLIN ENGINEERING CO. SURVEY CONDUCTED ON 01/10/2020. ELEVATIONS SHOWN AS NAVD88. TOTAL OVERWATER SQUARE FOOTAGE IS APPROXIMATELY 560 SQ. FT.

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
 © THE CHAPPELL GROUP, INC. 2021


THE Chappell GROUP INC.
 714 East McNab Road
 Pompano Beach, Florida 33060
 tel. 954.782.1908 www.thechappellgroup.com
 fax. 954.782.1108

- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys


141 ISLE OF VENICE DRIVE
 PREPARED FOR:
 ADACHE GROUP ARCHITECTS

PROPOSED CONDITIONS		
Date: 3/18/2021	Sheet : 2	of : 4
Proj No.: 20-0004		

EXISTING CONDITIONS A-A (TYP.)



PROPOSED CONDITIONS A-A (TYP.)



NOTE PROPOSED WETFACE TO BE NO GREATER THAN 18" WATERWARD OF EXISTING WETFACE

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
© THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.
 714 East McNab Road
 Pompano Beach, Florida 33060
 tel. 954.782.1908
 fax. 954.782.1108
www.thechappellgroup.com

- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys


141 ISLE OF VENICE DRIVE

PREPARED FOR:
ADACHE GROUP ARCHITECTS


SECTIONS

Date: 3/18/2021	Sheet : 3	of : 4
Proj No.: 20-0004		

CONSTRUCTION BARGE (TYP.)




- LEGEND**
- Pile Locations
 - ▨ Dredge Or Fill Area
 - ⊕ Mooring Buoy w/Anchor
 - ⊖ Anchor
 - Barrier Movement Due To Current Action



Note:
Turbidity barriers for flowing streams and tidal creeks may be either floating, or staked types or any combinations of types that will suit site conditions and meet erosion control and water quality requirements. The barrier type(s) will be at the Contractors option unless otherwise specified in the plans, however payment will be under the pay item(s) established in the plans for Floating Turbidity Barrier and/or Staked Turbidity Barrier. Posts in staked turbidity barriers to be installed in vertical position unless otherwise directed by the Engineer.

1. Turbidity barriers are to be used in all permanent bodies of water regardless of water depth.
2. Number and spacing of anchors dependent on current velocities.
3. Deployment of barrier around pile locations may vary to accommodate construction operations.
4. Navigation may require segmenting barrier during construction operations.
5. For additional information see Section 104 of the Standard Specifications.

TURBIDITY BARRIER APPLICATIONS



THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
© THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.
714 East McNab Road
Pompano Beach, Florida 33060
tel. 954.782.1908
fax. 954.782.1108
www.thechappellgroup.com

- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys


141 ISLE OF VENICE DRIVE

PREPARED FOR:
ADACHE GROUP ARCHITECTS

DETAILS

Date: 3/18/2021	Sheet : <b style="font-size: 2em;">4	of : <b style="font-size: 2em;">4	
Proj No.: 20-0004			

EXHIBIT VIII DISTANCE EXHIBIT



LEGEND

- SUBJECT SITE (0.33 AC)
- EXISTING CONCRETE SEAWALL W/ 2.7' CAP TO REMAIN (±120 LN. FT)
- EXISTING WOOD FINGER PIERS TO BE REMOVED (±150 SQ. FT.)
- 1 EXISTING BOAT SLIPS AUTHORIZED UNDER MFOL09-0018 (9)

M.H.W. = 0.25' NAVD M.L.W. = (-)2.13' NAVD

NOTE: SURVEY INFORMATION PROVIDED BY MCLAUGHLIN ENGINEERING CO. SURVEY CONDUCTED ON 01/10/2020. ELEVATIONS SHOWN AS NAVD88.

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
© THE CHAPPELL GROUP, INC. 2021

THE Chappell GROUP INC.



714 East McNab Road
Pompano Beach, Florida 33060
tel. 954.782.1908 www.thechappellgroup.com
fax. 954.782.1108

- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys

141 ISLE OF VENICE DRIVE

PREPARED FOR:
CASA MURANO LLC

DISTANCE EXISTING		
Date: 3/18/2021	Sheet : <b style="font-size: 24px;">1	of : <b style="font-size: 24px;">3
Proj No.: 20-0004.001		



PROPOSED STRUCTURES	STRUCTURE DISTANCE FROM PROPERTY LINE	PERMITTED DISTANCE WITHOUT WAIVER	DISTANCE REQUIRING A WAIVER
MOORING PILES GROUP A (3 PILES)	±49.4'	25'	±24.4'
MOORING PILES GROUP B (4 PILES)	±44.7'	25'	±19.7'
MOORING PILES GROUP C (2 PILES)	±39.8'	25'	±14.8'
MOORING PILES GROUP D (13 PILES)	±26.4'	25'	±1.4'

LEGEND

- SUBJECT SITE (0.33 AC)
- EXISTING CONCRETE SEAWALL W/ 2.7' CAP TO REMAIN (±120 LN. FT)
- PROPOSED CONCRETE SEAWALL W/ 3.0' CAP (±120 LN. FT.; ±240 SQ. FT. OVERWATER)
- PROPOSED COMPOSITE FINGER PIERS (±320 SQ. FT.)
- PROPOSED MOORING PILES (22)
- EXISTING BOAT SLIPS AUTHORIZED UNDER MFOL09-0018 (8)

M.H.W. = 0.25' NAVD M.L.W. = (-)2.13' NAVD
NOTE: SURVEY INFORMATION PROVIDED BY MCLAUGHLIN ENGINEERING CO. SURVEY CONDUCTED ON 01/10/2020. ELEVATIONS SHOWN AS NAVD88. TOTAL OVERWATER SQUARE FOOTAGE IS APPROXIMATELY 560 SQ. FT.

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
 © THE CHAPPELL GROUP, INC. 2021



THE Chappell GROUP INC.
 714 East McNab Road
 Pompano Beach, Florida 33060
 tel. 954.782.1908 www.thechappellgroup.com
 fax. 954.782.1108

- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys

141 ISLE OF VENICE DRIVE

PREPARED FOR:
CASA MURANO LLC

DISTANCE EXISTING		
Date: 3/18/2021	Sheet : 2	of : 3
Proj No.: 20-0004.001		



PROPOSED STRUCTURES	STRUCTURE DISTANCE FROM PROPERTY LINE	PERMITTED DISTANCE WITHOUT WAIVER	DISTANCE REQUIRING A WAIVER
MOORING PILES GROUP A (3 PILES)	±49.4'	25'	±24.4'
MOORING PILES GROUP B (4 PILES)	±44.7'	25'	±19.7'
MOORING PILES GROUP C (2 PILES)	±39.8'	25'	±14.8'
MOORING PILES GROUP D (13 PILES)	±26.4'	25'	±1.4'

LEGEND

- SUBJECT SITE (0.33 AC)
- EXISTING CONCRETE SEAWALL W/ 2.7' CAP TO REMAIN (±120 LN. FT)
- PROPOSED CONCRETE SEAWALL W/ 3.0' CAP (±120 LN. FT.; ±240 SQ. FT. OVERWATER)
- PROPOSED COMPOSITE FINGER PIERS (±320 SQ. FT.)
- PROPOSED MOORING PILES (22)
- 1 EXISTING BOAT SLIPS AUTHORIZED UNDER MFOL09-0018 (8)

M.H.W. = 0.25' NAVD M.L.W. = (-)2.13' NAVD
 NOTE: SURVEY INFORMATION PROVIDED BY MCLAUGHLIN ENGINEERING CO. SURVEY CONDUCTED ON 01/10/2020. ELEVATIONS SHOWN AS NAVD88. TOTAL OVERWATER SQUARE FOOTAGE IS APPROXIMATELY 560 SQ. FT.

THIS DRAWING AND ALL APPURTENANT MATTER CONTAINS INFORMATION PROPRIETARY TO THE CHAPPELL GROUP, INC. AND IS LOANED SUBJECT TO RETURN UPON DEMAND AND MUST NOT BE REPRODUCED, COPIED, LOANED, REVEALED, NOR LISTED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED WITHOUT EXPRESSED WRITTEN CONSENT OF THE CHAPPELL GROUP, INC.
 © THE CHAPPELL GROUP, INC. 2021

714 East McNab Road
 Pompano Beach, Florida 33060
 tel. 954.782.1908
 fax. 954.782.1108
www.thechappellgroup.com


- Environmental Consultants
- Marina & Wetland Permitting
- Mitigation Design & Monitoring
- T&E Species Surveys

141 ISLE OF VENICE DRIVE

PREPARED FOR:
CASA MURANO LLC

DISTANCE EXISTING		
Date: 3/18/2021	Sheet : 3	of : 3
Proj No.: 20-0004.001		

EXHIBIT IX EXISTING WAIVERS IN THE VICINTY



ADDRESS	MAXIMUM DISTANCE
440 Hendricks Isle	39.0'
101 Hendricks Isle	30.0'
95 Hendricks Isle	35.0'
13 Hendricks Isle	80.0'
1 Hendricks Isle	43.0'
91 Isle of Venice	45.0'
Subject Site	49.4'