



# MAINTENANCE OF TRAFFIC (MOT) FORM

### SECTION 1: APPLICANT INFORMATION

Applicant Name: Museum of Discovery and Science Applicant Phone: 954.713.0918  
 Applicant Email: hillary.wallace@mods.org  
 Applicant Address: 401 SW 2nd St., Fort Lauderdale, FL 33312  
(Address, City, State, Zip Code)  
 City Project Manager (if applicable): \_\_\_\_\_ Phone: \_\_\_\_\_  
 Agency responsible for this project:  City  County  FDOT  Other: \_\_\_\_\_  
 On-site/Emergency Contact Phone: Hillary Wallace-954.713.0918

### SECTION 2: PROJECT INFORMATION

ENG Permit # (obtain from Department of Sustainable Development (DSD)): Special Event  
 Project Name: MODS Wine, Spirits & Culinary Celebration  
 Project Address: 401 SW 2nd St., Fort Lauderdale, FL 33312  
(Address, City, State, Zip Code)

#### Specific Dates and Times Requested for MOT Implementation:

Please identify a start date that is at least two weeks from the submittal date. The approval of an MOT application may require up to two weeks from the time that all required documents are received by TAM staff.

Begin Date: 10/17/25 Begin Time: 8:00am  
 End Date: 10/17/25 End Time: 11:59pm

### SECTION 3: PROJECT DETAILS

- Partial or Shoulder Closure
- Full Road Closure (detour): Under 72 Hours
- Sidewalk Closure: Under 72 Hours
- Full Road/Sidewalk Closure: More than 72 Hours

- Daily Setup/ Breakdown  YES  NO
- Using Crane in ROW\*  YES  NO
- Parking Meters Impacted\*  YES  NO

\*Crane and parking meter mitigation must be done prior to MOT approval. Please refer to the MOT Guidelines for crane definitions.

### SECTION 4: TYPE OF WORK DESCRIPTION

Please make sure to include the following information in the description:

- List the names of affected streets and the nearest intersection. Use complete street names, including directionals.
- Describe the nature of the construction and any phasing plans. A separate MOT application is required for each phase.
- Describe any specific safety hazards that the work may produce during construction (i.e., large holes, etc.).

SW 4th Ave. between Broward Blvd. and SW 2nd St.  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

### SECTION 5: FDOT DESIGN STANDARD INDEX DRAWING NUMBERS/MUTCD TYPICAL APPLICATION

(State which FDOT Standard Index 600 series will be followed. The indexes must include the north arrow and the names of the main and cross streets. Also, state whether trenches will be covered or backfilled during non-working hours.)

TA-20  
 \_\_\_\_\_  
 \_\_\_\_\_

Office Use Only MOT ID#: \_\_\_\_\_



# MAINTENANCE OF TRAFFIC (MOT) FORM

## SECTION 6: MOT DESCRIPTION

Please make sure to include the following information in the description:

- List the lanes that will be open and closed on each street and describe any necessary detours in detail. If detours are not required, please state that below.
- State if flagmen will be provided.
- State if the MOT will be continuous or intermittent. If intermittent, state the times of the day the MOT will be in effect.
- State any other special considerations related to this request.

SW 4th Ave. will be closed from 8am-11:59pm on Friday, October 17. Detours will be to use SW 5th Ave. or SW 3rd Ave.

---



---



---



---



---

## SECTION 7: MOT FORM CHECKLIST (Provide one copy of each attachment.)

- |  |  |
|--|--|
| <input type="checkbox"/> Completed Required Signatures Form          | <input type="checkbox"/> Certification(s) for Traffic Control Technician or Traffic Control Supervisor must be embedded on MOT plans along with FDOT indexes/MUTCD documents |
| <input type="checkbox"/> Color aerial(s)/MOT Plan with index overlay | <input type="checkbox"/> Plan of work (optional, but preferred)  |
| <input type="checkbox"/> County and State approvals (if required)    |  |
| <input type="checkbox"/> Crane and Parking Mitigation (if required)  |  |
| <input type="checkbox"/> FDOT Index MUTCD Reference Drawing(s)       |  |

## SECTION 8: ADDITIONAL COMMENTS

---

**Please Note: The approval of an MOT application may require up to two weeks from the time that all required documents in the checklist above are received by TAM staff. Any rejected MOT submittal that is corrected and sent back will be considered a new submittal, which may require up to two additional weeks to approve. Additional time may be needed for more complex plans or plans requiring additional coordination/information.**

In signing this application, I understand that separate City and/or County and/or State permits may be required for this project. Furthermore, I am aware that I am responsible for ensuring that the project is completed in accordance with the plans and specifications as stipulated in the permit approval condition.

Hillary Wallace  
 (APPLICANT SIGNATURE)  
 9-24-25  
 (DATE SIGNED)

Hillary Wallace, Sr. Director of Events  
 (PRINT NAME/TITLE)

As a consideration for the permission granted herein, Mission of Discovery + Science (APPLICANT) agrees to indemnify and hold harmless the City of Fort Lauderdale for any damages, claims, or injuries that may result from the MOT plan approved under the PERMIT.

Mission of Discovery + Science BY: [Signature]  
 (NAME OF COMPANY) (COMPANY AUTHORIZED AGENT)



Office Use Only      MOT ID#: \_\_\_\_\_      ENG Permit#: \_\_\_\_\_

## REQUIRED SIGNATURES FORM

Applicant must collect all required signatures. To expedite processing, individual signatures may be obtained and submitted to [MOT@fortlauderdale.gov](mailto:MOT@fortlauderdale.gov) separately on this page. All signatures and comments must be submitted before two-week review process begins.

<p><u>F. Vetancourt</u> Print Name</p> <p style="text-align: center;"><b>Police Department</b> 1300 W. Broward Boulevard   Tel: 954-828-5477 <i>Call for Appointment</i></p> <p><i>*Required only if MOT includes a detour for any direction of travel.</i></p>	<p><u>[Signature]</u> Signature</p>	<p><u>10-1-25</u> (Date)</p>
---	---	----------------------------------

<p>_____ Print Name</p> <p style="text-align: center;"><b>Fire Rescue Department</b> 528 N.W. 2<sup>nd</sup> Street   Tel: 954-828-6800 <i>Call for Appointment</i></p> <p><i>*Required only if MOT includes a detour for any direction of travel.</i></p>	<p>_____ Signature</p>	<p>_____ (Date)</p>
--	----------------------------	-------------------------

<p>_____ Print Name</p> <p style="text-align: center;"><b>Broward County Traffic Engineering Division</b> 2300 W. Commercial Boulevard   Tel: 954-847-2653 <i>Call for Appointment. Walk-ins NOT accepted.</i></p> <p><i>*Required only if MOT/detour affects Broward County road or intersection.</i></p>	<p>_____ Signature</p>	<p>_____ (Date)</p>
--	----------------------------	-------------------------

**After all applicable signatures are collected, applicant should submit the MOT plan and this routing form to the Transportation and Mobility Department at [mot@fortlauderdale.gov](mailto:mot@fortlauderdale.gov).**

**OFFICE USE ONLY**  
Department Director's Signature (requested by City staff if required)

<p>_____ Print Name</p> <p style="text-align: center;"><b>Transportation and Mobility Department</b> 290 N.E. 3<sup>rd</sup> Avenue   Tel: 954- 828-4997   Email: <a href="mailto:MOT@fortlauderdale.gov">MOT@fortlauderdale.gov</a> <i>Call for Appointment. Walk-ins and hard copies NOT accepted.</i></p>	<p>_____ Signature</p>	<p>_____ (Date)</p>
--	----------------------------	-------------------------

<p>_____ Signature</p> <p style="text-align: center;"><b>Transportation and Mobility Department</b> Ben Rogers, Director</p>	<p>_____ Signature</p>	<p>_____ (Date)</p>
--	----------------------------	-------------------------

**A copy of the final permit and this MOT form shall be kept on site and be made available to the City inspector at all times.**

Traffic modifications required for special events shall be coordinated through the Parks and Recreation's Special Events Department. Please call 954-828-4349 or email [BHenry@fortlauderdale.gov](mailto:BHenry@fortlauderdale.gov).

MOT plans for City Capital Improvement Projects shall be coordinated through the City of Fort Lauderdale Public Works Department. Please call 954-828-5772 or email [ralvarez@fortlauderdale.gov](mailto:ralvarez@fortlauderdale.gov).



Office Use Only      MOT ID#: \_\_\_\_\_      ENG Permit#: \_\_\_\_\_

## REQUIRED SIGNATURES FORM

Applicant must collect all required signatures. To expedite processing, individual signatures may be obtained and submitted to [MOT@fortlauderdale.gov](mailto:MOT@fortlauderdale.gov) separately on this page. All signatures and comments must be submitted before two-week review process begins.

<p style="text-align: center;">_____ Print Name</p> <p style="text-align: center;">_____ Signature</p> <p style="text-align: center;"><b>Police Department</b> 1300 W. Broward Boulevard   Tel: 954-828-5477 <i>Call for Appointment</i></p> <p style="text-align: center;">*Required only if MOT includes a detour for any direction of travel.</p>	<p style="text-align: center;">_____ (Date)</p>
<p style="text-align: center;">Katie Burnette _____ Print Name</p> <p style="text-align: center;"> _____ Signature</p> <p style="text-align: center;"><b>Fire Rescue Department</b> 528 N.W. 2<sup>nd</sup> Street   Tel: 954-828-6800 <i>Call for Appointment</i></p> <p style="text-align: center;">*Required only if MOT includes a detour for any direction of travel.</p>	<p style="text-align: center;">9/29/25 _____ (Date)</p>
<p style="text-align: center;">_____ Print Name</p> <p style="text-align: center;">_____ Signature</p> <p style="text-align: center;"><b>Broward County Traffic Engineering Division</b> 2300 W. Commercial Boulevard   Tel: 954-847-2653 <i>Call for Appointment. Walk-ins NOT accepted.</i></p> <p style="text-align: center;">*Required only if MOT/detour affects Broward County road or intersection.</p>	<p style="text-align: center;">_____ (Date)</p>
<p><b>After all applicable signatures are collected, applicant should submit the MOT plan and this routing form to the Transportation and Mobility Department at <a href="mailto:mot@fortlauderdale.gov">mot@fortlauderdale.gov</a>.</b></p>	
<p><b>OFFICE USE ONLY</b> Department Director's Signature (requested by City staff if required)</p>	
<p style="text-align: center;">Martha Parfait _____ Print Name</p> <p style="text-align: center;"> _____ Signature</p> <p style="text-align: center;"><b>Transportation and Mobility Department</b> 290 N.E. 3<sup>rd</sup> Avenue   Tel: 954- 828-4997   Email: <a href="mailto:MOT@fortlauderdale.gov">MOT@fortlauderdale.gov</a> <i>Call for Appointment. Walk-ins and hard copies NOT accepted.</i></p>	<p style="text-align: center;">10/7/25 _____ (Date)</p>
<p style="text-align: center;">_____ Signature</p> <p style="text-align: center;"><b>Transportation and Mobility Department</b> Ben Rogers, Director</p>	<p style="text-align: center;">_____ (Date)</p>

A copy of the final permit and this MOT form shall be kept on site and be made available to the City inspector at all times. Traffic modifications required for special events shall be coordinated through the Parks and Recreation's Special Events Department. Please call 954-828-4349 or email [BHenry@fortlauderdale.gov](mailto:BHenry@fortlauderdale.gov). MOT plans for City Capital Improvement Projects shall be coordinated through the City of Fort Lauderdale Public Works Department. Please call 954-828-5772 or email [ralvarez@fortlauderdale.gov](mailto:ralvarez@fortlauderdale.gov).

PLAN NOT TO SCALE



W BROWARD BLVD

TABLE 1 CHANNELIZING DEVICE SPACING		
Work Zone Speed (mph)	Max Spacing (feet)	
	Temporary Traffic Barriers	Water-filled Barricades, Wheel Protectors, or Drums
0-25	25	50
26-35	50	100
36-45	100	150
46-55	150	200
56-65	200	250
66-75	250	300
76-85	300	350
86-95	350	400
96-105	400	450
106-115	450	500

TABLE 2 TAPER LENGTH "L"		
Work Zone Speed (mph)	Min Length (feet)	
	Approach	Exit
0-25	100	100
26-35	150	150
36-45	200	200
46-55	250	250
56-65	300	300
66-75	350	350
76-85	400	400
86-95	450	450
96-105	500	500
106-115	550	550

TABLE 3 WORK ZONE SIGN SPACING "X"	
Work Zone Speed (mph)	Min Spacing (feet)
0-25	100
26-35	150
36-45	200
46-55	250
56-65	300
66-75	350
76-85	400
86-95	450
96-105	500
106-115	550

TABLE 4 BUFFER LENGTH "B"		
Work Zone Speed (mph)	Min Length (feet)	
	Approach	Exit
0-25	100	100
26-35	150	150
36-45	200	200
46-55	250	250
56-65	300	300
66-75	350	350
76-85	400	400
86-95	450	450
96-105	500	500
106-115	550	550

**SPEED LIMIT**  
**35**

SW 7TH AVE

SW 5TH AVE

SW 4TH AVE

NUGENT AVE

SW 2ND ST

**MARK MEYERS**

**FDOT**  
Mark Meyers  
Certificate: Has Completed a FDOT Approved Temporary Traffic Control Advanced Course  
605769  
Issue: 02/13/2023 Training Provider: my11Curfuc  
Expires: 02/02/2027 83 Geneva Dr Ste 621304  
Ovada FL 32662  
Instructed by: my online Pk 407914165  
Verify his Certification at www.motplan.com

500 ft



SHEET	TABLE OF CONTENTS
1	General Notes, TTC Tables
2	Definitions Temporary Traffic Control Devices Overhead Work Railroads Sight Distance Above Ground Hazard
3	Clear Zone Widths For Work Zones Superelevation Length Of Lane Closures Overweight/Oversize Vehicles Lane Widths High-Visibility Safety Apparel Speed Reduction Signing
4	Flagger Control Survey Work Zones Signs
5	Work Zone Sign Supports
6	Commonly Used Warning and Regulatory Signs In Work Zones
7	Manholes/Crosswalks/Joints Truck Mounted Attenuators Signals Channelizing Devices Channelizing Devices Consistency Advanced Warning Arrow Boards
8	Drop-Offs In Work Zones
9	Business Entrance Temporary Asphalt Separator
10	Channelizing Devices Notes Temporary Barrier Notes
11	Pavement Markings

**GENERAL NOTES:**

- This Index contains information specific to the Federal and State guidelines and standards for the preparation of traffic control plans and for the execution of traffic control in work zones, for construction and maintenance operations and utility work on highways, roads and streets on the State Highway System. Certain requirements in this Index are based on the high volume nature of State Highways. For highways, roads and streets off the State Highway System, the local agency (City/County) having jurisdiction may adopt requirements based on the minimum requirements provided in the MUTCD.
- Use this Index in accordance with the Plans and Indexes 102-601 through 102-680. Indexes 102-601 through 102-680 are Department-specific typical applications of commonly encountered situations. Adjust device location or number thereof as recommended by the Worksite Traffic Supervisor and approved by the Engineer. Devices include, but are not limited to, flaggers, portable temporary signals, signs, pavement markings, and channelizing devices. Comply with MUTCD or applicable Department criteria for any changes and document the reason for the change.
- Except for emergencies, any road closure on State Highway System must comply with Section 335.15, F.S.

**TABLE 1  
CHANNELIZING DEVICE SPACING**

Work Zone Speed (mph)	Max. Spacing (feet)			
	Cones or Temporary Tubular Markers		Type I Barricades, Type II Barricades, Vertical Panels, or Drums	
	Taper	Tangent	Taper	Tangent
≤ 45	25	50	25	50
≥ 50	25	50	50	100

**TABLE 2  
TAPER LENGTH "L"**

Work Zone Speed (mph)	Min. Length (feet)
≤ 40	$L = \frac{WS^2}{60}$
≥ 45	$L = WS$

Where: W = width of offset in feet  
S = speed in mph

**TABLE 3  
WORK ZONE SIGN SPACING "X"**

Road Type	Min. Spacing (feet)
Arterials and Collectors with Work Zone Speed ≤ 40 mph	200
Arterials and Collectors with Work Zone Speed ≥ 45 mph	500
Limited Access Roadways*	1,500






\* For limited access roadways with work zone speed ≤ 55 mph, the minimum spacing may be reduced in accordance with the MUTCD and as approved by the Engineer.

**TABLE 4  
BUFFER LENGTH "B"**

Work Zone Speed (mph)	Min. Length (feet)
25	155
30	200
35	250
40	305
45	360
50	425
55	495
60	570
65	645
70	730

Note: When Buffer Length "B" cannot be attained due to geometric constraints, use the greatest length possible, but not less than 155 feet.

**SYMBOLS:**

-  Work Area
-  Channelizing Device
-  Work Zone Sign
-  Type III Barricade
-  Lane Identification and Direction of Traffic

**MARK@MOTPLANS.COM**



**FDOT**  
Mark Meyers  
Certificate: 605769  
Issued: 02/13/2023  
Expires: 02/02/2027  
Training Provider: my/TCOnline  
80 Geneva Dr., Ste. 621294  
Oviedo, FL 32762  
Ph: 407-501-0305  
Verify this Certificate at www.motplans.com

LAST REVISION	DESCRIPTION:
11/01/23	

**FDOT** FY 2025-26  
STANDARD PLANS

**GENERAL INFORMATION FOR TRAFFIC CONTROL THROUGH WORK ZONES**

INDEX SHEET  
102-600 1 of 11



**Notes for Figure 6P-20—Typical Application 20  
Detour for a Closed Street**

*Guidance:*

1. *This plan should be used for streets without posted route numbers.*
2. *On multi-lane streets, Detour signs with an Advance Turn Arrow should be used in advance of a turn.*

**Option:**

3. Flashing warning lights and/or flags may be used to call attention to the advance warning signs.
4. Flashing warning lights may be used on Type 3 Barricades.
5. Detour signs may be located on the far side of intersections. A Detour sign with an advance arrow may be used in advance of a turn.
6. A Street Name sign may be mounted with the Detour sign. The Street Name sign may be either white on green or black on orange.

**Standard:**


7. **When used, the Street Name sign shall be placed above the Detour sign.**

**Support:**

8. Figure 6P-9 contains the information for detouring a numbered highway.



Figure 6P-20. Detour for a Closed Street (TA-20)



Notes: See Table 6P-2 for the meanings of the symbols used in this figure.  
See Table 6B-1 for the meanings of the letter codes used in this figure.

MARK@MOTPLANS.COM

	Mark Meyers
Certificate <b>605769</b>	Has Completed a FDOT Approved Temporary Traffic Control Advanced Course.
Issued: 02/13/2023	Training Provider: myTTCorline
Expires: 02/02/2027	83 Geneva Dr. Ste 621394 Oviedo FL 32762 Ph: 407-901-9206
Instructor: M	
Verify this Certificate at <a href="http://www.motplans.com">www.motplans.com</a> .	

Typical Application 20

PLAN NOT TO SCALE



W BROWARD BLVD

TABLE 1 CHANNELIZING DEVICE SPACING			
Work Zone Speed (mph)	Max. Spacing (feet)		
		Cones or Temporary Traffic Markers	Edge of Barriers, End of Barricades, Series of Pallets, or Drums
15-20	25	50	100
21-30	30	75	150
31-40	35	100	200
41-50	40	150	300

TABLE 2 TAPER LENGTH "L"			
Work Zone Speed (mph)	Min. Length (feet)		
		1/2 mile	1 mile
15-20	25	50	75
21-30	30	75	100
31-40	35	100	150
41-50	40	150	200

TABLE 3 WORK ZONE SIGN SPACING "X"			
Road Type	Min. Spacing (feet)		
	Highway	1000	1500
Arterial	500	750	1000
Collector	250	375	500
Local	125	187	250

TABLE 4 BUFFER LENGTH "B"			
Work Zone Speed (mph)	Min. Length (feet)		
	15-20	25	50
21-30	30	75	100
31-40	35	100	150
41-50	40	150	200

**SPEED LIMIT**  
**35**

SW 7TH AVE

SW 5TH AVE

SW 4TH AVE

NUGENT AVE

SW 2ND ST

**MARK MEYERS**  
**FOOT**  
 Mark Meyers  
 Certificate: 605769  
 Issued: 02/13/2023 Training Provider: myonline  
 Expires: 02/02/2027  
 Instructor: H  
 Has Completed a FOOT Approved Temporary Traffic Control Advanced Course.  
 myonline 63 Geneva Dr. Ste. 621394 Ocala FL 32762 Ph: 407-501-4206  
 Verify this Certificate at www.motplan.com

500 ft



SHEET	TABLE OF CONTENTS
1	General Notes, TTC Tables
2	Definitions
	Temporary Traffic Control Devices
	Overhead Work
	Railroads
	Sight Distance
3	Above Ground Hazard
	Clear Zone Widths For Work Zones
	Superelevation
	Length Of Lane Closures
	Overweight/Oversize Vehicles
4	Lane Widths
	High-Visibility Safety Apparel
	Speed Reduction Signing
	Flagger Control
	Survey Work Zones
5	Signs
5	Work Zone Sign Supports
6	Commonly Used Warning and Regulatory Signs In Work Zones
7	Manholes/Crosswalks/Joints
	Truck Mounted Attenuators
	Signals
	Channelizing Devices
	Channelizing Devices Consistency
8	Advanced Warning Arrow Boards
	Drop-Offs In Work Zones
9	Business Entrance
10	Temporary Asphalt Separator
	Channelizing Devices Notes
11	Temporary Barrier Notes
	Pavement Markings

**GENERAL NOTES:**

- This Index contains information specific to the Federal and State guidelines and standards for the preparation of traffic control plans and for the execution of traffic control in work zones, for construction and maintenance operations and utility work on highways, roads and streets on the State Highway System. Certain requirements in this Index are based on the high volume nature of State Highways. For highways, roads and streets off the State Highway System, the local agency (City/County) having jurisdiction may adopt requirements based on the minimum requirements provided in the MUTCD.
- Use this Index in accordance with the Plans and Indexes 102-601 through 102-680. Indexes 102-601 through 102-680 are Department-specific typical applications of commonly encountered situations. Adjust device location or number thereof as recommended by the Worksite Traffic Supervisor and approved by the Engineer. Devices include, but are not limited to, flaggers, portable temporary signals, signs, pavement markings, and channelizing devices. Comply with MUTCD or applicable Department criteria for any changes and document the reason for the change.
- Except for emergencies, any road closure on State Highway System must comply with Section 335.15, F.S.

**TABLE 1  
CHANNELIZING DEVICE SPACING**

Work Zone Speed (mph)	Max. Spacing (feet)			
	Cones or Temporary Tubular Markers		Type I Barricades, Type II Barricades, Vertical Panels, or Drums	
	Taper	Tangent	Taper	Tangent
≤ 45	25	50	25	50
≥ 50	25	50	50	100

**TABLE 2  
TAPER LENGTH "L"**

Work Zone Speed (mph)	Min. Length (feet)
≤ 40	$L = \frac{WS^2}{60}$
≥ 45	$L = WS$

Where: W = width of offset in feet  
S = speed in mph

**TABLE 3  
WORK ZONE SIGN SPACING "X"**

Road Type	Min. Spacing (feet)
Arterials and Collectors with Work Zone Speed ≤ 40 mph	200
Arterials and Collectors with Work Zone Speed ≥ 45 mph	500
Limited Access Roadways *	1,500






\* For limited access roadways with work zone speed ≤ 55 mph, the minimum spacing may be reduced in accordance with the MUTCD and as approved by the Engineer.

**TABLE 4  
BUFFER LENGTH "B"**

Work Zone Speed (mph)	Min. Length (feet)
25	155
30	200
35	250
40	305
45	360
50	425
55	495
60	570
65	645
70	730

Note: When Buffer Length "B" cannot be attained due to geometric constraints, use the greatest length possible, but not less than 155 feet.

**SYMBOLS:**

-  Work Area
-  Channelizing Device
-  Work Zone Sign
-  Type III Barricade
-  Lane Identification and Direction of Traffic

**MARK@MOTPLANS.COM**



**FDOT**  
Mark Meyers  
Certificate: 605769  
Issued: 02/15/2023  
Expires: 02/02/2027  
Training Provider: myl FDOT  
myl FDOT  
83 Geneva Dr. Ste 1122H  
Oviedo, FL 32762  
Ph: 407-691-0206  
Verify this Certificate at [www.motadmin.com](http://www.motadmin.com)

LAST REVISION	DESCRIPTION:
11/01/23	

 <b>FY 2025-26 STANDARD PLANS</b>	<b>GENERAL INFORMATION FOR TRAFFIC CONTROL THROUGH WORK ZONES</b>	INDEX <b>102-600</b>	SHEET <b>1 of 11</b>
--	---	-------------------------	-------------------------



**Notes for Figure 6P-20—Typical Application 20  
Detour for a Closed Street**

*Guidance:*

1. *This plan should be used for streets without posted route numbers.*
2. *On multi-lane streets, Detour signs with an Advance Turn Arrow should be used in advance of a turn.*

**Option:**

3. Flashing warning lights and/or flags may be used to call attention to the advance warning signs.
4. Flashing warning lights may be used on Type 3 Barricades.
5. Detour signs may be located on the far side of intersections. A Detour sign with an advance arrow may be used in advance of a turn.
6. A Street Name sign may be mounted with the Detour sign. The Street Name sign may be either white on green or black on orange.

**Standard:**


7. **When used, the Street Name sign shall be placed above the Detour sign.**

**Support:**

8. Figure 6P-9 contains the information for detouring a numbered highway.



Figure 6P-20. Detour for a Closed Street (TA-20)



Notes: See Table 6P-2 for the meanings of the symbols used in this figure.  
See Table 6B-1 for the meanings of the letter codes used in this figure.

**MARK@MOTPLANS.COM**

<b>FDOT</b>	Mark Meyers
Certificate:	-Has Completed a FDOT Approved Temporary Traffic Control Advanced Course.
605769	
Issued: 02/13/2023	Training Provider:
Expires: 02/02/2027	myTTConline 83 Geneva Dr. Ste 621594 Oviedo, FL 32762 Ph: 407-901-0206
Instructor: M. H.	
Verify Your Certificate at <a href="http://www.motadmin.com">www.motadmin.com</a>	

Typical Application 20